





MATERIAL CODE
(.28)/.0106 THK
BLANK=BRASS
B=PHOS BRONZE

2578 - * - * * *



OPTIONS
BLANK=AS SHOWN
1 = WITH CAT EARS

1. MATERIAL: SEE LEGEND
2. FINISH: SEE LEGEND
3. PRODUCT SPECIFICATION: PS-08-50
4. CRIMP ACCEPTS 22 TO 26 GA. WIRE WITH (1.65)/0.65 MAX INSULATION DIA.
5. DIMENSIONS GIVEN ACROSS CENTERLINES ARE SYMMETRICAL ABOUT THOSE CENTERLINES WITHIN HALF THE TOTAL TOLERANCE.
6. OPTIONAL DESIGN (.86±.05)/.034±.002
7. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002

WINDING SPEC.
A=PER ES-339-A
BLANK=PER ES-339-B
L=LOOSE

PLATING CODE
(PER SDES-88)

- (122) - OVERALL TIN: (0.00381)/.000150 MIN. OVER (0.00076)/.000030 MIN. NICKEL
- (154) - OVERALL TIN (0.00254)/.000100 MIN. OVER (0.00127)/.000050 MIN. NICKEL
- (224) - OVERALL MATTE TIN: (0.00508)/.000200 MIN. OVER (0.00127)/.000050 MIN. NICKEL
- (550) - SELECT GOLD: (0.000381)/.000015 MIN. OVERALL GOLD FLASH: (0.00005)/.000002 MIN. OVERALL NICKEL UNDERPLATE: (0.00076)/.000030 MIN.
- (555) - SELECT GOLD: (0.000381)/.000015 MIN. OVERALL NICKEL UNDERPLATE: (0.00076)/.000030 MIN.
- (558) - SELECT GOLD: (0.00076)/.000030 MIN. OVERALL GOLD FLASH: (0.00005)/.000002 MIN. OVERALL NICKEL UNDERPLATE: (0.00127)/.000050 MIN.
- (P909) - OVERALL HOT TIN DIP: (0.00254)/.000100 MIN



CHANGE PLATING		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
EC NO: UCP202-4821		▽=0		mm INCH		MM/IN		--	INCH	◎	
20210611H		▽=0		4 PLACES ± --- ± ---		DRAWN BY PEREZ/AR		DATE 01/29/87		TITLE CRIMP TERMINAL (3.96)/.156 CENTERS 22 TO 26 GA WIRE MOLEX INCORPORATED	
20210611H		▽=0		3 PLACES ± --- ± .010		CHECKED BY PATEL		DATE 01/29/87			
20210611H		▽=0		2 PLACES ± 0.25 ± .014		APPROVED BY LENZ		DATE 01/29/87			
20210611H		▽=0		1 PLACE ± 0.36 ± ---		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-2578			
X		REV		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		SHEET NO. 1 OF 2	

	13	12	11	10	9	8	7	6	5	4	3	2	1																																																				
J	2578-(***)*			2578-B-(***)*										J																																																			
	PART NO.	ENG. NO.		PART NO.	ENG. NO.																																																												
	08-50-0107	2578-(P909)		08-50-0133	2578-B-(P909)																																																												
	08-50-0108	2578-(P909)L		08-50-0134	2578-B-(P909)L																																																												
	08-50-0111	2578-(154)		08-65-0116	2578-B-(555)																																																												
I	08-50-0112	2578-(154)L		08-65-0117	2578-B-(555)L									I																																																			
	08-56-0107	2578-(550)		08-60-0003	2578-B-(122)																																																												
	08-56-0108	2578-(550)L		08-60-0004	2578-B-(122)L																																																												
	08-55-0105	2578-(555)		08-65-0110	2578-B-(558)																																																												
	08-55-0106	2578-(555)L		08-65-0111	2578-B-(558)L																																																												
	08-50-0061	2578-(224)		08-58-0125	2578-B-(550)																																																												
	08-50-0062	2578-(224)L		08-58-0126	2578-B-(550)L																																																												
H	08-55-0137	2578-(558)A												H																																																			
		2578-(558)L																																																															
	08-50-0018	2578-(154)																																																															
	08-50-0019	2578-(154)L																																																															
	08-55-0123	2578-(558)																																																															
		2578-(558)L																																																															
G														G																																																			
F														F																																																			
E														E																																																			
D														D																																																			
C														C																																																			
B														B																																																			
A														A																																																			
<table><tr><td rowspan="5">SEE SHEET 1 EC NO: UCP2012-1821 DRAWN:MMSTROH 2012/01/11 CHKD:HKIPPER 2012/01/16 APPR:FSMITH 2012/02/02</td><td>QUALITY SYMBOLS</td><td>GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM/IN</td><td>SCALE --</td><td>DESIGN UNITS INCH</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td rowspan="4"></td><td></td><td>mm</td><td>INCH</td><td>DRAWN BY PEREZ/AR</td><td>DATE 01/29/87</td><td colspan="3" rowspan="3">TITLE CRIMP TERMINAL (3.96)/.156 CENTERS 22 TO 26 GA WIRE</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td><td>CHECKED BY PATEL</td><td>DATE 01/29/87</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td><td>APPROVED BY LENZ</td><td>DATE 01/29/87</td></tr><tr><td>2 PLACES</td><td>± ---</td><td>± ---</td><td colspan="2">MATERIAL NO. SEE CHART</td><td>DOCUMENT NO. SD-2578</td><td>SHEET NO. 2 OF 2</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td><td colspan="2">ANGULAR ±1/2°</td><td colspan="3">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="7"></td></tr></table>														SEE SHEET 1 EC NO: UCP2012-1821 DRAWN:MMSTROH 2012/01/11 CHKD:HKIPPER 2012/01/16 APPR:FSMITH 2012/02/02	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE MM/IN		SCALE --	DESIGN UNITS INCH	THIRD ANGLE PROJECTION				mm	INCH	DRAWN BY PEREZ/AR	DATE 01/29/87	TITLE CRIMP TERMINAL (3.96)/.156 CENTERS 22 TO 26 GA WIRE			4 PLACES	± ---	± ---	CHECKED BY PATEL	DATE 01/29/87	3 PLACES	± ---	± ---	APPROVED BY LENZ	DATE 01/29/87	2 PLACES	± ---	± ---	MATERIAL NO. SEE CHART		DOCUMENT NO. SD-2578	SHEET NO. 2 OF 2	1 PLACE	± ---	± ---	ANGULAR ±1/2°		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								
SEE SHEET 1 EC NO: UCP2012-1821 DRAWN:MMSTROH 2012/01/11 CHKD:HKIPPER 2012/01/16 APPR:FSMITH 2012/02/02	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE MM/IN		SCALE --	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																																																										
			mm	INCH	DRAWN BY PEREZ/AR	DATE 01/29/87	TITLE CRIMP TERMINAL (3.96)/.156 CENTERS 22 TO 26 GA WIRE																																																										
		4 PLACES	± ---	± ---	CHECKED BY PATEL	DATE 01/29/87																																																											
		3 PLACES	± ---	± ---	APPROVED BY LENZ	DATE 01/29/87																																																											
		2 PLACES	± ---	± ---	MATERIAL NO. SEE CHART		DOCUMENT NO. SD-2578	SHEET NO. 2 OF 2																																																									
1 PLACE	± ---	± ---	ANGULAR ±1/2°		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																												
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																																	
	12	11	10	9	8	7	6	5	4	3	2	1																																																					

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9