




This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE

SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
10	5.75	17.00
11	6.50	17.00
12	7.25	17.00
19	8.00	4.30

mat'l code				tolerances unless otherwise specified		CUSTOMER	FCI	
ltr	ecr no.	dr	date	linear	0.X ±0.3	COPY	www.fciconnect.com	
BJ					0.XX ±0.13	projection	title	
					.XXX ±.051		METRAL SIGNAL HEADER	
				angles	0° ±2°		2 MOD, 4 ROW PRESS-FIT	
				dr	T.BRUNGARD 11/19/99		product family	METRAL
				engr	M.STRAWSER 11/19/99		size	213
				chr	M.STRAWSER 11/19/99		dwg no	89074
				appd	M.STRAWSER 02/29/00	scale	A	sheet
						2:1		2
sheet index	revision sheet							

Pro/E

cage code
22526



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X01 SEE NOTE 10 LEAD FREE OPTION	D	3	2	1	1	1	1	1	3	2	3
	C	3	3	1	1	1	1	1	3	2	3
	B	3	2	1	1	1	1	1	3	2	3
	A	3	1	1	1	1	1	1	3	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X02 SEE NOTE 10 LEAD FREE OPTION	D	1	3	1	1	1	1	1	1	3	1
	C	1	3	1	1	1	1	1	1	3	1
	B	1	3	1	1	1	1	1	1	3	1
	A	1	3	1	1	1	1	1	1	3	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X03 SEE NOTE 10 LEAD FREE OPTION	D	3	2	1	1	2	2	2	2	3	2
	C	3	2	1	1	2	2	2	2	3	2
	B	3	2	1	1	2	2	2	2	3	2
	A	3	2	1	1	2	2	2	1	3	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X04 SEE NOTE 10 LEAD FREE OPTION	D	3	2	2	2	2	2	2	2	2	3
	C	3	2	2	2	2	2	2	2	2	3
	B	3	2	2	2	2	2	2	2	2	3
	A	3	2	2	2	2	2	2	2	3	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X05 SEE NOTE 10 LEAD FREE OPTION	D	3	1	1	1	1	1	1	3	2	3
	C	3	1	1	1	1	1	1	3	2	3
	B	3	1	1	1	1	1	1	3	2	3
	A	3	1	1	1	1	1	1	3	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X06 SEE NOTE 10 LEAD FREE OPTION	D	7	6	6	6	6	6	6	6	6	5
	C	7	6	6	6	6	6	6	6	6	5
	B	7	6	6	6	6	6	6	6	6	5
	A	7	6	6	6	6	6	6	6	6	5

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X07 SEE NOTE 10 LEAD FREE OPTION	D	8	6	6	6	6	6	6	6	6	6
	C	8	6	6	6	6	6	6	6	6	6
	B	8	6	6	6	6	6	6	6	6	6
	A	8	6	6	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X08 SEE NOTE 10 LEAD FREE OPTION	D	3	2	3	2	3	3	3	2	3	2
	C	3	2	3	2	3	3	3	2	3	2
	B	3	2	3	2	3	3	3	2	3	2
	A	3	2	3	2	3	3	3	2	3	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X09 SEE NOTE 10 LEAD FREE OPTION	D	8	7	7	7	7	7	7	7	7	6
	C	8	7	7	7	7	7	7	7	7	6
	B	8	7	7	7	7	7	7	7	7	6
	A	8	7	7	7	7	7	7	7	7	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X10 SEE NOTE 10 LEAD FREE OPTION	D	3	2	2	2	2	2	3	3	3	2
	C	3	2	2	2	2	2	3	3	3	2
	B	3	2	2	2	2	2	3	3	3	2
	A	3	2	2	2	2	2	3	3	3	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X11 SEE NOTE 10 LEAD FREE OPTION	D	3	2	2	2	2	2	2	2	2	2
	C	3	2	2	2	2	2	2	2	2	2
	B	3	2	2	2	2	2	2	2	2	2
	A	3	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X12 SEE NOTE 10 LEAD FREE OPTION	D	3	2	2	2	2	2	3	2	2	2
	C	3	2	2	2	2	2	3	2	2	2
	B	3	2	2	2	2	2	3	2	2	2
	A	3	2	2	2	2	2	3	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X13 SEE NOTE 10 LEAD FREE OPTION	D	7	6	6	6	6	6	6	6	6	6
	C	7	6	6	6	6	6	6	6	6	6
	B	7	6	6	6	6	6	6	6	6	6
	A	7	6	6	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X14 SEE NOTE 10 LEAD FREE OPTION	D	7	6	6	6	6	6	7	6	6	6
	C	7	6	6	6	6	6	7	6	6	6
	B	7	6	6	6	6	6	7	6	6	6
	A	7	6	6	6	6	6	7	6	6	6

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI	
litr				ecr no.		COPY		www.fciconnect.com	
BJ						projection		title	
								METRAL SIGNAL HEADER	
								2 MOD, 4 ROW PRESS-FIT	
						scale		product family	
						1:1		METRAL	
								code	
								213	
								sheet	
								3	
sheet				revision					
index				sheet					

Pro/E

cage code 22526



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X15 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	3	2	2	2
	C	2	2	2	2	2	2	3	2	2	2
	B	2	2	2	2	2	2	3	2	2	2
	A	2	2	2	2	2	2	3	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X16 SEE NOTE 10 LEAD FREE OPTION	D	4	2	2	2	2	2	2	2	2	2
	C	4	2	2	2	2	2	2	2	2	2
	B	4	2	2	2	2	2	2	2	2	2
	A	4	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X17 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	4
	C	2	2	2	2	2	2	2	2	2	4
	B	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	2	2	2	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X18 SEE NOTE 10 LEAD FREE OPTION	D	3	2	2	2	2	4	2	2	2	3
	C	3	2	2	2	2	4	2	2	2	3
	B	3	2	2	2	2	4	2	2	2	3
	A	3	1	2	2	2	4	2	2	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X19 SEE NOTE 10 LEAD FREE OPTION	D	4	2	2	2	2	2	2	4	3	3
	C	4	2	2	2	2	2	2	4	3	3
	B	4	2	2	2	2	2	2	4	3	3
	A	4	2	2	2	2	2	2	4	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X20 SEE NOTE 10 LEAD FREE OPTION	D	8	7	7	7	7	7	7	7	7	7
	C	8	7	7	7	7	7	7	7	7	7
	B	8	7	7	7	7	7	7	7	7	7
	A	8	7	7	7	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X21 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	3	2	4	2	2	2
	C	2	2	2	2	3	2	4	2	2	2
	B	2	2	2	2	3	2	4	2	2	2
	A	2	2	1	2	3	2	4	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X22 SEE NOTE 10 LEAD FREE OPTION	D	2	2	1	1	3	2	4	2	2	2
	C	2	2	2	2	3	2	4	2	2	2
	B	2	2	2	2	3	2	4	2	2	2
	A	2	2	2	2	3	2	4	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X23 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	3	3	3	3	3	3	3
	C	1	1	1	3	3	3	3	3	3	3
	B	1	1	1	3	3	3	3	3	3	3
	A	1	1	1	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X24 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	1	1	1	1	1	1	2
	C	1	1	1	1	1	1	1	1	1	2
	B	1	1	1	1	1	1	1	1	1	2
	A	1	1	1	1	1	1	1	1	1	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X25 SEE NOTE 10 LEAD FREE OPTION	D	3	3	1	3	3	3	3	3	3	3
	C	3	3	1	3	3	3	3	3	3	3
	B	3	3	1	3	3	3	3	3	3	3
	A	3	3	1	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X26 SEE NOTE 10 LEAD FREE OPTION	D	3	3	1	3	3	3	3	3	3	3
	C	3	4	1	3	3	3	3	3	3	3
	B	3	3	1	3	3	3	3	3	3	3
	A	3	3	1	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X27 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	4
	C	2	2	2	2	2	2	2	2	2	4
	B	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	1	1	2	2	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X28 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	1	2
	C	2	2	2	2	2	2	2	1	1	2
	B	2	2	2	2	2	2	2	4	1	2
	A	2	2	2	2	2	2	2	4	1	2

mat'l code				tolerances unless otherwise specified		CUSTOMER	
litr	ecn no.	dr	date	linear	0.X ±0.3	projection	COPY
BJ					0.XX ±0.13		
					.XXX ±.051		
					0° ±2°		
				angles		MIM	
				dr	T.BRUNGARD 11/19/99		
				enrg	M.STRAWSE 11/19/99		
				chr	M.STRAWSE 11/19/99		
				appd	M.STRAWSE 02/29/00	scale	
sheet	revision						
index	sheet						

Pro/E

3

cage code 22526

4



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X29 SEE NOTE 10 LEAD FREE OPTION	D	2	2	4	4	4	4	4	4	4	4
	C	2	2	4	4	4	4	4	4	4	4
	B	2	2	4	4	4	4	4	4	4	4
	A	2	2	4	4	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X30 SEE NOTE 10 LEAD FREE OPTION	D	6	6	6	6	6	6	6	6	6	7
	C	6	6	6	6	6	6	6	6	6	7
	B	6	6	6	6	6	6	6	6	6	7
	A	6	6	6	6	6	6	6	6	6	7

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X31 SEE NOTE 10 LEAD FREE OPTION	D	6	6	6	6	6	6	6	6	6	7
	C	6	6	6	6	6	6	6	6	6	7
	B	6	6	6	6	6	6	6	6	6	7
	A	6	6	6	6	6	6	6	6	6	7

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X32 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	3	3	2	4
	C	2	2	2	2	2	2	3	3	2	4
	B	2	2	2	2	2	2	3	3	2	4
	A	2	2	2	2	2	2	3	3	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X33 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	4	2	2	2
	C	2	2	2	2	2	2	4	2	2	2
	B	2	2	2	2	2	2	4	2	2	2
	A	2	2	2	2	2	2	4	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X34 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	4	2	2	2
	C	2	2	2	2	2	2	4	2	2	2
	B	2	2	2	2	2	2	4	2	2	2
	A	2	2	2	2	2	2	4	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X35 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	3	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	3	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X36 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	4	2	2	2
	C	2	2	2	2	2	2	4	2	2	2
	B	2	2	4	2	2	2	4	2	2	2
	A	2	2	3	2	2	2	4	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X37 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	4	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X38 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X39 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	4	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X40 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	2	2	2	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X41 SEE NOTE 10 LEAD FREE OPTION	D	3	3	3	3	3	2	4	2	4	2
	C	3	3	3	3	2	4	2	4	2	4
	B	3	3	3	3	3	3	3	3	3	3
	A	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X42 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	1	1	1	1	1	1	1
	C	1	1	1	1	1	1	1	1	1	1
	B	1	1	1	1	1	1	1	1	1	1
	A	1	1	1	1	1	1	1	1	1	1

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI	
lfr	ecn no.	dr	date	linear	0.X ±0.3	COPY	www.fciconnect.com		
BJ					0.XX ±0.13	projection	title		
					.XXX ±.051		METRAL SIGNAL HEADER		
				angles	0° ±2°		2 MOD, 4 ROW PRESS-FIT		
				dr	T.BRUNGARD 11/19/99	scale	product family		METRAL
				enrg	M.STRAWSE 11/19/99	1:1	size		213
				chr	M.STRAWSE 11/19/99		dwg no		89074
				appd	M.STRAWSE 02/29/00		sheet		5
sheet index	revision sheet								

Pro/E

cage code 22526

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X43 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	1	2	1	1	1	1	1	2	
	C	1	1	1	1	2	1	1	1	1	1	2	
	B	1	1	1	1	2	1	1	1	1	1	2	
	A	1	1	1	1	2	1	1	1	1	1	2	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X49 SEE NOTE 10 LEAD FREE OPTION	D	4	-	-	2	-	6	6	6	6	6	6	6
	C	4	-	-	2	-	6	6	6	6	6	6	6
	B	4	-	-	2	-	8	8	8	6	6	6	6
	A	4	-	-	2	-	6	6	6	6	6	6	6

[illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X44 SEE NOTE 10 LEAD FREE OPTION	D	3	1	3	2	2	2	3	2	2	2	2	2
	C	3	3	2	2	2	2	3	2	2	2	2	2
	B	3	2	2	2	2	2	3	2	2	2	2	2
	A	3	2	2	2	2	2	3	2	2	2	2	2

[illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2				
		1	2	3	4	5	6	7	8	9	10	11
89074-X55 SEE NOTE 10 LEAD FREE OPTION	D	4	4	4	3	3	4	4	4	4	2	2
	C	4	4	4	3	3	4	4	4	2	4	4
	B	4	4	4	3	3	4	4	4	4	4	2
	A	4	4	4	3	3	4	4	2	2	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X45 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2	2	1
	C	2	2	2	2	2	2	2	2	2	2	2	1
	B	2	2	2	2	2	2	2	2	2	2	2	1
	A	2	2	2	2	2	2	2	2	2	2	2	1

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12	
89074-X51 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	3	3	2	4	4
	C	2	2	2	2	2	2	2	2	3	3	2	4	4
	B	2	2	2	2	2	2	2	2	3	3	2	4	4
	A	2	2	2	2	2	2	2	2	3	3	2	4	4

[illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X46 SEE NOTE 10 LEAD FREE OPTION.	D	4	-	-	2	-	1	2	2	2	2	2	2
	C	4	-	-	2	-	2	2	2	2	2	2	2
	B	4	-	-	2	-	4	4	4	2	2	2	2
	A	4	-	-	2	-	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X52 SEE NOTE 10 LEAD FREE OPTION	C	2	2	2	2	2	4	2	2	2	2	2	2
	D	2	2	2	2	2	4	2	2	2	2	2	2
	B	2	2	2	2	2	4	2	2	2	2	2	2
	A	2	2	2	2	2	4	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X57 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	1	1	1	-	-	-	1	1	1
	C	1	1	1	1	1	1	-	-	-	1	1	1
	B	1	1	1	1	1	1	-	-	-	1	1	1
	A	1	1	1	1	1	1	-	-	-	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X47 SEE NOTE 10 LEAD FREE SOLDER	D	8	-	-	6	-	5	6	6	6	6	6	6
	C	8	-	-	6	-	6	6	6	6	6	6	6
	B	8	-	-	6	-	8	8	8	6	6	6	6
	A	8	-	-	6	-	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X53 SEE NOTE 10 LEAD FREE SOLDER	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2	2	2

[illegible][illegible][illegible]

[illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X65 SEE NOTE 10 LEAD FREE OPTION	D	3	4	2	3	2	2	2	4	2	2	2	2
	C	3	2	2	3	2	2	2	4	2	2	2	2
	B	3	2	2	3	3	2	2	4	2	2	2	2
	A	3	2	2	3	3	2	2	4	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X70 SEE NOTE 10 LEAD FREE OPTION	D	4	4	4	4	2	4	2	2	4	2	2	2
	C	4	4	4	4	2	4	2	2	4	2	2	2
	B	4	4	4	4	2	4	2	2	4	4	2	2
	A	4	4	4	4	2	4	2	2	4	4	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X60 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	1	1	1	1	1	1	3	2	3
	C	2	2	2	1	1	1	1	1	1	3	2	3
	B	2	2	2	1	1	1	1	1	1	3	2	3
	A	2	2	2	1	1	1	1	1	1	3	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X66 SEE NOTE 10 LEAD FREE OPTION	D	3	3	2	2	4	4	4	4	4	4	4	4
	C	3	3	2	2	4	4	4	4	4	4	4	4
	B	3	3	2	2	4	4	4	4	4	4	4	4
	A	3	3	2	2	4	4	4	4	4	4	4	4

[illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X61 SEE NOTE 10 LEAD FREE OPTION	C	2	2	2	2	2	2	2	2	2	2	2	2
	D	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	1	2	2	2	2	2	2	2	2	2	2	1

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-x67 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	4	4	4	4	4	2	2
	C	2	2	2	2	2	4	4	4	4	4	2	2
	B	2	2	2	2	2	4	4	4	4	4	2	2
	A	2	2	2	2	2	4	4	4	4	4	2	2

[illegible][illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X68 SEE NOTE 10 LEAD FREE OPTION	D	2	4	2	2	2	2	2	2	2	3	4	3
	C	2	4	2	2	2	2	2	2	2	3	4	3
	B	2	4	2	2	2	2	2	2	2	3	4	3
	A	2	4	2	2	2	2	2	2	2	3	4	3

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X73 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X63 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	4	2	4
	C	2	2	2	2	2	2	2	2	4	2	2	4
	B	2	2	2	2	2	2	2	2	4	2	2	4
	A	2	2	2	2	2	2	2	2	4	2	2	4

METRAL P/N	ROW	CONTACT MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X69 SEE NOTE 10 LEAD FREE OPTION	D	4	4	4	4	3	3	3	4	2	3	2	2
	C	4	4	4	4	3	3	3	2	2	3	2	2
	B	4	4	4	4	3	3	3	2	2	3	3	2
	A	4	4	4	4	3	3	3	2	2	3	3	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	
89074-X74 SEE NOTE 10 LEAD FREE OPTION	D	6	6	6	6	6	6	6	6	6	8	6	6
	C	6	6	6	6	6	6	6	6	6	8	6	6
	B	6	6	6	6	6	6	6	6	6	8	6	6
	A	6	6	6	6	6	6	6	6	6	8	6	6

METRAL P/N		CONTACT CODE MOD. 1						MOD. 2					
	ROW	I	2	3	4	5	6	7	8	9	10	11	12
89074-X64 SEE NOTE 10 LEAD FREE OPTION	D	2	2	4	2	2	2	2	2	2	2	2	4
	C	2	2	4	2	2	2	2	2	2	2	2	4
	B	2	2	4	4	2	2	2	2	2	2	2	4
	A	2	2	4	4	2	2	2	2	2	2	2	4

[illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X75 SEE NOTE 10 LEAD FREE OPTION	D	6	6	6	6	6	6	7	7	7	6	8	8
	C	6	6	6	6	6	6	7	7	7	6	8	8
	B	6	6	6	6	6	6	7	7	7	6	8	8
	A	6	6	6	6	6	6	7	7	7	6	8	8

[illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	
89074-X86 SEE NOTE 10 LEAD FREE OPTION	D	-	-	2	2	4	5	6	-	4	2	4	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	-	-	-	-	-	-	-	4	4	4	4	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X76 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	4	2	2	2	2	2
	C	2	2	2	2	2	2	4	2	2	2	2	2
	B	2	2	2	2	2	2	4	2	2	2	2	2
	A	2	2	2	2	2	2	4	2	2	2	2	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X82 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	1	19	1	19	1	1	19	1	1
	C	19	1	1	19	1	19	19	1	1	1	19	1
	B	1	1	1	1	19	1	1	1	1	1	1	1
	A	1	1	1	19	1	19	1	1	1	1	1	1

[illegible][illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	
89074-X83 SEE NOTE 10 LEAD FREE OPTION	D	6	6	7	7	6	6	6	7	7	6	8	8
	C	6	6	7	7	6	6	6	7	7	6	8	8
	B	6	6	7	7	6	6	6	7	7	6	8	8
	A	6	6	7	7	6	6	6	7	7	6	8	8

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11
89074-X88 SEE NOTE 10 LEAD FREE OPTION	D	4	-	2	4	4	2	-	4	2	-	4
	C	4	-	4	4	4	2	-	4	2	-	4
	B	4	-	-	4	4	2	2	4	2	2	4
	A	4	-	-	4	4	2	2	4	2	2	4

[illegible][illegible][illegible][illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X85 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	1	1	1	1	1	1	1	1	1
	C	1	1	1	1	1	1	1	1	1	1	1	1
	B	1	1	1	1	1	1	1	1	1	1	1	1
	A	2	2	2	2	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11
89074-X90 SEE NOTE 10 LEAD FREE OPTION	D	3	3	3	3	3	3	3	3	3	3	3
	C	3	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3	3	3	3
	A	3	3	3	1	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X80 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	3	3	3
	C	2	2	2	2	2	2	2	2	2	3	3	3
	B	2	2	2	2	2	2	2	2	2	3	3	3
	A	2	2	2	2	2	2	2	2	2	3	3	3

mat'l code				- -		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0. X ± 0.3		COPY			title	
BJ					0. XX ± 0.13		projection			METRAL SIGNAL HEADER	
					.XXX ± .051					2 MOD, 4 ROW PRESS-FIT	
				angles	0° ± 2°				product family		
				dr	T.BRUNGARD	11/19/99			METRAL		code
				engr	M. STRAWSER	11/19/99	scale		size	dwg no	213
				chr	M. STRAWSER	11/19/99	1:1		A		89074
				appd	M. STRAWSER	02/29/00					sheet 8
sheet index		revision sheet									



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X91 SEE NOTE 10 LEAD FREE OPTION	D	7	7	7	7	7	7	7	7	7	7	7	7
	C	7	7	7	7	7	7	7	7	7	7	7	7
	B	7	7	7	7	7	7	7	7	7	7	7	7
	A	7	7	7	5	7	7	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X92 SEE NOTE 10 LEAD FREE OPTION	D	1	3	3	3	3	3	3	3	3	3	3	3
	C	3	3	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3	3	3	3	3
	A	1	3	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X93 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	3	2	2	3
	C	2	2	2	2	2	2	2	2	3	2	2	3
	B	2	2	2	2	2	2	2	2	3	2	2	3
	A	2	2	2	2	2	2	2	2	3	2	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X94 SEE NOTE 10 LEAD FREE OPTION	D	3	2	1	1	2	2	2	2	3	2	2	2
	C	3	2	1	1	2	2	1	2	3	2	2	2
	B	3	2	1	1	2	1	1	2	3	2	2	2
	A	3	2	1	1	2	1	2	2	3	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X95 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	4	2	4	2	4	2
	C	2	2	2	2	4	2	2	4	2	4	2	4
	B	2	2	2	2	2	2	4	2	4	2	4	2
	A	2	2	2	2	2	2	4	2	4	2	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X96 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	2	2	2	2	2	2	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X97 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	3
	A	2	2	2	2	2	2	2	2	2	2	2	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X98 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	4	4	
	C	2	2	2	2	2	2	2	2	1	2	4	
	B	2	2	2	2	2	2	2	2	2	4	4	
	A	2	2	2	2	2	2	2	2	2	4	4	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X99 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	4	2	2	4	3	3	4	
	C	2	2	2	2	4	2	2	4	3	3	4	
	B	2	2	2	2	4	2	2	4	3	3	4	
	A	2	2	2	2	4	2	2	4	3	3	4	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X100 SEE NOTE 10 LEAD FREE OPTION	D	19	2	2	2	2	2	2	1	2	19	3	2
	C	19	2	2	2	2	2	2	1	2	19	3	2
	B	19	2	2	2	2	2	2	2	1	19	2	
	A	19	2	2	2	2	2	2	2	2	19	3	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X101 SEE NOTE 10 LEAD FREE OPTION	D	19	2	2	2	19	2	2	19	2	2	2	3
	C	19	2	1	2	19	2	2	19	2	2	2	3
	B	19	2	19	2	19	2	2	19	2	1	2	3
	A	19	2	1	2	19	2	2	19	2	1	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X102 SEE NOTE 10 LEAD FREE OPTION	D	19	2	1	2	2	1	2	2	2	19	3	2
	C	19	2	1	2	2	2	1	2	2	19	3	2
	B	19	19	1	2	2	2	1	2	2	1	19	2
	A	19	1	2	2	1	2	2	2	2	2	19	3

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X103 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2	2	
	C	2	1	1	2	2	2	2	2	2	2	1	
	B	2	2	2	2	2	2	2	2	2	19	2	
	A	1	2	1	1	1	2	2	2	2	1	2	

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X104 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	1	1	1	1	1	1	1	1	1
	C	1	1	1	1	1	1	1	1	1	1	1	1
	B	3	3	3	3	3	3	1	1	1	1	1	1
	A	1	1	1	1	1	1	1	1	1	1	1	1

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI	
litr				ecm no.		COPY		www.fciconnect.com	
BJ						projection		title	
								METRAL SIGNAL HEADER	
						angles		2 MOD, 4 ROW PRESS-FIT	
						dr		product family	
						enrg		METRAL	
						chr		size	
						appd		dwg no	
								89074	
								sheet	
								9	
sheet				revision					
index				sheet					

Pro/E

3

cage code 22526

4



PRODUCT NUMBER
89074-XYX
89074-XYXLF

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL:
PHOSPHOR BRONZE.
- PLATING ON PRESS-FIT TAIL:
55422-XYX IS SnPb
55422-XYXLF IS SN (LEAD FREE)
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE
LEVEL SHOWN IN TABLE.
- PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN
SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"
WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF
- PRODUCT SPECIFICATION GS-12-180
APPLICATION SPECIFICATION BUS-20-073
- AFTER INSERTION INTO CIRCUIT BOARD WITH
QUALIFIED TOOL.
- THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE
EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS
AS DESCRIBED IN GS-22-008.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING
(DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE
TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR
VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1---
AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT
SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR
NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

10. FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX.
EXAMPLE: 89074-X01LF

PLATING IN CONTACT AREA

DASH NUMBER	PERFORMANCE LEVEL	NOTES
-N1YY	TELCORDIA CO (NXT)	-
-N5YY	TELCORDIA UE (NXT)	-
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS I	-
-5YY	TELCORDIA UE	-
-9YY	TELCORDIA CO	-
-N1YYLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 9
-N5YYLF	TELCORDIA UE (NXT)	SEE NOTE 9
-1YYLF	TELCORDIA CO IEC CLASS I	SEE NOTE 9
-2YYLF	TELECOM CLASS	SEE NOTE 9
-5YYLF	TELCORDIA UE	SEE NOTE 9

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com	
ltr	ecn no.	dr	date	linear		COPY		projection		title	
BJ				0.X ±0.3						METRAL SIGNAL HEADER	
				0.XX ±0.13						2 MOD, 4 ROW PRESS-FIT	
				.XXX ±.051						product family	
				angles						METRAL	
				0° ±2°						code	
				dr		T.BRUNGARD 11/19/99				213	
				enrg		M.STRAWSE 11/19/99				sheet	
				chr		M.STRAWSE 11/19/99				10	
				appd		M.STRAWSE 02/29/00					
sheet		revision									
index		sheet									

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9