

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

JUN ,2005.

© COPYRIGHT 2005 By --

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

変更

P

LTR

DESCRIPTION

DATE

DWN

APVD



H

PER ECR-14-006136



25APR2014

HS

FY



F-F



① MATERIAL;
HOUSING: HIGH TEMPERATURE THERMO PLASTIC
UL94V-0, COLOR; BLACK
CONTACT: COPPER ALLOY

② FINISH;
CONTACT AREA: GOLD PL. $0.76\mu\text{m}$ MIN OVER NICKEL PL.
COMPLIANT PIN ACTION AREA: $0.5\mu\text{m}$ MIN MATTE TIN
OVER NICKEL PL.

③ NOT SPECIFY BY PCI EXPRESS STANDARD

⑤ FINISH;
CONTACT AREA: GOLD PL. $0.76\mu\text{m}$ MIN OVER NICKEL PL.
COMPLIANT PIN ACTION AREA: $0.5\mu\text{m}$ MIN BRIGHT TIN-LEAD
OVER NICKEL PL.

⑫ FINISH;
CONTACT AREA: GOLD PL. $0.38\mu\text{m}$ MIN OVER NICKEL PL.
COMPLIANT PIN ACTION AREA: $0.5\mu\text{m}$ MIN MATTE TIN
OVER NICKEL PL.

13 CONNECTOR HAS MET THE REQUIREMENTS PER
PCI EXPRESS GEN 2 TECHNICAL DOCUMENT.

14 THE 2.0mm PF VERSIONS ARE GEN2 AND GEN3 COMPLIANT.

	⑫	PRODUCING	37	2.0	40.15	56	38.65	98	8	6-	-3
	⑫	PRODUCING	70		73.15	89	71.65	164	16	5-	-4
OBSOLETE		PRODUCING	70		73.15	89	71.65	164	16	3-	-4
OBSOLETE	⑤	PRODUCING	37		40.15	56	38.65	98	8	3-	-3
③		PRODUCING	128		131.15	147	129.65	280		1-	-5
		PRODUCING	70		73.15	89	71.65	164	16	1-	-4
		PRODUCING	37	3.25	40.15	56	38.65	98	8	1-1871058	-3
		PRODUCING	20		23.15	39	21.65	64	4	1-	-2
		PRODUCING	6	3.25	9.15	25	7.65	36	1	1-	-1
		PRELIMINARY	76		79.15	95	77.65	176	16		-7
③		PRODUCING	128		131.15	147	129.65	280			-5
		PRODUCING	70		73.15	89	71.65	164	16		-4
		PRODUCING	37	2.0	40.15	56	38.65	98	8	1871058-3	
		PRODUCING	20		23.15	39	21.65	64	4		-2
②		PRELIMINARY	6	2.0	9.15	25	7.65	36	1	1871058-1	
FINISH	TOOLING STATUS	N	D	C	B	A	POS.	PORT		P/N	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 概
mmTOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差 ± 0.3

① PLC $\pm$ $\pm 2^\circ$
① PLC $\pm$
② PLC $\pm$
③ PLC $\pm$
④ PLC $\pm$
ANGLES $\pm$

MATERIAL
材料FINISH
仕上

SEE NOTE 2

DWN

T.KATANO

02DEC05

CHK

R.MURAYAMA

02DEC05

APVD

K.KODAIRA

02DEC05

PRODUCT SPEC

製品規格
108-78340

APPLICATION SPEC

取付適用規格

WEIGHT

STE

TE Connectivity

PCI EXPRESS CARD EDGE CONN.
WITH COMPLIANT PIN V-TYPE

SIZE

CAGE CODE

DRAWING NO

番号

RESTRICTED TO

A3

00779

C-1871058

SCALE
尺度 4:1



SHEET

1 OF 2

REV

H

 THIS DIMENSION IS ONLY APPLIED TO PRSNT PINS.
 CARD THICKNESS APPLIES ACROSS TABS AND INCLUDES
 PLATING AND/OR METALIZATION.
 CHAMFER EDGES MUST BE FREE OF CUTTING BURRS.
 9 NO TIE BAR PERMITTED FROM CARD EDGE TO LEADING EDGE
 OF PAD FOR PRSNT PIN.
 10 APPLICATION NOTE;
 GOLD CONTACT PAD : ELECTROLESS GOLD PLATING $0.05\mu\text{m}$ MIN.
 OVER ELECTROLESS Ni PLATING $2\mu\text{m}$ MIN.
 DRILLED HOLE DIA.: 0.77 TO 0.83
 COPPER PLATING: 0.025 TO 0.075mm.
 FINISHED HOLE DIA. AFTER PLATING: 0.62 TO 0.78 DIA.



MODULE LAYOUT(MATING PART ONLY)

REV	
-----	--

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9