




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	B6	REVISED PER ECO-15-003872	25MAR2015	DD	DS

- 1 ACCEPTS #4 SELF TAPPING THREAD FORMING SCREWS OR METRIC EQUIVALENT. DRIVE TO 0.6-0.8 N-m.
- 2 DATE CODE IN THIS LOCATION USING 5 DIGIT CODE
FIRST 2 DIGITS = YEAR, SECOND 2 DIGITS = WEEK
LAST DIGIT = DAY.
- 3 MATERIALS: HEADER HOUSING - GLASS FILLED PBT
PINS - TIN OR GOLD PLATED BRASS
- 4 HOUSING COLORS ARE MECHANICALLY KEYS TO MATE ONLY WITH IDENTICALLY COLORED PLUG ASSEMBLIES.
5. HEADER MATES TO PLUG ASSEMBLY 776286 WHICH USES REELED TERMINAL 770520 OR LOOSE PIECE TERMINAL 770854.



SECTION A - A



776275-1 & 1-776275-1 SHOWN

NATURAL	DURAGOLD	1-776275-2
BLACK	DURAGOLD	1-776275-1
NATURAL	TIN	776275-2
BLACK	TIN	776275-1
HEADER COLOR 4	PLATING	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. STRAUSSER 29JAN2010	TE Connectivity	
DIMENSIONS:		CHK D. STRAUSSER 22MAR2010		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. STRAUSSER 27APR2010	NAME	
Ø	0 PLC ±.2	PRODUCT SPEC	ASSEMBLY, HEADER, 8 POSITION, VERTICAL, AMPSEAL	
	1 PLC ±0.13	108-1329		
	3 PLC ±.	APPLICATION SPEC	SIZE CAGE CODE DRAWING NO	
	4 PLC ±.	114-16016		
MATERIAL	ANGLES ±1°	WEIGHT	A100779C=776275	
3	FINISH 3	CUSTOMER DRAWING		
		SCALE 4:1	SHEET 1 OF 2	REV B6

D


C

B


A




RECOMMENDED MOUNTING HOLE LAYOUT
FOR 5.0 MAX THICK PANEL




SECTION A - A
OPTIONAL CONSTRUCTION IF PANEL
THICKNESS IS GREATER THAN 2.0




SECTION A - A
OPTIONAL CONSTRUCTION IF PANEL
THICKNESS IS GREATER THAN 2.0




SCALE 2:1
TORQUE TO 0.6N-m TO 0.8N-m



SCALE 2:1
ENSURE THE HEADER IS FLUSH
TO THE PANEL FACE ALL AROUND
BEFORE TIGHTENING TO FINAL TORQUE



776275-2 & 1-776275-2
KEY LOCATION
SCALE 2:1



RECOMMENDED P.C. BOARD LAYOUT
FOR 1.57 THICK P.C. BOARD

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. STRAUSSER 29JAN2010		
		CHK D. STRAUSSER 22MAR2010		
DIMENSIONS:		APVD D. STRAUSSER 27APR2010	NAME	
mm		PRODUCT SPEC	ASSEMBLY, HEADER, 8 POSITION, VERTICAL, AMPSEAL	
		108-1329		
		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO	
		114-16016	A100779C=776275	
		WEIGHT	RESTRICTED TO	
		-	-	
MATERIAL		CUSTOMER DRAWING	SCALE 4:1 SHEET 2 OF 2 REV B6	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9