

D
Dimensioning and tolerancing per ASME Y14.5M-2009
C

B

A

D

C

B


A

4		3		2		1	
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		LOC		DIST	
© COPYRIGHT		ALL RIGHTS RESERVED.					
				REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
	K1	ECR-13-003552		26FEB2013	XZ	LZ	

REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER 2151224-1

FOR REPLACEMENT PARTS FOR APPLICATOR 567336
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
567336

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN X. ZHAO		 TE Connectivity							
DIMENSIONS:		CHK L. ZHANG									
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME							
		0 PLC ±		MINIATURE QUICK CHANGE							
		1 PLC ±		APPLICATOR SIDE FEED (MINI AMP-IN)							
		2 PLC ±		APVD L. ZHANG							
		3 PLC ±		PRODUCT SPEC							
		4 PLC ±		APPLICATION SPEC							
		ANGLES ±		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO	
MATERIAL		FINISH		WEIGHT		A 3		C= 567336			
								SCALE		SHEET 1 OF 2 REV K1	

Dimensioning and tolerancing per ASME Y14.5M-2009

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

PART NUMBER

567336-1

567336-2

567336-3

7-567336-7

REV

K

K

K

J

FIRST USED

-

-

-

-

-1

LEADMAKER

MECH POST FEED

-2

BENCH MODEL K

MECH PRE FEED

-3

BENCH MODEL G

MECH PRE FEED

-77

-

SPARE TOOL KIT

LOC

A

DIST

66

REVISIONS

P

LTR

DESCRIPTION

DATE

OWN

APVD

K

ECR-07-000810

1-2007

MY

GB

TERMINAL NAME:

770565-1

CRIMPING DATA

770565-2

PAD LTR

CRIMP HEIGHT

WIRE SIZE

A

.042±.002[1.07±0.05mm]

18

B

.036±.002[0.91±0.05mm]

20

C

.032±.002[0.81±0.05mm]

22

D

NOT

USED

CRIMP

SIZE

TYPE

RANGE

WIRE

.062

F

22-18

INSUL

.110

F

.060-.110

WIRE STRIP LENGTH

TERM

APPL SPEC

FEED

APPL INST

SET UP GAGE

LAYOUT

.135-.165

114-1016

.330

AI 8040

458637-1

L1343

1

RECOMMENDED SPARE PARTS.

2

GREASE LIGHTLY.

3

LUBRICATE DAILY USING NO. 20 MACHINE OIL.

4

GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR.

5

ITEMS WITH QTY OF REF SPECIFIED (EXCEPT ITEMS 78 & 79) ARE USED ON ITEM 46.

6

MOUNT STRIPPER BETWEEN INSULATION CRIMPER AND SHEAR DEPRESSOR.

-

2

2

2

-

5-354779-0

PIN, WIRE DISC (.3240)C

129

-

2

2

2

-

4-354779-2

PIN, WIRE DISC (.3200)B

127

-

2

2

2

-

3-354779-0

PIN, WIRE DISC (.3140)A

126

-

1

1

1

-

986950-1

WASHER, FLAT PRECISION

125

-

REF

REF

REF

-

21045-3

RING,RET "C"(.187ø)FEED FINGER PIN

124

-

REF

REF

REF

-

5-21028-1

PIN,SLT SPR(.125øx.50)ADJ ROD

123

-

1

1

1

-

4-21028-0

PIN,SLT SPR(.093øx.75)ST GUIDE PL

122

-

REF

REF

REF

-

1-21030-1

PIN,DOWEL(.187øx.50)LEVER

121

-

REF

REF

REF

-

1-21030-6

PIN,DOWEL(.187øx1.25)HOUSING

120

-

1

1

1

-

21024-5

WASHER,LOCK(NO.10)ADJ BLOCK

119

-

REF

REF

REF

-

21024-5

WASHER,LOCK(NO.10)ADJ PLATE

118

-

REF

REF

REF

-

21024-5

WASHER,LOCK(NO.10)FEED GUIDE ROD

117

-

2

2

2

-

21024-2

WASHER,LOCK(NO.4)FRONT STRIP GUIDE

116

-

2

2

2

-

21024-4

WASHER,LOCK(NO.8)STRIPPER

115

-

REF

REF

REF

-

21899-4

WASHER,FLAT(5/16 DIA)SCREW ADJ

114

-

REF

REF

REF

-

21018-5

NUT,HEX(6-32)FEED ADJ

113

-

1

1

1

-

22353-8

SCR,SHLD(ø.188x.250) DRAG LEVER

112

-

1

1

1

-

21009-2

SCR,SKT SET(1/4-20x.25LOC-WEL)RAM

111

-

2

2

2

-

21017-2

SCR,DRIVE(#2x.19)ID PLATE

110

-

REF

REF

REF

-

6-23715-5

SCR,PAN HD(6-32x1.50)FEED ADJ

109

-

1

1

1

-

461264-1

PLATE, IDENTIFICATION

108

-

2

2

2

-

5-21006-6

SCR,SET(10-32x.75)DRAG

107

-

1

1

1

-

22733-8

SCR,BHC(8-32x.38LOC-WEL)ANVIL

106

-

REF

REF

REF

-

2-21002-9

SCR,BHC(10-32x.75)CAP

105

-

REF

REF

REF

-

2-22733-8

SCR,BHC(1/4-20x.62)HOUSING

104

-

REF

REF

REF

-

2-21002-7

SCR,BHC(10-32x.50)SG ADJ BLOCK

103

-

6

6

6

-

2-21002-2

SCR,BHC(8-32x.50)SHEAR

102

-

1

1

1

-

1-21002-7

SCR,BHC(6-32x.38)CAM

101

-

1

1

1

-

2-22603-0

SCR,HEX HEAD(8-32x.31)FEED FINGER

100

-

2

2

2

-

1-21000-3

SCR,SKT CAP(4-40x.25)F STRIP GUIDE

99

-

1

1

1

-

2-21000-7

SCR,SKT CAP(8-32x.50)STRIPPER

98

-

REF

REF

REF

-

3-21000-7

SCR,SKT CAP(10-32x.75)FEED ROD GD

97

-

REF

REF

REF

-

3-21000-6

SCR,SKT CAP(10-32x.62)FEED ADJ BLK

96

-

1

1

1

-

3-21000-4

SCR,SKT CAP(10-32x.38)SG ADJ BL

95

-

REF

REF

REF

-

3-21000-4

SCR,SKT CAP(10-32x.38)PIVOT BLOCK

94

-

-

REF

-

-

455755-1

GUARD ASSY

93

-

REF

-

-

-

679532-1

INSERT GUARD

92

-

1

1

1

-

690603-1

SPRING, ASSIST

91

-

1

1

1

-

23030-1

SCR,SKT CAP(6-32x.25)CP DISC

90

-

REF

REF

REF

-

458109-1

WASHER, SPECIAL

89


-

REF

REF

REF

Dimensioning and tolerancing per ASME Y14.5M-2009



Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9