

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0639041000

Status:

Active

Overview:

Application Tooling

Description:

FineAdjust Applicator for SRC Connector using MX150 (M3) Blade Terminals, 1.50mm<sup>2</sup> wires

Documents:

RoHS Certificate of Compliance (PDF)

| General                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Family                 | Application Tooling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Series                         | 207127                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Comments                       | See Tooling Specification (PDF) Above, See Tooling Specification (PDF) Above                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Function                       | Crimp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Geographic Area                | Global                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Level of Automation            | Automatic, Semi-Automatic                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| More Detailed Tech Information | <a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Overview                       | Application Tooling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Product Name                   | FineAdjust, MX150, SRC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Tool Type                      | Applicator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| UPC                            | 889056713405                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Warranty Disclaimer            | CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified. |

Material Info

Reference - Drawing Numbers

Application Tooling Documents

ATS-639041000, TM-638000029-001, TM-638000029CN-001, TM-638000029DE-001, TM-638000029FR-001, TM-638000029IT-001, TM-638000029JP-001, TM-638000029KR-001, TM-638000029MY-001, TM-638000029PL-001, TM-638000029RU-001, TM-638000029SK-001, TM-638000029SP-001, TM-638000029TH-001, TM-638000029TW-001, TM-638000029VN-001, TM-638004900-001, TM-638004900CN-001, TM-638004900SP-001



Series image - Reference only

|                                                               |              |
|---------------------------------------------------------------|--------------|
| EU ELV                                                        |              |
| Not Reviewed                                                  |              |
| EU RoHS                                                       | China RoHS   |
| Not Reviewed                                                  |              |
| REACH SVHC                                                    |              |
| Not Reviewed                                                  |              |
| Halogen-Free                                                  |              |
| Status                                                        |              |
| Not Reviewed                                                  |              |
| For more information, please visit <a href="#">Contact US</a> |              |
| China ROHS                                                    | Not Reviewed |
| ELV                                                           | Not Reviewed |
| RoHS Phthalates                                               | Not Reviewed |

Search Parts in this Series

207127 Series

Use With

Molex TM-3000: [638017200](#) , [638017300](#) , Molex TM-4000: [638017600](#) , Molex TM-2000: [638008300](#) , [638008400](#) , and Most Industry Standard Presses or Wire Process Machines

| Application Tooling Description                                                                                            | FAQ Product #           |
|----------------------------------------------------------------------------------------------------------------------------|-------------------------|
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel | <a href="#">2061101</a> |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag  | <a href="#">2061103</a> |

|  |                                                                                                                                                                                                                           |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 1.57mm Diameter, <a href="#">2061104</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>4529, Female, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 18-24 AWG,<br>Reel                         |
|  | 1.57mm Diameter, <a href="#">2061118</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female, with<br>Tin (Sn) Plated Brass<br>Contact, Without<br>Locking Tabs,<br>18-24 AWG, Reel<br>Packaged |
|  | 1.57mm Diameter, <a href="#">2061131</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel                                      |
|  | 1.57mm Diameter, <a href="#">2061132</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag                                       |
|  | 1.57mm Diameter, <a href="#">2061141</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated<br>Brass Contact,<br>24-30 AWG, Without<br>Locking Tabs, Reel<br>Packaged |
|  | 1.57mm Diameter, <a href="#">2061143</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel Packaged with<br>Interleaf Paper     |
|  | 1.57mm Diameter, <a href="#">2062101</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-24 AWG,<br>Reel                                        |
|  | 1.57mm Diameter, <a href="#">2062103</a><br>Standard .062" Pin<br>and Socket Crimp                                                                                                                                        |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Terminal, Series<br>1560, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2062131</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <a href="#">2062132</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2065100</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <a href="#">2065101</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <a href="#">2065102</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2065103</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2065104</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female,<br>with 1.27µm Gold<br>Max. Insulation<br>Diameter, Loose in<br>Bag Packaged<br>1.57mm Diameter, <a href="#">2065105</a><br>Standard .062" Pin<br>and Socket Crimp |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Terminal, Series<br>1561, Female, with<br>1.27µm Gold Max.<br>Insulation Diameter,<br>Reel<br>1.57mm Diameter, <a href="#">2065108</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <a href="#">2065109</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2065130</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <a href="#">2065135</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2065138</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <a href="#">2065139</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2065147</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Selective Gold<br>(Au) Plated Brass |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <u>2065148</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <u>2066100</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Reel<br>1.57mm Diameter, <u>2066101</u><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact,<br>18-24 AWG, Reel<br>Packaged<br>1.57mm Diameter, <u>2066102</u><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Bag Packaged<br>1.57mm Diameter, <u>2066103</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Bag<br>1.57mm Diameter, <u>2066104</u><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with Selective<br>1.27µm Select Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag Packaged<br>1.57mm Diameter, <u>2066118</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin/Lead |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Plated Crimp Area,<br>18-24 AWG, Reel<br>1.57mm Diameter, <u>2066119</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin/Lead<br>Plated Crimp Area,<br>18-24 AWG, Bag<br>1.57mm Diameter, <u>2066122</u><br>Standard .062"<br>Pin and Socket<br>PC Tail Terminal,<br>Series 1778, Male,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, Bag<br>1.57mm Diameter, <u>2066130</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Gold (Au) Plated<br>Brass Contact, 24-30<br>AWG, Reel<br>1.57mm Diameter, <u>2066135</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Gold (Au) Plated<br>Brass Contact, 24-30<br>AWG, Bag<br>1.57mm Diameter, <u>2066138</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <u>2066139</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <u>2066143</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin (Sn)<br>Plated Crimp Area,<br>24-30 AWG, Reel |  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                                                                                                                             |                |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Bag | <u>2066144</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with 2.54µm Tin (Sn) Plated Brass Contact, Bag Packaged                               | <u>2067103</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with .76µm Selective Gold (Au) Plated Brass Contact, Bag Packaged                     | <u>2067104</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Tin (Sn) Plated Brass Contact, Bag                                                 | <u>2068103</u> |
|  | Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Reel                                                                                              | <u>2081101</u> |
|  | MLX Crimp Terminal 42023, 14-20 AWG, Bag Selective Gold (Au)                                                                                                                | <u>2082008</u> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel                                     | <u>2091102</u> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag                                      | <u>2091104</u> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with                                                                                    | <u>2091117</u> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Tin (Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <u>2091119</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>2.36mm Diameter, <u>2091122</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>2273, Female, with<br>Tin (Sn) Plated<br>Contact, Low<br>Engagement Force,<br>18-22 AWG, Reel<br>2.36mm Diameter, <u>2091123</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>2273, Female, with<br>Tin (Sn) Plated<br>Contact, Low<br>Engagement Force,<br>18-22 AWG, Bag<br>2.36mm Diameter, <u>2091134</u><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1377, Female, with<br>Tin (Sn) Plated<br>Contact, Bag<br>2.36mm Diameter, <u>2091155</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>41483, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-18 AWG<br>with Large Insulation<br>Diameter, Chain<br>2.36mm Diameter, <u>2091205</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <u>2091206</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <u>2091615</u><br>Standard .093" |  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Pin and Socket<br>Crimp Terminal,<br>Series 42477,<br>Female, with Tin<br>(Sn) Plated Contact,<br>High Current/Low<br>Engagement Force,<br>14-18 AWG, Reel<br>2.36mm Diameter, <a href="#">2092101</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2092103</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>Vertical Solder Relief <a href="#">2092105</a><br>(VSR) Direct-Solder<br>Crimp Terminal,<br>Series 4706, Male,<br>Tin (Sn) Plated Brass<br>Contact, 16-18 AWG,<br>11.20mm Terminal<br>Progression<br>2.36mm Diameter, <a href="#">2092116</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2092117</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with Tin<br>(Sn) Plated Brass<br>Contact, without<br>Dents, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2092118</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2092133</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1376, Male, with Tin/<br>Lead (Sn/Pb) Plated<br>Contact, With Detent,<br>Bag Packaged |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                     |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 2.36mm Diameter, <a href="#">2092134</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1376, Male, with Tin<br>(Sn) Plated Contact,<br>Without Detent, Bag<br>Packaged                         |
|  | 2.36mm Diameter, <a href="#">2092166</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4549, Male, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Reel Packaged            |
|  | 2.36mm Diameter, <a href="#">2092167</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4549, Male, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Bag Packaged             |
|  | 2.36mm Diameter, <a href="#">2092170</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-18 AWG,<br>Large Insulation<br>Crimp, Reel       |
|  | 2.36mm Diameter, <a href="#">2092171</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-18 AWG,<br>Large Insulation<br>Crimp, Bag        |
|  | 2.36mm Diameter, <a href="#">2092611</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>42478, Male, with Tin<br>(Sn) Plated Contact,<br>High Current/Low<br>Engagement Force,<br>14-18 AWG, Reel |
|  | 2.36mm Diameter, <a href="#">2095100</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Reel                               |
|  | 2.36mm Diameter, <a href="#">2095101</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series                                                                                                              |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Chain<br>2.36mm Diameter, <a href="#">2095102</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2095106</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2095111</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2095130</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2095132</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1377, Female, with<br>Gold (Au) Plated<br>Contact, Bag<br>2.36mm Diameter, <a href="#">2095133</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2095142</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2095143</a><br>Standard .093" Pin |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Reel<br>2.36mm Diameter, <a href="#">2095169</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Gold (Au) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2095170</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Gold (Au) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2096100</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Reel<br>2.36mm Diameter, <a href="#">2096101</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2096102</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2096106</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2096110</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Selective Gold<br>(Au) Plated Brass |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2096122</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Reel<br>2.36mm Diameter, <a href="#">2096123</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2096125</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2096126</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2096132</a><br>Standard .093"<br>Pin and Socket<br>PC Tail Terminal,<br>Series 1376, Male,<br>with Gold (Au)<br>Plated Contact,<br>Without Detent, Bag<br>Packaged<br>2.36mm Diameter, <a href="#">2098103</a><br>Standard .093" Pin<br>and Socket Crimp<br>Grounding Terminal,<br>Series 1973, Male,<br>with Tin (Sn) Plated<br>Brass Contact, 18-22<br>AWG, Reel<br>2.36mm Diameter, <a href="#">2098104</a><br>Standard .093" Pin<br>and Socket Crimp<br>Grounding Terminal,<br>Series 1973, Male,<br>with Tin (Sn) Plated<br>Brass Contact, 18-22<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2098108</a><br>Standard .093" Pin<br>and Socket Crimp<br>Grounding Terminal, |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 14-18  
AWG, Reel  
2.36mm Diameter, 2098109  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 14-18  
AWG, Bag  
Mini-Fit Jr. 3044052  
Receptacle Housing,  
Single Row, 5  
Circuits, UL 94V-2,  
Natural  
1.57mm Diameter 3061011  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
1 Circuits, Natural  
1.57mm Diameter 3061022  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
2 Circuits, with Pre-  
bent Mounting Ears,  
Natural  
1.57mm Diameter 3061023  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
2 Circuits, without  
Mounting Ears,  
Natural  
1.57mm Diameter 3061031  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
3 Circuits, with  
Standard Mounting  
Ears  
1.57mm Diameter 3061032  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
3 Circuits, without  
Mounting Ears,  
Natural  
1.57mm Diameter 3061038  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
3 Circuits, with Pre-  
bent Mounting Ears,  
Natural  
1.57mm Diameter 3061041  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
4 Circuits, with  
Standard Mounting  
Ears

|  |                                                                                                                                                                                  |                |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, without<br>Mounting Ears,<br>Natural                                                   | <u>3061042</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>Dual Row, without<br>Mounting Ears, PA<br>Polyamide Nylon 6/6,<br>UL 94V-2, 4 Circuits,<br>Natural | <u>3061044</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, without<br>Mounting Ears,<br>Natural                                                   | <u>3061062</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>9 Circuits, without<br>Mounting Ears,<br>Natural                                                   | <u>3061092</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, with<br>Standard Mounting<br>Ears, Natural                                            | <u>3061121</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, without<br>Mounting Ears,<br>Natural                                                  | <u>3061122</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 1 Circuits,<br>Natural                                                                                      | <u>3062011</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Natural                                                            | <u>3062023</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Plug Housing, 2<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural                                                  | <u>3062024</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug                                                                                                                         | <u>3062031</u> |

Standard .062"  
Pin and Socket

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears, Black<br>1.57mm Diameter<br>Standard .062"                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <u>3066062</u> |
| Pin and Socket<br>Receptacle Housing,<br>6 Circuits, without<br>Mounting Ears, Black<br>1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, Black, 2<br>Circuits, without<br>Mounting Ears, Black<br>1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, Dual Row,<br>without Mounting<br>Ears, PA Polyamide<br>Nylon 6/6, UL 94V-2,<br>4 Circuits, Black<br>1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>without Mounting<br>Ears, Black<br>2.36mm Diameter<br>Standard .093" | <u>3067023</u> |
| Pin and Socket<br>Receptacle Housing,<br>1 Circuit, Friction<br>Lock, Natural<br>2.36mm Diameter<br>Standard .093"                                                                                                                                                                                                                                                                                                                                                                                                                                      | <u>3067044</u> |
| Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears, with<br>Ramps, Natural<br>2.36mm Diameter<br>Standard .093"                                                                                                                                                                                                                                                                                                                                                                                                              | <u>3067061</u> |
| Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Natural<br>2.36mm Diameter<br>Standard .093"                                                                                                                                                                                                                                                                                                                                                                                                       | <u>3091011</u> |
| Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural<br>2.36mm Diameter<br>Standard .093"                                                                                                                                                                                                                                                                                                                                                                                                                                        | <u>3091022</u> |
| Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural<br>2.36mm Diameter<br>Standard .093"                                                                                                                                                                                                                                                                                                                                                                                                                                        | <u>3091027</u> |
| Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural<br>2.36mm Diameter<br>Standard .093"                                                                                                                                                                                                                                                                                                                                                                                                                                        | <u>3091030</u> |
| Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural<br>2.36mm Diameter<br>Standard .093"                                                                                                                                                                                                                                                                                                                                                                                                                                        | <u>3091031</u> |
| Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural<br>2.36mm Diameter<br>Standard .093"                                                                                                                                                                                                                                                                                                                                                                                                                                        | <u>3091032</u> |

|                                                                                                                                                                   |                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Free-Hanging,<br>without Passive Lock<br>Ramps, Natural  | <u>3091033</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Single<br>Row, Natural                                                  | <u>3091041</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Single<br>Row, Natural                                                  | <u>3091042</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Dual Row,<br>without Mounting<br>Ears, Natural                          | <u>3091049</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural                                                    | <u>3091061</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural                                                    | <u>3091062</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>without Panel Mount<br>Ears, without Friction<br>Lock Ramp | <u>3091063</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural                                                    | <u>3091064</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                  | <u>3091081</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, Natural                                                     | <u>3091091</u> |

|  |                                                                                                                                                                    |                |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, with Panel<br>Mount Ears, without<br>Passive Lock Ramp       | <u>3091092</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, without<br>Panel Mount Ears,<br>without Passive Lock<br>Ramp | <u>3091093</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, Natural                                                      | <u>3091094</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Panel Mountable,<br>without Passive<br>Locking Ramps         | <u>3091121</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural                                                      | <u>3091125</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural                                                      | <u>3091126</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-Bent<br>Mounting Ears,<br>without Lock Ramps        | <u>3091151</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, without Lock<br>Ramps              | <u>3091152</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-bent                                                | <u>3091153</u> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Mounting Ears, with<br>Lock Ramps<br>2.36mm Diameter <u>3091157</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, with Lock<br>Ramps<br>2.36mm Diameter <u>3091161</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing<br>without Mounting<br>Ears, Positive Lock,<br>2 Circuits<br>2.36mm Diameter <u>3092011</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 1 Circuit,<br>Friction Lock, Natural<br>2.36mm Diameter <u>3092021</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural<br>2.36mm Diameter <u>3092022</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Natural<br>2.36mm Diameter <u>3092031</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>Single Row, Natural<br>2.36mm Diameter <u>3092032</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>Single Row, Natural<br>2.36mm Diameter <u>3092041</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>Single Row<br>2.36mm Diameter <u>3092042</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>Single Row<br>2.36mm Diameter <u>3092049</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>Dual Row, without<br>Mounting Ears,<br>Natural<br>2.36mm Diameter <u>3092061</u><br>Standard .093" Pin<br>and Socket Plug |  |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|                                                                                                                                                                          |                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Housing, 6 Circuits,<br>Dual Row<br>2.36mm Diameter                                                                                                                      | <u>3092062</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>Dual Row<br>2.36mm Diameter                                                                             | <u>3092092</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housings, 9 Circuits,<br>3 Rows<br>2.36mm Diameter                                                                              | <u>3092121</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 12 Circuits,<br>3 Rows<br>2.36mm Diameter                                                                              | <u>3092122</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 12 Circuits,<br>3 Rows<br>2.36mm Diameter                                                                              | <u>3092151</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 15 Circuits,<br>3 Rows, without<br>Mounting Ears, with<br>Pull Tabs, without<br>Lock Windows<br>2.36mm Diameter        | <u>3092159</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 15 Circuits,<br>3 Rows, with Pre-<br>Bent Mounting Ears,<br>without Pull Tabs,<br>with Lock Windows<br>2.36mm Diameter | <u>3092161</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing without<br>Mounting Ears,<br>Positive Lock, 2<br>Circuits<br>2.36mm Diameter                                            | <u>3096021</u> |
| Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Black<br>2.36mm Diameter                          | <u>3097022</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Black<br>2.36mm Diameter                                                      | <u>3097024</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Red                                                                           |                |

|  |                                                                                                                                                         |                |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>Single Row, Black                                                   | <u>3097032</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears                 | <u>3121022</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, 2 Circuits,<br>Natural (Translucent)                                | <u>3121026</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2 | <u>3121036</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, 4 Circuits,<br>Natural (Translucent)                                | <u>3121046</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears                       | <u>3122022</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent)         | <u>3122025</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent)      | <u>3122026</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2          | <u>3122035</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin                                                                                                                         | <u>3122036</u> |

|                                                                                                                                                  |                |
|--------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter,               | <u>3122045</u> |
| HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 4<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter,  | <u>3122046</u> |
| HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 4<br>Circuits, Natural<br>(Translucent)<br>Crimp Terminal | <u>5121004</u> |
| 2482, 10-16 AWG,<br>Reel<br>Crimp Terminal                                                                                                       | <u>5121005</u> |
| 2482, 10-16 AWG,<br>Bag<br>Crimp Terminal                                                                                                        | <u>5121006</u> |
| 2482, 10-16 AWG,<br>Reel<br>Crimp Terminal                                                                                                       | <u>5121008</u> |
| 2482, 10-16 AWG,<br>Reel<br>Crimp Terminal                                                                                                       | <u>5121104</u> |
| 6482, 14-18 AWG,<br>Reel<br>Flat Blade Appliance                                                                                                 | <u>6021103</u> |
| Motor Switch Crimp<br>Housing, 10 Circuits<br>Flat Blade Appliance                                                                               | <u>6022030</u> |
| Water Valve Crimp<br>Housing, 3 Circuit,<br>Natural<br>Flat Blade Appliance                                                                      | <u>6023042</u> |
| Defrost Timer Crimp<br>Housing, 4 Circuit, 4<br>Circuits<br>Flat Blade Appliance                                                                 | <u>6023103</u> |
| Motor Switch Crimp<br>Housing, 10 Circuit,<br>10 Circuits<br>Flat Blade Appliance                                                                | <u>6023104</u> |
| Dryer Motor Crimp<br>Housing, 10 Circuit<br>KK 254 Cat Ear                                                                                       | <u>8500030</u> |
| Crimp Terminal<br>4809, 22-30 AWG,<br>Hot Tin Dip, 2.20mm<br>Insulation Crimp,<br>Reel<br>KK 254 Cat Ear                                         | <u>8500031</u> |
| Crimp Terminal<br>4809, 22-30 AWG,<br>Hot Tin Dip, Reel                                                                                          |                |

|                                                                                                 |                |
|-------------------------------------------------------------------------------------------------|----------------|
| KK 254 Cat Ear<br>Crimp Terminal<br>4809, 22-30 AWG,<br>Hot Tin Dip, Bag                        | <u>8500032</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Bag, Brass Tin<br>(Sn)                             | <u>8500106</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Hot Tin (Sn)<br>Dip Plating                             | <u>8500113</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Hot Tin<br>(Sn) Dip Plating                        | <u>8500114</u> |
| KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Bag,<br>Phosphor Bronze,<br>2.540µm Tin(Sn)        | <u>8500134</u> |
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Hot Tin Dip,<br>Reel                               | <u>8500135</u> |
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Tin, Bag                                           | <u>8500136</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Reel, Tin (Sn)<br>Plating, Nickel (Ni)<br>Under Plating | <u>8500159</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Tin (Sn)<br>Plating, Nickel (Ni)<br>Under Plating  | <u>8500160</u> |
| KK Trifurcon Crimp<br>Terminal 6838, 18-20<br>AWG, Bag, Brass Tin<br>(Sn)                       | <u>8500189</u> |
| KK 100 Crp Term<br>Std 22-30 Awg Unplt                                                          | <u>8510101</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Reel, Tin (Sn),<br>Nickel (Ni) Under<br>Plating         | <u>8510108</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Reel,<br>Phosphor Bronze Tin<br>(Sn)               | <u>8520101</u> |
| KK .100 CRIMP<br>TERMINAL 100MI<br>MATTE TIN                                                    | <u>8520118</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)                | <u>8520123</u> |
| 3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,                                           | <u>8520127</u> |

|                                                                                         |                |
|-----------------------------------------------------------------------------------------|----------------|
| Bag, Phosphor<br>Bronze, Tin (Sn),<br>Bifurcated                                        |                |
| KK 396 Crimp                                                                            | <u>8520132</u> |
| Terminal 8818,<br>18-22 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)                        |                |
| KK 156 TERMINAL<br>CRIMP 1820 AWG                                                       | <u>8530814</u> |
| KK 254 Crimp                                                                            | <u>8550101</u> |
| Terminal, 22-30<br>AWG, Reel,<br>Selective Gold (Au),<br>Nickel (Ni) Under<br>Plating   |                |
| KK 254 Crimp                                                                            | <u>8550102</u> |
| Terminal, 22-30<br>AWG, Bag, Selective<br>Gold (Au), Nickel (Ni)<br>Under Plating       |                |
| KK 254 Crimp                                                                            | <u>8550110</u> |
| Terminal 4809, 22-30<br>AWG, Selective Gold<br>(Au), Reel                               |                |
| KK 254 Crimp                                                                            | <u>8550111</u> |
| Terminal 4809, 22-30<br>AWG, Selective Gold<br>(Au), Bag                                |                |
| KK 254 Cat Ear                                                                          | <u>8550112</u> |
| Crimp Terminal<br>4809, 22-30 AWG,<br>Selective Gold, Reel                              |                |
| KK 396 Crimp                                                                            | <u>8550123</u> |
| Terminal 2578, 22-26<br>AWG, Reel, Brass,<br>0.76µm Select Gold<br>(Au) over Gold Flash |                |
| KK 254 Crimp                                                                            | <u>8550130</u> |
| Terminal, 22-30<br>AWG, Reel,<br>Selective Gold (Au),<br>Nickel (Ni) Under<br>Plating   |                |
| KK 254 Crimp                                                                            | <u>8550131</u> |
| Terminal, 22-30<br>AWG, Bag, Selective<br>Gold (Au), Nickel (Ni)<br>Under Plating       |                |
| KK 396 Crimp                                                                            | <u>8550133</u> |
| Terminal 2478, 18-24<br>AWG, Reel, Brass,<br>0.76µm Gold (Au)                           |                |
| KK 254 Crimp                                                                            | <u>8560109</u> |
| Terminal, 22-30<br>AWG, Reel, Gold<br>(Au), Nickel (Ni)<br>Under Plating                |                |
| KK 254 Crimp                                                                            | <u>8560110</u> |
| Terminal, 22-30<br>AWG, Bag, Gold<br>(Au), Nickel (Ni)<br>Under Plating                 |                |
| KK 254 Crimp                                                                            | <u>8560115</u> |
| Terminal 4809, 22-30                                                                    |                |

|                                                 |                |
|-------------------------------------------------|----------------|
| AWG, Selective Gold (Au), Bag                   |                |
| KK 254 Crimp                                    | <u>8560120</u> |
| Terminal 4809, 22-30                            |                |
| AWG, Selective Gold (Au), Reel                  |                |
| KK Trifurcon Crimp                              | <u>8580111</u> |
| Terminal 6438, 18-20 AWG, Bag, Phosphor Bronze  |                |
| Selective Gold (Au)                             |                |
| KK 396 Crimp                                    | <u>8580135</u> |
| Terminal 8818, 18-22 AWG, Reel, Phosphor Bronze |                |
| Selective Gold (Au)                             |                |
| KK Trifurcon Crimp                              | <u>8650121</u> |
| Terminal 7258, 22-26 AWG, Reel, Phosphor Bronze |                |
| Selective Gold (Au)                             |                |
| KK 100 Crp Term                                 | <u>8650801</u> |
| Std 22-30 Awg                                   |                |
| SGold                                           |                |
| KK 254 Cat Ear                                  | <u>8650804</u> |
| Crimp Terminal 41572, Reel Tin (Sn)             |                |
| KK 100 Crp Term                                 | <u>8650811</u> |
| Std 22-30 Awg                                   |                |
| SGold                                           |                |
| KK 100 Crp Term                                 | <u>8650812</u> |
| Std 22-30 Awg                                   |                |
| SGold                                           |                |
| KK 254 Crimp                                    | <u>8650813</u> |
| Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze |                |
| Gold (Au)                                       |                |
| KK 254 Crimp                                    | <u>8650814</u> |
| Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze  |                |
| Gold (Au)                                       |                |
| KK 254 Crimp                                    | <u>8650815</u> |
| Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze |                |
| Selective Gold (Au)                             |                |
| KK 254 Crimp                                    | <u>8650816</u> |
| Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze  |                |
| Selective Gold (Au)                             |                |
| KK 100 Crp Term                                 | <u>8650817</u> |
| Std 22-30 Awg                                   |                |
| SGold                                           |                |
| 3.96 and 5.08mm                                 | <u>8700012</u> |
| Pitch KK Cat Ear                                |                |
| Crimp Terminal, Female, 18-24 AWG, Reel         |                |
| SPOX Crimp                                      | <u>8701030</u> |
| Terminal, 18-24 AWG, Brass, Bag                 |                |

|                        |                |
|------------------------|----------------|
| 3.96mm Pitch KK        | <u>9011036</u> |
| Crimp Housing, Edge    |                |
| Card Connector,        |                |
| Single-Sided,          |                |
| Polarized, Positive    |                |
| Lock, with Probe       |                |
| Hole, 3 Circuits       |                |
| KK 396 PC Board        | <u>9481024</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 2 Circuits   |                |
| KK 396 PC Board        | <u>9481104</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 10 Circuits  |                |
| KK 396 PC Board        | <u>9481105</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 10 Circuits |                |
| KK 396 PC Board        | <u>9483024</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 2 Circuits  |                |
| KK 396 PC Board        | <u>9483025</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 2 Circuits  |                |
| KK 396 PC Board        | <u>9483026</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 2 Circuits  |                |
| KK 396 PC Board        | <u>9483094</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 9 Circuits  |                |
| KK 396 PC Board        | <u>9483104</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 10 Circuits |                |
| KK 396 PC Board        | <u>9483105</u> |
| Connector, Right-      |                |
| Angle, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 10 Circuits |                |
| KK 396 PC Board        | <u>9483106</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 10 Circuits |                |
| KK 396 PC Board        | <u>9483145</u> |
| Connector, Right-      |                |
| Angle, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 14 Circuits |                |
| KK 396 PC Board        | <u>9484028</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |

Connector, 5.00µm  
Tin (Sn), 2 Circuits  
KK 396 PC Board 9484029  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 2 Circuits  
KK 396 PC Board 9484108  
Connector, Top  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 10 Circuits  
KK 396 PC Board 9484109  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 10 Circuits  
3.96mm Pitch SPOX 9501021  
Crimp Housing,  
Female, with Friction  
Ramp, 2 Circuits,  
Natural  
3.96mm Pitch SPOX 9501023  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 2  
Circuits, Natural  
3.96mm Pitch SPOX 9501031  
Crimp Housing,  
Female, with Friction  
Ramp, 3 Circuits,  
Natural  
3.96mm Pitch SPOX 9501033  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 3  
Circuits, Natural  
3.96mm Pitch SPOX 9501041  
Crimp Housing,  
Female, with Friction  
Ramp, 4 Circuits,  
Natural  
3.96mm Pitch SPOX 9501043  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 4  
Circuits, Natural  
3.96mm Pitch SPOX 9501051  
Crimp Housing,  
Female, with Friction  
Ramp, 5 Circuits,  
Natural  
3.96mm Pitch SPOX 9501053  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 5  
Circuits, Natural  
3.96mm Pitch SPOX 9501061  
Crimp Housing,  
Female, with Friction  
Ramp, 6 Circuits,  
Natural  
3.96mm Pitch SPOX 9501063  
Crimp Housing,  
Female, with Friction

Ramp and Void, 6  
Circuits, Natural  
3.96mm Pitch SPOX [9501071](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 7 Circuits,  
Natural  
3.96mm Pitch SPOX [9501073](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 7  
Circuits, Natural  
3.96mm Pitch SPOX [9501081](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 8 Circuits,  
Natural  
3.96mm Pitch SPOX [9501083](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 8  
Circuits, Natural  
3.96mm Pitch SPOX [9501091](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 9 Circuits,  
Natural  
3.96mm Pitch SPOX [9501101](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 10 Circuits,  
Natural  
3.96mm Pitch SPOX [9501103](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 10  
Circuits, Natural  
3.96mm Pitch SPOX [9501111](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 11 Circuits,  
Natural  
3.96mm Pitch SPOX [9501113](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 11  
Circuits, Natural  
3.96mm Pitch SPOX [9501121](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 12 Circuits,  
Natural  
KK 3.96mm Crimp [9503021](#)  
Terminal Housing,  
Friction Ramp, 2  
Circuits, Natural  
KK 3.96mm Crimp [9503031](#)  
Terminal Housing,  
Friction Ramp, 3  
Circuits, Natural  
KK 3.96mm Crimp [9503041](#)  
Terminal Housing,  
Friction Ramp, 4  
Circuits, Natural

|  |                                                                       |                |
|--|-----------------------------------------------------------------------|----------------|
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Natural  | <u>9503051</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Natural  | <u>9503061</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 7 Circuits, Natural  | <u>9503071</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Natural  | <u>9503081</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Natural  | <u>9503091</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Natural | <u>9503101</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 11 Circuits, Natural | <u>9503111</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 12 Circuits, Natural | <u>9503121</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 13 Circuits, Natural | <u>9503131</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 14 Circuits, Natural | <u>9503141</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 15 Circuits, Natural | <u>9503151</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 16 Circuits, Natural | <u>9503161</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 17 Circuits, Natural | <u>9503171</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 18 Circuits, Natural | <u>9503181</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 19 Circuits, Natural | <u>9503191</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 20 Circuits, Natural | <u>9503201</u> |

|                                                                                |                |
|--------------------------------------------------------------------------------|----------------|
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 21<br>Circuits, Natural | <u>9503211</u> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 22<br>Circuits, Natural | <u>9503221</u> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 23<br>Circuits, Natural | <u>9503231</u> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 24<br>Circuits, Natural | <u>9503241</u> |
| KK 3.96mm Crimp<br>Terminal Housing, 2<br>Circuits, Natural                    | <u>9507021</u> |
| KK 3.96mm Crimp<br>Terminal Housing, 3<br>Circuits, Natural                    | <u>9507031</u> |
| KK 3.96mm Crimp<br>Terminal Housing, 4<br>Circuits, Natural                    | <u>9507041</u> |
| KK 3.96mm Crimp<br>Terminal Housing, 5<br>Circuits, Natural                    | <u>9507051</u> |
| KK 3.96mm Crimp<br>Terminal Housing, 6<br>Circuits, Natural                    | <u>9507061</u> |
| KK 3.96mm Crimp<br>Terminal Housing, 7<br>Circuits, Natural                    | <u>9507071</u> |
| KK 3.96mm Crimp<br>Terminal Housing, 8<br>Circuits, Natural                    | <u>9507081</u> |
| KK 3.96mm Crimp<br>Terminal Housing, 9<br>Circuits, Natural                    | <u>9507091</u> |
| KK 3.96mm Crimp<br>Terminal Housing, 10<br>Circuits, Natural                   | <u>9507101</u> |
| KK 3.96mm Crimp<br>Terminal Housing, 11<br>Circuits, Natural                   | <u>9507111</u> |
| KK 3.96mm Crimp<br>Terminal Housing, 12<br>Circuits, Natural                   | <u>9507121</u> |
| KK 3.96mm Crimp<br>Terminal Housing, 13<br>Circuits, Natural                   | <u>9507131</u> |
| KK 3.96mm Crimp<br>Terminal Housing, 14<br>Circuits, Natural                   | <u>9507141</u> |
| KK 3.96mm Crimp<br>Terminal Housing, 15<br>Circuits, Natural                   | <u>9507151</u> |
| KK 3.96mm Crimp<br>Terminal Housing, 16<br>Circuits, Natural                   | <u>9507161</u> |
| KK 3.96mm Crimp<br>Terminal Housing, 17<br>Circuits, Natural                   | <u>9507171</u> |

|                      |                |
|----------------------|----------------|
| KK 3.96mm Crimp      | <u>9507181</u> |
| Terminal Housing, 18 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507191</u> |
| Terminal Housing, 19 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507201</u> |
| Terminal Housing, 20 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507211</u> |
| Terminal Housing, 21 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507221</u> |
| Terminal Housing, 22 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507231</u> |
| Terminal Housing, 23 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507241</u> |
| Terminal Housing, 24 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508020</u> |
| Terminal Housing, 2  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508021</u> |
| Terminal Housing,    |                |
| Friction Ramp, 2     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508023</u> |
| Terminal Housing,    |                |
| Friction Ramp, 2     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508030</u> |
| Terminal Housing, 3  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508031</u> |
| Terminal Housing,    |                |
| Friction Ramp, 3     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508033</u> |
| Terminal Housing,    |                |
| Friction Ramp, 3     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508041</u> |
| Terminal Housing,    |                |
| Friction Ramp, 4     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508050</u> |
| Terminal Housing, 5  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508063</u> |
| Terminal Housing,    |                |
| Friction Ramp, 6     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508071</u> |
| Terminal Housing,    |                |
| Friction Ramp, 7     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508093</u> |
| Terminal Housing,    |                |
| Friction Ramp, 9     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508100</u> |
| Terminal Housing, 10 |                |
| Circuits, Natural    |                |

|  |                                                                                                       |                |
|--|-------------------------------------------------------------------------------------------------------|----------------|
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 10<br>Circuits, Natural                        | <u>9508101</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 10<br>Circuits, Natural                        | <u>9508103</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 11<br>Circuits, Natural                        | <u>9508111</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing, 12<br>Circuits, Natural                                          | <u>9508120</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 12<br>Circuits, Natural                        | <u>9508123</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 13<br>Circuits, Natural                        | <u>9508133</u> |
|  | 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 2 Circuits,<br>Natural                 | <u>9524024</u> |
|  | 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 3 Circuits,<br>Natural                 | <u>9524034</u> |
|  | 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 4 Circuits,<br>Natural                 | <u>9524044</u> |
|  | 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 5 Circuits,<br>Natural                 | <u>9524054</u> |
|  | 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 6 Circuits,<br>Natural                 | <u>9524064</u> |
|  | SPOX and KK<br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 2<br>Circuits            | <u>9652028</u> |
|  | SPOX and KK<br>396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 2 Circuits | <u>9652029</u> |
|  | SPOX and KK<br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 3<br>Circuits            | <u>9652038</u> |
|  | SPOX and KK<br>396 Wire-to-Board                                                                      | <u>9652039</u> |

|  |                                                                                                           |                |
|--|-----------------------------------------------------------------------------------------------------------|----------------|
|  | Header, Vertical, with<br>Friction Lock, with<br>Void, 3 Circuits<br>SPOX and KK                          | <u>9652048</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 4<br>Circuits<br>SPOX and KK                | <u>9652049</u> |
|  | 396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 4 Circuits<br>SPOX and KK     | <u>9652058</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 5<br>Circuits<br>SPOX and KK                | <u>9652068</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 6<br>Circuits<br>SPOX and KK                | <u>9652069</u> |
|  | 396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 6 Circuits<br>SPOX and KK     | <u>9652078</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 7<br>Circuits<br>SPOX and KK                | <u>9652079</u> |
|  | 396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 7 Circuits<br>SPOX and KK     | <u>9652088</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 8<br>Circuits<br>SPOX and KK                | <u>9652089</u> |
|  | 396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 8 Circuits<br>KK 3.96mm Crimp | <u>9930200</u> |
|  | Terminal Housing,<br>Friction Ramp, 2<br>Circuits, Glow-Wire<br>Capable<br>KK 3.96mm Crimp                | <u>9930300</u> |
|  | Terminal Housing,<br>Friction Ramp, 3<br>Circuits, Glow-Wire<br>Capable<br>KK 3.96mm Crimp                | <u>9930400</u> |
|  | Terminal Housing,<br>Friction Ramp, 4<br>Circuits, Glow-Wire<br>Capable<br>KK 3.96mm Crimp                | <u>9930500</u> |
|  | Terminal Housing,                                                                                         |                |

|                                                                                             |                 |
|---------------------------------------------------------------------------------------------|-----------------|
| Friction Ramp, 5<br>Circuits, Glow-Wire<br>Capable                                          |                 |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 6<br>Circuits, Glow-Wire<br>Capable  | <u>9930600</u>  |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 7<br>Circuits, Glow-Wire<br>Capable  | <u>9930700</u>  |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 8<br>Circuits, Glow-Wire<br>Capable  | <u>9930800</u>  |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 9<br>Circuits, Glow-Wire<br>Capable  | <u>9930900</u>  |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 10<br>Circuits, Glow-Wire<br>Capable | <u>9931000</u>  |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 11<br>Circuits, Glow-Wire<br>Capable | <u>9931100</u>  |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 12<br>Circuits, Glow-Wire<br>Capable | <u>9931200</u>  |
| 15 PIN MICRO-<br>D FEMAL ASSY<br>M8351309B11                                                | <u>10008503</u> |
| 15/C METALSHELL<br>RECEPT.WIRED                                                             | <u>10008637</u> |
| 15/C METAL SHELL<br>PLUG WIRED                                                              | <u>10008638</u> |
| 25/C RECEPT.<br>HARNESS ASSY                                                                | <u>10008645</u> |
| 37/C RECEPT.<br>HARNESS ASSY                                                                | <u>10008647</u> |
| STAT. 3CKT<br>RECEPT. PIN 1/4 IN 1<br>FT                                                    | <u>10008653</u> |
| R/A 3CKT PLUG<br>SOC. INSERT PUR<br>12 FEET                                                 | <u>10008654</u> |
| 15/C M SHELL<br>RECEPT. WIRED<br>72.0                                                       | <u>10008655</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 2 Circuits,<br>Natural                        | <u>10011024</u> |
| 5.08mm Pitch KK<br>Crimp Terminal                                                           | <u>10011034</u> |

|                                  |                 |
|----------------------------------|-----------------|
| Housing, 3 Circuits,<br>Natural  |                 |
| 5.08mm Pitch KK                  | <u>10011044</u> |
| Crimp Terminal                   |                 |
| Housing, 4 Circuits,<br>Natural  |                 |
| 5.08mm Pitch KK                  | <u>10011054</u> |
| Crimp Terminal                   |                 |
| Housing, 5 Circuits,<br>Natural  |                 |
| 5.08mm Pitch KK                  | <u>10011064</u> |
| Crimp Terminal                   |                 |
| Housing, 6 Circuits,<br>Natural  |                 |
| 5.08mm Pitch KK                  | <u>10011074</u> |
| Crimp Terminal                   |                 |
| Housing, 7 Circuits,<br>Natural  |                 |
| 5.08mm Pitch KK                  | <u>10011084</u> |
| Crimp Terminal                   |                 |
| Housing, 8 Circuits,<br>Natural  |                 |
| 5.08mm Pitch KK                  | <u>10011094</u> |
| Crimp Terminal                   |                 |
| Housing, 9 Circuits,<br>Natural  |                 |
| 5.08mm Pitch KK                  | <u>10011104</u> |
| Crimp Terminal                   |                 |
| Housing, 10 Circuits,<br>Natural |                 |
| 5.08mm Pitch KK                  | <u>10011114</u> |
| Crimp Terminal                   |                 |
| Housing, 11 Circuits,<br>Natural |                 |
| 5.08mm Pitch KK                  | <u>10011124</u> |
| Crimp Terminal                   |                 |
| Housing, 12 Circuits,<br>Natural |                 |
| 5.08mm Pitch SPOX                | <u>10013026</u> |
| Crimp Terminal                   |                 |
| Housing, 2 Circuits,<br>Natural  |                 |
| 5.08mm Pitch SPOX                | <u>10013036</u> |
| Crimp Terminal                   |                 |
| Housing, 3 Circuits,<br>Natural  |                 |
| 5.08mm Pitch SPOX                | <u>10013046</u> |
| Crimp Terminal                   |                 |
| Housing, 4 Circuits,<br>Natural  |                 |
| 5.08mm Pitch SPOX                | <u>10013056</u> |
| Crimp Terminal                   |                 |
| Housing, 5 Circuits,<br>Natural  |                 |
| 5.08mm Pitch SPOX                | <u>10013066</u> |
| Crimp Terminal                   |                 |
| Housing, 6 Circuits,<br>Natural  |                 |
| 5.08mm Pitch SPOX                | <u>10013076</u> |
| Crimp Terminal                   |                 |
| Housing, 7 Circuits,<br>Natural  |                 |
| 5.08mm Pitch SPOX                | <u>10013086</u> |
| Crimp Terminal                   |                 |

|  |                                                                                                                                                               |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Housing, 8 Circuits,<br>Natural<br>5.08mm Pitch SPOX <a href="#"><u>10013096</u></a><br>Crimp Terminal                                                        |
|  | Housing, 9 Circuits,<br>Natural<br>KK PC Board <a href="#"><u>10021022</u></a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 2<br>Circuits |
|  | KK PC Board <a href="#"><u>10021032</u></a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 3<br>Circuits                                    |
|  | KK PC Board <a href="#"><u>10021042</u></a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 4<br>Circuits                                    |
|  | KK PC Board <a href="#"><u>10021052</u></a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 5<br>Circuits                                    |
|  | KK PC Board <a href="#"><u>10021062</u></a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 6<br>Circuits                                    |
|  | KK PC Board <a href="#"><u>10021072</u></a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 7<br>Circuits                                    |
|  | KK PC Board <a href="#"><u>10021082</u></a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 8<br>Circuits                                    |
|  | KK PC Board <a href="#"><u>10021092</u></a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 9<br>Circuits                                    |
|  | KK PC Board <a href="#"><u>10021102</u></a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 10<br>Circuits                                   |
|  | KK PC Board <a href="#"><u>10021112</u></a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 11<br>Circuits                                   |
|  | KK PC Board <a href="#"><u>10021122</u></a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 12<br>Circuits                                   |
|  | 5.08mm Pitch KK <a href="#"><u>10061045</u></a><br>Header, Right<br>Angle, Square Pin,                                                                        |

4 Circuits, Tin (Sn)  
Plating  
KK Header, Right [10061055](#)  
Angle, Square Pin,  
5 Circuits, Tin (Sn)  
Plating  
KK Header, Vertical, [10081021](#)  
Round Pin, 2  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081022](#)  
Round Pin, 2  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, [10081029](#)  
Round Pin, 2  
Circuits, Tin (Sn)  
Plating, Pin Length  
20.32mm  
KK Header, Vertical, [10081031](#)  
Round Pin, 3  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081039](#)  
Round Pin, 3  
Circuits, Tin (Sn)  
Plating, Pin Length  
20.32mm  
KK Header, Vertical, [10081041](#)  
Round Pin, 4  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081049](#)  
Round Pin, 4  
Circuits, Tin (Sn)  
Plating, Pin Length  
20.32mm  
KK Header, Vertical, [10081051](#)  
Round Pin, 5  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081061](#)  
Round Pin, 6  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081069](#)  
Round Pin, 6  
Circuits, Tin (Sn)  
Plating, Pin Length  
20.32mm  
KK Header, Vertical, [10081071](#)  
Round Pin, 7  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081081](#)  
Round Pin, 8  
Circuits, Tin (Sn)

Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081082](#)  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, [10081089](#)  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
20.32mm  
KK Header, Vertical, [10081091](#)  
Round Pin, 9  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081101](#)  
Round Pin, 10  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081102](#)  
Round Pin, 10  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, [10081111](#)  
Round Pin, 11  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081112](#)  
Round Pin, 11  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, [10081121](#)  
Round Pin, 12  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10085021](#)  
with Polarizing  
Backwall, 2 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085031](#)  
with Polarizing  
Backwall, 3 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085041](#)  
with Polarizing  
Backwall, 4 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085051](#)  
with Polarizing  
Backwall, 5 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085061](#)  
with Polarizing  
Backwall, 6 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085071](#)  
with Polarizing

Backwall, 7 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085081](#)  
with Polarizing  
Backwall, 8 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085091](#)  
with Polarizing  
Backwall, 9 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085101](#)  
with Polarizing  
Backwall, 10 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085111](#)  
with Polarizing  
Backwall, 11 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085121](#)  
with Polarizing  
Backwall, 12 Circuits,  
Tin (Sn) Plating  
KK PC Board [10101021](#)  
Connector, Right-  
Angle Mount Style A,  
1.00µm Tin (Sn), 2  
Circuits  
KK PC Board [10101023](#)  
Connector, Top  
Entry Mount Style C,  
1.00µm Tin (Sn), 2  
Circuits  
KK PC Board [10101031](#)  
Connector, Right-  
Angle Mount Style A,  
1.00µm Tin (Sn), 3  
Circuits  
KK PC Board [10101033](#)  
Connector, Top  
Entry Mount Style C,  
1.00µm Tin (Sn), 3  
Circuits  
KK PC Board [10101041](#)  
Connector, Right-  
Angle Mount Style A,  
1.00µm Tin (Sn), 4  
Circuits  
KK PC Board [10101043](#)  
Connector, Top  
Entry Mount Style C,  
1.00µm Tin (Sn), 4  
Circuits  
KK PC Board [10101051](#)  
Connector, Right-  
Angle Mount Style A,  
1.00µm Tin (Sn), 5  
Circuits  
KK PC Board [10101053](#)  
Connector, Top  
Entry Mount Style C,  
1.00µm Tin (Sn), 5  
Circuits  
KK PC Board [10101061](#)  
Connector, Right-  
Angle Mount Style A,

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 1.00µm Tin (Sn), 6<br>Circuits<br>KK PC Board <u>10101063</u><br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 6<br>Circuits<br>KK PC Board <u>10101071</u><br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 7<br>Circuits<br>KK PC Board <u>10101073</u><br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 7<br>Circuits<br>KK PC Board <u>10101081</u><br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 8<br>Circuits<br>KK PC Board <u>10101083</u><br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 8<br>Circuits<br>KK PC Board <u>10101091</u><br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 9<br>Circuits<br>KK PC Board <u>10101093</u><br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 9<br>Circuits<br>KK PC Board <u>10101101</u><br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 10<br>Circuits<br>KK PC Board <u>10101103</u><br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 10<br>Circuits<br>KK PC Board <u>10101111</u><br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 11<br>Circuits<br>KK PC Board <u>10101113</u><br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 11<br>Circuits<br>KK PC Board <u>10101121</u><br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 12<br>Circuits<br>KK PC Board <u>10101123</u><br>Connector, Top<br>Entry Mount Style C, |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                    |  |
|--|------------------------------------------------------------------------------------|--|
|  | 1.00µm Tin (Sn), 12<br>Circuits                                                    |  |
|  | KK 254 Crimp <u>10112023</u><br>Housing, High<br>Pressure, 2 Circuits,<br>Natural  |  |
|  | KK 254 Crimp <u>10112033</u><br>Housing, High<br>Pressure, 3 Circuits,<br>Natural  |  |
|  | KK 254 Crimp <u>10112043</u><br>Housing, High<br>Pressure, 4 Circuits,<br>Natural  |  |
|  | KK 254 Crimp <u>10112053</u><br>Housing, High<br>Pressure, 5 Circuits,<br>Natural  |  |
|  | KK 254 Crimp <u>10112063</u><br>Housing, High<br>Pressure, 6 Circuits,<br>Natural  |  |
|  | KK 254 Crimp <u>10112073</u><br>Housing, High<br>Pressure, 7 Circuits,<br>Natural  |  |
|  | KK 254 Crimp <u>10112083</u><br>Housing, High<br>Pressure, 8 Circuits,<br>Natural  |  |
|  | KK 254 Crimp <u>10112093</u><br>Housing, High<br>Pressure, 9 Circuits,<br>Natural  |  |
|  | KK 254 Crimp <u>10112103</u><br>Housing, High<br>Pressure, 10<br>Circuits, Natural |  |
|  | KK 254 Crimp <u>10112113</u><br>Housing, High<br>Pressure, 11 Circuit              |  |
|  | KK 254 Crimp <u>10112123</u><br>Housing, High<br>Pressure, 12<br>Circuits, Natural |  |
|  | KK 254 Crimp <u>10112133</u><br>Housing, High<br>Pressure, 13<br>Circuits, Natural |  |
|  | KK 254 Crimp <u>10112143</u><br>Housing, High<br>Pressure, 14<br>Circuits, Natural |  |
|  | KK 254 Crimp <u>10112153</u><br>Housing, High<br>Pressure, 15<br>Circuits, Natural |  |
|  | KK 254 Crimp <u>10112163</u><br>Housing, High<br>Pressure, 16<br>Circuits, Natural |  |
|  | KK 254 Crimp <u>10112173</u><br>Housing, High<br>Pressure, 17<br>Circuits, Natural |  |

|                                                                                                                 |                                 |
|-----------------------------------------------------------------------------------------------------------------|---------------------------------|
| KK 254 Crimp Housing, High Pressure, 18 Circuits, Natural 2.36mm Diameter                                       | <a href="#"><u>10112183</u></a> |
| Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 2 Male Terminals 2.36mm Diameter                    | <a href="#"><u>10181031</u></a> |
| Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 3 Male Terminals 2.36mm Diameter                    | <a href="#"><u>10181032</u></a> |
| Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 1 Female Terminal, 2 Male Terminals 2.36mm Diameter | <a href="#"><u>10181033</u></a> |
| Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 1 Female Terminal, 2 Male Terminals 2.36mm Diameter | <a href="#"><u>10181034</u></a> |
| Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 2 Male Terminals, 1 Female Terminal 2.36mm Diameter | <a href="#"><u>10181035</u></a> |
| Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 1 Female Terminal, 1 Male Terminal 2.36mm Diameter  | <a href="#"><u>10181036</u></a> |
| Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 2 Female Terminals, 1 Male Terminal 2.36mm Diameter | <a href="#"><u>10181037</u></a> |
| Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 3 Female Terminals 2.36mm Diameter                  | <a href="#"><u>10181038</u></a> |
| Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 1 Female Terminal, 1 Male Terminal 2.36mm Diameter  | <a href="#"><u>10181040</u></a> |
| Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 4 Male Terminals 2.36mm Diameter                    | <a href="#"><u>10181041</u></a> |
| Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 4 Female Terminals 2.36mm Diameter                  | <a href="#"><u>10181042</u></a> |

|                                                                                                                                                                                                |                                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|
| 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>1 Female Terminal, 3<br>Male Terminals                                                                 | <a href="#"><u>10181043</u></a> |
| 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>3 Female Terminals,<br>1 Male Terminals                                                                | <a href="#"><u>10181044</u></a> |
| 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>2 Male Terminals, 2<br>Female Terminals                                                                | <a href="#"><u>10181045</u></a> |
| 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>3 Male Terminals, 1<br>Female Terminal                                                                 | <a href="#"><u>10181046</u></a> |
| 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>1 Female Terminal, 3<br>Male Terminals                                                                 | <a href="#"><u>10181047</u></a> |
| 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>1 Female Terminal,<br>2 Male Terminals, 1<br>Female Terminal, 1<br>Male Terminal                       | <a href="#"><u>10181048</u></a> |
| 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>2 Female Terminals,<br>1 Male Terminal, 1<br>Female Terminal,<br>1 Male Terminal, 1<br>Female Terminal | <a href="#"><u>10181049</u></a> |
| 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>2 Female Terminals,<br>2 Male Terminals                                                                | <a href="#"><u>10181050</u></a> |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9