

D
Dimensioning and tolerancing per ASME Y14.5M-2009
C

B

A

D

C

B


A

4		3		2		1					
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		LOC	DIST	REVISIONS					
© COPYRIGHT		ALL RIGHTS RESERVED.				P	LTR	DESCRIPTION	DATE	DWN	APVD
							A1	ECR-12-015651	04SEPT2012	MY	TE

REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER 2151045-5

FOR REPLACEMENT PARTS FOR APPLICATOR 2034014
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
2034014

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN M. YOUNGER		 TE Connectivity				
DIMENSIONS:				CHK M. YOUNGER						
				APVD T. ELBIN		NAME SIDE FEED SYSTEM III APPLICATOR WITH FINE ADJUST				
				PRODUCT SPEC						
				APPLICATION SPEC						
				MATERIAL		FINISH		WEIGHT		SIZE A3
				CUSTOMER DRAWING		SCALE		SHEET 1 OF 2		REV A1


8		7		6		4		3		2		1	
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION				20					
© COPYRIGHT 20				BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.									
PART NUMBER		REV	DESCRIPTION		PROGRAMMED MEMORY CHIP								
2034014-1		A	CUTS CARRIER		8-2034014-1								
2034014-6		A	CONTINUOUS CARRIER		8-2034014-6								

FEED FINGER 1901694-1		SET UP GAGE 1901067-1		LOC A	DIST 66	REVISIONS						
P	LTR	DESCRIPTION				DATE		OWN	APVD			
A		RELEASED				22FEB2008		RD	GB			

APPLICATOR DATA		
CRIMP	SIZE	TYPE
WIRE	1.57mm [.062]	F
INSUL	2.29mm [.090]	O
APPL INSTRUCTIONS 408-10135		

TERMINAL DATA: TE TERMINAL		TYCO ELECTRONICS CRIMP SPEC	
TERMINAL NAME: MICRO POWER QUADLOCK PIN/SKT CONTACT			
WIRE STRIP LENGTH 3.2-3.8 mm [.125-.149 IN]		INSULATION DIAMETER RANGE 1.20-1.60mm [.047-.062 IN]	
TERMINAL APPL SPEC	 114-18141	-	-
TERMINALS APPLIED			
968679-2	968679-5	968678-2	968678-5

WIRE SIZE		CRIMP HEIGHT mm [INCH]	REF SETTING* 
0.5mm ²		1.15±0.03 [-.045±0.012]	C0
0.35mm ²		1.08±0.03 [-.043±0.012]	C5



-	1	1	1	1	1-993111-6	PIN, SLOTTED SPRING 3.0 X 30.0	177
-	2	2	2	2	3-22280-7	SPRING, COMPRESSION	176
-	1	1	1	1	1752353-1	GUIDE PIN,HOLDDOWN	175
-	1	1	1	1	1901680-1	GUIDE PIN,HOLDDOWN	174
-	REF	REF	REF	REF	SEE TABLE	MEMORY CHIP, PROGRAMMED	135
-	1	1	1	1	1633565-1	DOCUMENTATION PACKAGE	71
-	1	1	1	1	1976552-1	TAG,IDENTIFICATION	67
-	2	2	2	2	21017-1	SCREW, DRIVE	66
-	1	1	1	1	3-18031-0	SCR, SET, CUP POINT M6 X 6.0	63
-	2	2	2	2	1655785-1	SCR, BTN SKT HD CAP (M4 X 8)	60
-	4	4	4	4	1655783-3	SCR, CAP, SOC HD, LOW HEAD, M4 X 12	54
-	1	1	1	1	1-18030-0	NUT, HEX, REG M3.5	52
-	1	1	1	1	1901681-1	HOLDDOWN, TERMINAL	51
-	1	1	1	1	2-1752354-2	STANDOFF,HOLD-DOWN	50
-	1	1	1	1	1752300-1	SF SYSTEM III APPLICATOR	46
-	1	1	1	1	690191-1	PLUG,NYLON	45
-	1	1	1	1	1901069-1	RAM ASSEMBLY, SYSTEM III RETROFIT	44
-	1	1	1	1	2-1655785-3	SCR, BTN SKT HD CAP (M8 X 25)	41
-	1	1	1	1	690125-1	SHIM SUB-ASSY	39
-	1	1	1	1	469367-9	SHIM	38
-	1	1	1	1	879103-3	FINE ADJUST HEAD ASSEMBLY	37
-	1	1	1	1	1-1752356-3	SUPPORT, TERMINAL	34
-	2	2	2	2	3-1655785-3	SCR, BTN SKT HD CAP (M4 X 20)	33
-	1	1	1	1	18028-3	WASHER, FLAT, REG M5	32
-	1	1	1	1	5-1655316-3	SCR, SKT HD CAP, M5 X 10.0	31
-	1	1	1	1	1-1320908-5	SPACER, STRIP GUIDE	30
-	1	1	1	1	1901087-1	ASSEMBLY, STRIP GUIDE	29
-	1	1	1	1	1-455888-0	SPACER, CRIMPER	28
-	1	1	1	1	1320928-5	PLATE, STRIP GUIDE	24
-	1	1	1	1	1976045-1	STRIPPER	22
-	1	1	1	1	18028-2	WASHER, FLAT, REG M4	20
-	REF	REF	REF	REF	1752311-1	STRIPPER	19
-	1	-	1	-	1338684-1	SHEAR HOLDER, FRONT	13
-	1	1	1	1	3-22280-3	SPRING, COMPRESSION	12
-	1	1	1	1	356885-4	STOP, SHEAR	11
-	-	1	-	1	1320921-1	SHEAR HOLDER, FRONT, CUT	10
-	1	1	1	1	462006-1	FLOATING SHEAR, FRONT	9
1	2	2	1	1	5-1333202-3	ANVIL, COMBINATION	8
-	1	1	1	1	2-455889-0	DEPRESSOR, SHEAR	5
-	1	1	1	1	238011-9	BLOCK, CRIMPER SPACER	4
1	2	2	1	1	8-456135-0	CRIMPER, INSULATION O PREMIUM	3
-	1	1	1	1	455888-6	SPACER, CRIMPER	2
1	2	2	1	1	3-456403-9	CRIMPER, WIRE PREMIUM	1
-77	-76	-71	-6	-1	PART NO	DESCRIPTION	ITEM NO

(1) DRAWING IS A CONTINUED SHEET FOR THE FOLLOWING PARTS: (PART NUMBER) (PART NUMBER) (PART NUMBER) SHOULD BE CONTACTED FOR THE LATEST REVISION INFORMATION.		DWN R. DORSON 11JAN2008		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES(mm)		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CKE N. DORSON 11JAN2008	
		0 PLC ±.1 1 PLC ±.1 2 PLC ±.1 3 PLC ±.1 4 PLC ±.1 ANGLES ±.1 FINISH -		NAME SIDE FEED SYSTEM III APPLICATOR WITH FINE ADJUST -	
MATERIAL -		PRODUCT SPEC APPLICATOR SPEC SEE TABLE		SIZE A 00779 C =2034014	
		WEIGHT -		RESTRICTED TO -	
		CUSTOMER DRAWING		SCALE 3:5 SHEET 1 OF 1 REV A	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9