

TK 1313 – Polystyrene and Polycarbonate – 130x130mm (5.12x5.12in.)

Standard Features

- **Protection Level:** IP66 (NEMA 4X)
- **Technical:** Smooth or Knockout Sidewalls
Gray or Tinted Transparent Cover ^①
Multiple Enclosure Mounting Options
- **Enclosure Material:** Polystyrene or Polycarbonate
- **Gasket Material:** Polyurethane
- **Color:** Light Gray
- **Temperature Range:** Polystyrene
-40°C to 70°C (-40°F to 158°F)
Polycarbonate
-35°C to 120°C (-31°F to 248°F)
- **Accessories:** See section below



Smooth Sidewalls

Polystyrene

Polycarbonate

| Ordering Information | Height mm (in) | Cat. No. | Type | Cover Color | Std. Pk. | Cat. No. | Type | Cover Color | Std. Pk. |
|--------------------------|-----------------|----------|---------------|-------------|----------|----------|---------------|-------------|----------|
| ☐ Enclosure - low cover | 75 mm (2.95 in) | 110-405 | PS 1313-7-o | gray | 2 | 120-405 | PC 1313-7-o | gray | 2 |
| ☐ Enclosure - high cover | 99 mm (3.90 in) | 110-905 | PS 1313-10-o | gray | 2 | 120-905 | PC 1313-10-o | gray | 2 |
| ☐ Enclosure - low cover | 75 mm (2.95 in) | 111-005 | PS 1313-7-to | trans. | 2 | 130-005 | PC 1313-7-to | trans. | 2 |
| ☐ Enclosure - high cover | 99 mm (3.90 in) | 111-505 | PS 1313-10-to | trans. | 2 | 130-505 | PC 1313-10-to | trans. | 2 |

Sidewalls with PG Knockouts (metric available)

Polystyrene

Polycarbonate

| Ordering Information | Height mm (in) | Cat. No. | Type | Cover Color | Std. Pk. | Cat. No. | Type | Cover Color | Std. Pk. |
|--------------------------|-----------------|----------|--------------|-------------|----------|----------|--------------|-------------|----------|
| ☐ Enclosure - low cover | 75 mm (2.95 in) | 115-405 | PS 1313-7 | gray | 2 | 125-405 | PC 1313-7 | gray | 2 |
| ☐ Enclosure - high cover | 99 mm (3.90 in) | 115-905 | PS 1313-10 | gray | 2 | 125-905 | PC 1313-10 | gray | 2 |
| ☐ Enclosure - low cover | 75 mm (2.95 in) | 116-005 | PS 1313-7-t | trans. | 2 | 135-005 | PC 1313-7-t | trans. | 2 |
| ☐ Enclosure - high cover | 99 mm (3.90 in) | 116-505 | PS 1313-10-t | trans. | 2 | 135-505 | PC 1313-10-t | trans. | 2 |

RK Enclosures with Terminal Blocks

| Ordering Information | Height | Cat. No. | Type | Cover Color | Std. Pk. |
|-------------------------------------|-----------------|----------|--------|-------------|----------|
| Enclosure - 15 pole/10 AWG Terminal | 75 mm (2.95 in) | 613-404 | RK1313 | gray | 2 |
| Enclosure - DIN Rail only (TS35) | 75 mm (2.95 in) | 613-906 | RK1313 | gray | 2 |

Accessories

| Ordering Information | Cat. No. | Type | Std. Pk. |
|----------------------|----------|-----------|----------|
| Mounting Plate | 195-005 | MP1313 | 1 |
| DIN Rail TS35-106mm | Z-658 | TS 35/106 | 1 |
| DIN Rail TS15-111mm | Z-632 | TS 15/111 | 1 |
| Hinge Kit Set | 190-002 | HK1 | 1 |
| Mounting Tab Kit | 194-001 | MT1 | 1 |

Please refer to pages 106-113 for additional accessories and detailed information.

^① Clear transparent lids available upon request

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9