

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	B1	ECR-15-004848	27MAR2015	GK	HMR


REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2150523-2

FOR REPLACEMENT PARTS FOR APPLICATOR 1852058
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1852058

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity			
DIMENSIONS:		CHK RAGHAVENDRA					
		APVD RAGHAVENDRA		NAME END FEED HDM APPLICATOR			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1852058	RESTRICTED TO
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV B1

PART NUMBER	REV	FIRST USED
1852058-1	B	122500-1
1852058-2	B	565435-5



- 1 RECOMMENDED SPARE PARTS.
- 2 GREASE LIGHTLY.
- 3 GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE.
- 4 SEE DRAWING FOR COMPONENTS
- 5 ITEM 78 USED WITH G TERMINATOR ONLY.

TERMINAL NAME: 305 (7.8mm) TERMINAL, FEMALE									
AMP TERM PN		MFR TERM PN		YAZAKI TERMINAL		YAZAKI CRIMP SPECS			
1572718		7116-3060-02		PAD LTR	CRIMP HEIGHT			WIRE SIZE	
				A	.091 ±.002 [2.31 ±0.05mm]			5mm ² (10 AWG)	
				B	.079 ±.002 [2.01 ±0.05mm]			3mm ² (12 AWG)	
				C	NOT			USED	
				D	NOT			USED	
				CRIMP	SIZE		TYPE	RANGE	
				WIRE	.170 [4.32mm]		F	3mm ² -5mm ²	
				INSUL	.300 [7.62mm]		F	-	
WIRE STRIP LENGTH		TERM APPL SPEC		FEED	APPL INSTRUCTION			SET UP GAGE	LAYOUT
.187-.236		NONE		1.037	408-8039			458638-1	L4022

[illegible]

		B	ECR-06-007095		
		A	RELEASED		
P	F	LTR	REVISION RECORD		

-1	LEADMAKER & BENCH MODEL G				AIR FEED		
-2	BENCH MODEL K				AIR FEED		
							70
4	1	-	-	C	692655-5	AIR FEED VALVE ASSY	69
4	1	-	-	C	460277-2	AIR FEED ASSY (2 INCH)	68
	REF	-	-	A	24042-2	VALVE, SHUT OFF	67
4	REF	-	-	C	692655-6	AIR FEED VALVE ASSY	66
4	-	1	-	B	2-460277-4	AIR FEED ASSY (2 INCH)	65
	2	2	-	A	3-21000-9	SCR,SHC(10-32x1.00)AIR ASSY	64
	-	1	-	A	980285-2	ELBOW, SWIVEL 1/8 NPT - 1/4 T	63
	-	1	-	A	23238-1	QUICK DISCONNECT	62
	-	12.00	IN	A	27319-4	TUBING, POLY-FLO Ø.25	61
							60
	1	1	-	C	454220-1	CAP, RAM	59
	1	1	-	D	453736-1	HOUSING	58
							57
							56
	-	1	-	A	22374-7	VALVE, QUICK EXHAUST	55
	-	1	-	A	22304-1	NIPPLE, HEX	54
4	1	1	-	B	460680-1	FEED FINGER ASSY	53
							52
							51
							50
							49
							48
							47
							46
	1	1	-	A	690191-1	PLUG, NYLON	45
	1	1	-	C	455674-1	RAM	44
	1	1	-	A	690125-1	WASHER, LAMINATED	43
	1	1	-	A	690124-1	WASHER, RAM	42
	1	1	-	A	7-21002-9	BOLT, CRIMPER(5/16-24x1.00)	41
	1	1	-	A	23241-6	BALL, STEEL	40
	1	1	-	A	690170-1	SPRING, COMPRESSION	39
	1	1	-	C	690142-4	DISC, INSULATION	38
	1	1	-	D	354777-1	DISC, WIRE	37
	1	1	-	A	22480-5	WASHER, SPRING	36
	1	1	-	B	690212-1	POST, RAM	35
							34
							33
							32
							31
							30
							29
							28
	1	1	-	A	690455-3	STRIPPER	27
	1	1	-	D	455676-1	PLATE, BASE	26
	2	2	-	A	22354-7	DRAG, STUD	25
	1	1	-	B	458803-2	PLATE, STRIP GUIDE	24
	1	1	-	C	240825-5	PLATE, STRIP HOLD DOWN	23
	2	2	-	A	22281-6	SPRING, DRAG	22
	1	1	-	A3	464451-1	ARM, STOCK DRAG	21
	1	1	-	A3	464452-4	DRAG, STOCK	20
							19
	2	2	-	C	454204-4	GUIDE, STRIP (FRONT)	18
							17
							16
							15
							14
							13
							12
1	1	1	-	B	240833-7	PLATE, REAR SHEAR	11
							10
1	1	1	-	B	3-690482-8	PLATE, FRONT SHEAR	9
1	1	1	-	D	1-1633098-7	ANVIL	8
1	1	1	-	B	690474-5	BLADE, SLUG	7
							6
	1	1	-	C	2-240641-7	SPACER, SLUG BLADE	5
	1	1	-	B	1-238009-1	SPACER, BLOCK CRIMPER	4
1	1	1	-	C	4-1213077-3	CRIMPER, INSULATION	3
	1	1	-	B	1-455888-5	SPACER, CRIMPER	2
1	1	1	-	C	9-1490019-8	CRIMPER, WIRE	1
	-2	-1	U/M	DWG SIZE	PART NO	DESCRIPTION	ITEM NO
← REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)							
QTY REQD PER ASSY				PARTS LIST			
DIMENSIONS IN INCHES. DO NOT SCALE PRINT.				MATL - HT TR - FIN -			
TOLERANCES UNLESS OTHERWISE SPECIFIED.				DR B.HIGMAN 21JUN05APP 21JUN05T.ELBIN			
2 PLC DEC ±.25				CHK 21JUN05T.ELBIN REL 21JUN05R.KNEPPER			
3 PLC DEC ±-				AMP Tyco Electronics Harrisburg, PA 17105-3608			
4 PLC DEC ±-				NAME			
ANGLES ±-				END FEED HDM APPLICATOR			
REMOVE BURRS, BREAK SHARP EDGES R.015 MAX				MACHINE REF			
				MINI APPL			
				SHEET 1 OF 1			
				REV B			
CASE CODE				CUSTOMER AND ASSEMBLY DRAWING			
				RESTRICTED TO			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9