# AEDx-8xxx-xxx

2- or 3-Channel Incremental Encoder Kit with Codewheel



# **Data Sheet**



# Description

The AEDx-8xxx comes in an option of two-channel or three-channel optical incremental encoder kit with codewheel integrated in a protective housing. The encoder is lead free and compliant to the RoHS directive. Each encoder kit consists of a collimated LED source and a detector IC enclosed within a small plastic package.

The AEDx-8xxx optical encoder has two-channel quadrature outputs (A,B) plus a third channel index output (I). There are three index options available. i.e. ungated, gated-90 ° and gated-180 ° electrical degree index pulse.

The AEDx-8xxx series optical encoder is designed for use with motors with shaft diameters of 2mm and up to 5mm. The quadrature, index and power supplied to the encoder are accessed through an 8-pin male connector of 1.25 mm pitch.

The AEDx-8xxx solution enables the servo system to be more compact. With the aid of alignment jig, the assembly process will also require less alignment time, thus making the assembly process much easier for servo motor integration.

#### **Applications**

The AEDx-8xxx provides motion detection for DC servo motor and closed loop stepper motor feedback system in the following applications:

- Pick and Place machines
- Semiconductor equipment
- Factory automation equipment

#### Features

- 3-channel differential output (A,B) with ungated, gated-90 ° and gated-180 ° index pulse (I)
- 2-channel differential output available
- Up to 500 Cycles Per Revolution (CPR)
- Up to 30000 rpm motor speed
- -40 °C to 100 °C operating temperature
- Single 5 V supply
- Integrated RS-422 line driver
- Quick and easy assembly

#### **Assembly View**



**Note:** Avago Technologies encoders are not recommended for use in safety critical applications, e.g., ABS braking systems, power steering, life support systems and critical care medical equipment. Avago's products and software are not specifically designed, manufactured or authorized for sale as parts, components or assemblies for the planning, construction, maintenance or direct operation of a nuclear facility or for use in medical devices or applications. Customers are solely responsible, and waive all rights to make claims against Avago or its suppliers, for all losses, damage, expense or liability in connection with such use. Please contact your local sales representative if more clarification is needed.

#### **Theory of Operation**

The AEDx-8xxx optical encoder is a housed solution with integrated encoder and codewheel. The encoder translates the rotary motion of a shaft into incremental digital outputs.

The encoder contains a single Light Emitting Diode (LED) as the light source. The light is collimated into a parallel beam by means of polycarbonate lens located directly over the LED. Opposite the emitter is a detector IC. This IC consists of multiple sets of photo detectors and signal processing circuitry necessary to produce the digital waveform output. The codewheel rotates between the emitter and detector, causing the light beam to be interrupted by pattern of spaces and bars on the codewheel. The Photodiodes that detect these interruptions are arranged in a pattern that corresponds to the radius and design of the codewheel. These detectors are also spaced in such way that light period on one pair of detectors corresponds to dark period on adjacent pair of detectors. The photodiode outputs are then fed through the signal processing circuitry that produce the final outputs for channel A and B. Due to this integrated phasing technique, the digital output of channel A is in quadrature with that of channel B (90 electrical degrees out of phase). As a standard, the outputs are fed through a standard RS422 line driver to deliver the differentials signals at the final encoder output.

#### Definitions

**Cycles (N):** The number of electrical cycles per revolution (CPR).

**Note:** CPR refers to the raw signal from encoder, that is the cycles before 4x decode.

**One Cycle:** 360 electrical degrees (°e).

One Shaft Rotation: 360 mechanical degrees.

**Cycle Error** ( $\Delta C$ ): An indication of cycle uniformity. The difference between an observed shaft angle which gives rise to one electrical cycle, and the nominal angular increment of 1/N of a revolution.

**Pulse Width (P):** The number of electrical degrees that an output is high during 1 cycle. This value is nominally 180°e or 1/2 cycle.

**Pulse Width Error** ( $\Delta P$ ): The deviation, in electrical degrees, of the pulse width from its ideal value of 180°e.

**State Width (S):** The numbers of electrical degrees between transitions in the output of channel A and the neighboring transition in the output of channel B. There are 4 states per cycle, each nominally 90°e.

**State Width Error (ΔS):** The deviation, in electrical degrees, of each state width from its ideal value of 90°e.

**Phase (Φ):** The numbers of electrical degrees between the center of the high state of channel A and the center of the high state of channel B. This value is nominally 90°e for quadrature output.

**Phase Error** ( $\Delta \phi$ ): The deviation of the phase from its ideal value of 90°e.

**Index Pulse Width (Po):** The number of electrical degrees that an index is high with reference to channel A or channel B during one full shaft rotation.

#### Absolute Maximum Ratings <sup>[1,2]</sup>

Par	rameter	Symbol	Min.	Max.	Units
1.	Storage Temperature AEDS Series	Ts	-20	85	°C
	Storage Temperature AEDT Series	Ts	-40	100	°C
2.	Supply Voltage	Vcc	-0.5	7	V
3.	Output Voltage	Vout	-0.5	Vcc	V
4.	Output Current per Channel	lout	-	± 150	mA
5.	Shaft Axial Play		-	± 0.100	mm
6.	Shaft Radial Play Plus Eccentricity		-	± 0.080	mm

Note:

2. Stresses greater than those listed under Absolute Maximum Ratings may cause permanent damage to the device. Exposure to absolute maximum rating conditions for extended periods may affect reliability.

<sup>1.</sup> Absolute Maximum Ratings are those values beyond which the safety of the device cannot be guaranteed. They are not meant to imply that the device should be operated at these limits.

#### **Recommended Operating Conditions**

Pa	rameter	Symbol	Min.	Тур.	Max.	Units	Notes
1.	Operating Temperature AEDS Series	T <sub>A</sub>	-20	-	85	° C	
	Operating Temperature AEDT Series	T <sub>A</sub>	-40	-	100	° C	
2.	Supply Voltage	V <sub>cc</sub>	4.5	5.0	5.5	V	
3.	Output frequency ( 200 CPR)	£	-	-	100	kHz	Velocity(rpm) x N/60
4.	Output frequency ( 400 & 500 CPR)	— I	-	-	200		

# Encoding Characteristics (Vcc = 4.5 to 5.5V, Tamb = -40 to +100°C) AEDx-8xxx-Exx (200 CPR only)

	Symbol	Min.	Тур.(3)	Max	Units	Notes
Pulse Width Error	$\Delta P$	-	5	35	°e	
State Width Error	$\Delta S$	-	3	35	°e	
Phase Error	$\Delta \phi$	-	2	20	°e	
Cycle Error	$\Delta C$	-	5	15	°e	
Index Pulse Width Un-gated	Ро	220	360	500	°e	
ndex Pulse Width Gated 90°e	Ро	60	90	120	°e	
ndex Pulse Width Gated 180°e	Ро	140	180	220	°e	
Position Error	ΔΘ	-	15	50	min. of arc	
	State Width Error Phase Error Cycle Error Index Pulse Width Un-gated Index Pulse Width Gated 90°e Index Pulse Width Gated 180°e Position Error	Phase Error Δφ   Cycle Error ΔC   Index Pulse Width Un-gated Po   Index Pulse Width Gated 90°e Po   Index Pulse Width Gated 180°e Po	Phase Error Δφ -   Cycle Error ΔC -   Index Pulse Width Un-gated Po 220   Index Pulse Width Gated 90°e Po 60   Index Pulse Width Gated 180°e Po 140	Phase ErrorΔφ-2Cycle ErrorΔC-5Index Pulse Width Un-gatedPo220360Index Pulse Width Gated 90°ePo6090Index Pulse Width Gated 180°ePo140180	Phase Error     Δφ     -     2     20       Cycle Error     ΔC     -     5     15       Index Pulse Width Un-gated     Po     220     360     500       Index Pulse Width Gated 90°e     Po     60     90     120       Index Pulse Width Gated 180°e     Po     140     180     220	Phase Error $\Delta \phi$ -220 $^{\circ}$ eCycle Error $\Delta C$ -515 $^{\circ}$ eIndex Pulse Width Un-gatedPo220360500 $^{\circ}$ eIndex Pulse Width Gated 90°ePo6090120 $^{\circ}$ eIndex Pulse Width Gated 180°ePo140180220 $^{\circ}$ e

Note 3: Typical values specified at Vcc = 5.0V and 25°C

# Encoding Characteristics (Vcc = 4.5 to 5.5V, Tamb = -40 to +100 $^{\circ}$ C) AEDx-8xxx-xxx (400 & 500CPR)

Parameter		Symbol	Min.	Typ.(3)	Мах	Units Note	S
1.	Pulse Width Error	$\Delta P$	-	7	60	°e	
2.	State Width Error	$\Delta S$	-	5	60	°e	
3.	Phase Error	Δφ	-	2	35	°e	
4.	Cycle Error	$\Delta C$	-	7	30	°e	
5.	Index Pulse Width Un-gated	Ро	220	360	500	°e	
	Index Pulse Width Gated 90°e	Ро	50	90	130	°e	
	Index Pulse Width Gated 180°e	Ро	135	180	225	°e	
6.	Position Error	ΔΘ	-	20	60	min. of arc	

Note 3: Typical values specified at Vcc = 5.0V and  $25^{\circ}C$ 

# Electrical Characteristics ( $V_{CC} = 4.5$ to 5.5V, $T_{amb} = -40$ to $+100^{\circ}$ C)

Par	rameter	Symbol	Min.	Typ. <sup>[1]</sup>	Max	Units	Notes
1.	Supply Current	ICC	-	42	50	mA	
2.	Output High Level	V <sub>OH</sub>	2.5	3.4	-	V	lo = -20mA
3.	Output Low Level	V <sub>OL</sub>	-	0.3	0.5	V	Io = 20 mA
4.	Output Current	l <sub>O</sub>	-	25	40	mA	
5.	Rise time	t <sub>r</sub>	-	30	100	ns	
6.	Fall time	t <sub>f</sub>	-	30	100	ns	

Note:

1. Typical values specified at Vcc = 5.0V and  $25^{\circ}C$ .

# Pin Assignments

Pin	Signal	Description
Pin 1	GND	Ground
Pin 2	A+	Digital Output
Pin 3	A-	Digital Output
Pin 4	B+	Digital Output
Pin 5	B-	Digital Output
Pin 6	I+	Digital Output
Pin 7	I-	Digital Output
Pin 8	Vcc	Voltage Input





# **Output Waveforms**



Figure 1. Output waveforms for counter-clockwise rotation, viewed from the top of the encoder.

#### **Direction of Motor Rotation**

Direction of Rotation: When the codewheel rotates in the counter-clockwise direction viewing from the top of the encoder kit, channel A will lead channel B. If the codewheel rotates in the opposite direction, channel B will lead channel A.

#### **Electrical Interface**



Note:

OUTPUT+ represents A+, B+, or I+ digital output from the encoder. OUTPUT- represents A-, B-, or I- digital output from the encoder. Load resistance \*RT is optional although highly recommended to reduce reflection.

#### **Package Dimensions**





Dimensions in mm unless otherwise stated. Tolerance: +/- 0.1mm

Figure 2. Mechanical Dimensions for Mounting Option 1 (AEDx-8x0x)



Figure 3. Mechanical Dimensions for Mounting Option 2 (AEDx-8x1x)

#### **Mounting Considerations**

#### Option 1 (AEDx-8x0x) with Protruded External Mounting Ear Hole



Option 2 (AEDx-8x1x) with Internal Mounting Hole





**CAUTION:** For optimal performance, base plate and plastic housing assembly are designed for a ONE time assembly process only. Removal and re-assembly process should be avoided due to the potential weakness of the latch after re-assembly.

# **Mounting Alignment Tool**

Alignment Tool for AEDX-8XXX,4mm (HEDS-8938-011)



Alignment Tool for AEDX-8XXX,5mm(HEDS-8938-014)



#### **Mechanical Characteristics**

Parameter	Dimension	Tolerance	Units	Notes	
1. Shaft Diameter Tolerance	2, 3, 4, 5	0 -0.008	mm		
2. Recommended Shaft Length	5 to 10	N/A	mm		
3. Mounting Screw Size	2 X M2	N/A	mm		
4. Recommended Screw Torque	0.6	N/A	lb. inch		
5. Encoder Base Plate Thickness	3.85	±0.1	mm		

#### **Recommended Mating Connectors**

Temperature Option	Manufacturer	Part Number	Description
AEDS Series	Molex	53261-0871	Connector Box Type, 8-pin, 1.25mm pitch
AEDT Series	Hirose	DF13A-8P-1.25H	Connector Box Type, 8-pin, 1.25mm pitch



# AEDS-Series (HEDS-8911-152) Specification:

1. Housing, 8P, pitch: 1.25mm

- 2. Terminal, #26~28AWG
- 3. Wire, UL1007 #28AWG-STR
- 4. Blue color



# **AEDT-Series (HEDT-8912-152)** Specification:

- 1. Housing, 8P, pitch: 1.25mm
- 2. Terminal, #26~30AWG
- 3. Wire, UL1007 #28AWG-STR
- 4. Grey color

#### **Ordering Information**



#### **Connectors ordering information:**

1. HEDS-8911-152 - Connectors for AEDS-8xxx series 2. HEDT-8912-152 - Connectors for AEDT-8xxx series

#### Alignment tool ordering information:

- 1. HEDS-8938-001 Alignment tool for AEDx-8xxx-x01 series (2mm shaft diameter option)
- 2. HEDS-8938-002 Alignment tool for AEDx-8xxx-x02 series (3mm shaft diameter option)
- 3. HEDS-8938-011 Alignment tool for AEDx-8xxx-x11 series (4mm shaft diameter option)
- 4. HEDS-8938-014 Alignment tool for AEDx-8xxx-x14 series (5mm shaft diameter option)

For product information and a complete list of distributors, please go to our web site: www.avagotech.com

Avago, Avago Technologies, and the A logo are trademarks of Avago Technologies in the United States and other countries. Data subject to change. Copyright © 2005-2008 Avago Technologies. All rights reserved. AV02-1240EN - September 26, 2008







Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001 Адрес: 105318, г.Москва, ул.Щербаковская д.З, офис 1107

# Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

# http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

# Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж: moschip.ru moschip.ru\_4

moschip.ru\_6 moschip.ru\_9