






KEYING OPTION "B"
1438082-2 




△ MATERIAL:
HARNES - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: HARNES - 30% GLASS FILLED sPS, BLACK
SPACER - 40% GLASS FILLED PPS+PA66, RED
ALT MAT'L: 30% GLASS FILLED sPS, RED
ALT MAT'L: 35% GLASS FILLED PA66, RED
COVER - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
CAM LEVER - 35% GLASS FILLED NYLON, GRAY
GROMMET - SILICONE, BROWN
PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.

③ SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.

④ CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS.
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.

SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD

THIS DRAWING IS A CONTROLLED DOCUMENT FOR Tyco Electronics Corporation IT IS SUBJECT TO A CHANGE ORDER AND THE CREATING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN: 01AUG2003 R. VESTAL ECH: 01AUG2003 D. STRAUSSER APD: 01AUG2003 D. STRAUSSER		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME:	
		0 PLC ±. 1 PLC ±0.3 2 PLC ±0.10 3 PLC ±. 4 PLC ±. ANGLES ±°		PRODUCT SPEC: - APPLICATION SPEC: -	
MATERIAL: SEE TABLE		FINISH: SEE TABLE		46 Way PCM CONNECTOR HARNESS ASSEMBLY	
		WEIGHT: -		SIZE: CAGE CODE: DRAWING NO: RESTRICTED TO:	
		A 00779 C = 1438082		-	
CUSTOMER DRAWING				SCALE: 4:1 SHEET 1 OF 5 REV: 1	

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

	45	43			39	37	36	35			31					24						18	17	16		14	13	12			9		7	6				2	1	9-1438082-7	2LIT-14A464-SD-051								
			42																		20	18			15	14			11	10		8	7			4	3	2	1	9-1438082-6	2LIT-14A464-SD-050								
			42																		20	18							11	10									1	9-1438082-5	2LIT-14A464-SD-049								
			42																		20	18							11	10									2	1	9-1438082-4	2LIT-14A464-SD-048							
								35						27																											9-1438082-3	2LIT-14A464-SD-047							
	45	43					36	35			32	31				24		21		19	18	17	16		14	12							7	6					1	9-1438082-1	2LIT-14A464-SD-046								
46											31																															9-1438082-0	2LIT-14A464-SD-045						
											31					24								16									8						3	2	8-1438082-9	2LIT-14A464-SD-044							
														27																												8-1438082-8	2LIT-14A464-SD-043						
	45	44	43	42		40	38	37	36		33	31		29		24	22		20		18	17	16	15								9	8					3		8-1438082-7	2LIT-14A464-SD-042								
	45	44	43	42		40	38	37	36		33	31		29		24	22	21	20		19	18	17	16	15								9	8			6			2	8-1438082-6	2LIT-14A464-SD-041							
46												31																							9			6				3	8-1438082-5	2LIT-14A464-SD-040					
			43	42			39	37												20	19	18							11	10	9								2	1	8-1438082-4	2LIT-14A464-SD-039							
			43									31		29								18																					8-1438082-3	2LIT-14A464-SD-038					
	45	44	43	42		40	38	37	36		33	31		29		24	22	21	20		18	17	16	15									9	8						2	8-1438082-0	2LIT-14A464-SD-037							
	45		43						36	35			31			24							16		14	12									7	6				2	1	7-1438082-9	2LIT-14A464-SD-036						
	45		43						36	35			31			24		21		19			16		14	12									7	6				2	1	7-1438082-8	2LIT-14A464-SD-035						
			43	42			39	38	37			32			28						19	18	17	16					10	9												7-1438082-5	2LIT-14A464-SD-034						
	45	44	43	42		40	38	37	36		33	31		29		24	22	21	20		18	17	16	15									9	8			6			2	7-1438082-4	2LIT-14A464-SD-033							
	45	44	43	42		40	38	37	36		33	31				24	22	21	20		18	17	16	15										9	8			6			2	7-1438082-3	2LIT-14A464-SD-032						
						40								29																					9							6-1438082-6	2LIT-14A464-SD-031						
																																											6-1438082-3	2LIT-14A464-SD-030					
																																											6-1438082-2	2LIT-14A464-SD-029					
																																											6-1438082-1	2LIT-14A464-SD-028					
																																											5-1438082-6	2LIT-14A464-SD-027					
																																											5-1438082-5	2LIT-14A464-SD-026					
																																											5-1438082-2	2LIT-14A464-SD-025					
			43	42			39	37															18	16																		6	5			5-1438082-9	2LIT-14A464-SD-024		
																																											6-1438082-7	2LIT-14A464-SD-023					
			42				39	37																																				4-1438082-9	2LIT-14A464-SD-022				
			42																																									4-1438082-8	2LIT-14A464-SD-021				
			42																																									4-1438082-7	2LIT-14A464-SD-020				
			43	42			39	37																																				4-1438082-2	2LIT-14A464-SD-019				
	45	43						36	35			31				24							18	17	16		14	12																	4-1438082-0	2LIT-14A464-SD-018			
			43	42			39	37																																				3-1438082-8	2LIT-14A464-SD-017				
			42																																									3-1438082-7	2LIT-14A464-SD-016				
			43	42			39	37																																				3-1438082-6	2LIT-14A464-SD-015				
			42																																										3-1438082-5	2LIT-14A464-SD-014			
	45	43				39	37	36	35			31				24		21		19	18	17	16		14	13	12																			3-1438082-4	2LIT-14A464-SD-013		
	45	43				39	37	36	35		33	31				25	24		21		19	18	17	16		14	13	12																	3-1438082-3	2LIT-14A464-SD-012			
	45	43						36	35			31					24		21		19	18	17	16		14	12																	3-1438082-2	2LIT-14A464-SD-011				
			42																																											3-1438082-1	2LIT-14A464-SD-010		
			43	42			39	37																																								3-1438082-0	2LIT-14A464-SD-009

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

		44								35		32							22								12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086															
		44								35		32															12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085															
										35																											6-1438735-2	2LIT-14A464-SD-084														
			43	42		40	39	37					29						20	18		15	14		11	10	9	8	7			4	3	1	6-1438735-1	2LIT-14A464-SD-083																
45	43						38	36				31				25	24					18	17	16	14	12				7	6			2	1	5-1438735-0	2LIT-14A464-SD-082															
45	43						38	36				31				25	24							16	14	12				7	6			2	1	4-1438735-9	2LIT-14A464-SD-081															
45	43						38	36			32	31				25	24		21	19	18	17	16	14	12				7	6			1	4-1438735-8	2LIT-14A464-SD-080																	
45	43						39	38	37	36			31				25	24					18	17	16	14	13	12		9	7	6		2	1	4-1438735-7	2LIT-14A464-SD-079															
				42																20	18				13	11	10							2	1	3-1438735-8	2LIT-14A464-SD-078															
				42																20	18				13	11	10								1	3-1438735-7	2LIT-14A464-SD-077															
45	43						39	38	37	36			31				25	24		21	20	19	18	17		14	13	12		9				2	1	3-1438735-6	2LIT-14A464-SD-076															
45	43							38	36				31				25	24		21	20	19	18	17		14	12							2	1	3-1438735-5	2LIT-14A464-SD-075															
			43	42		40	39	37					29							20	18		15	14		11	10	9	8	7			4	3	2	1	3-1438735-3	2LIT-14A464-SD-074														
45	43						39	38	37	36			31				25	24			20	19	18	17		14	13	12		9				2	1	3-1438735-2	2LIT-14A464-SD-073															
45	43							38	36				31				25	24		21	20	19	18	17	16	14	12				7			2	1	3-1438735-1	2LIT-14A464-SD-072															
45	43						39	38	37	36			31				25	24		21	20	19	18	17	16	14	13	12		9	7			2	1	3-1438735-0	2LIT-14A464-SD-071															
45	43							38	36				31				25	24		21	20	19			16	14	12				7			2	1	2-1438735-9	2LIT-14A464-SD-070															
45	43						39	38	37	36			31				25	24		21	20	19			16	14	13	12		9	7			2	1	2-1438735-8	2LIT-14A464-SD-069															
45	43							38	36				31				25	24			20	19	18	17		14	12							2	1	2-1438735-6	2LIT-14A464-SD-068															
											33																13						6	5			2	1	2-1438735-5	2LIT-14A464-SD-067												
45	44	43	42			40		38	37	36		33	31				24		22	21	20		18	17	16	15				9	8				2		2-1438735-4	2LIT-14A464-SD-066														
			43										31		29								18							8					2		2-1438735-1	2LIT-14A464-SD-065														
45	43						38		36	35			31				25	24		21					16	14	12				7	6			2	1	2-1438735-0	2LIT-14A464-SD-064														
45	43						39	38	37	36	35			31				25	24					18	17	16	14	13	12		9	7	6			2	1	1-1438735-9	2LIT-14A464-SD-063													
45	43							38		36	35		32	31				25	24		21	19	18	17	16	14	12				7	6				1	1-1438735-8	2LIT-14A464-SD-062														
45	43							38		36	35			31				25	24							16	14	12				7	6			2	1	1-1438735-7	2LIT-14A464-SD-061													
45	43							38		36	35			31				25	24		21	19				16	14	12				7	6			2	1	1-1438735-6	2LIT-14A464-SD-060													
45	43							38		36	35			31				25	24					18	17	16	14	12				7	6			2	1	1-1438735-5	2LIT-14A464-SD-059													
45	43						39	38	37	36	35			31				25	24		21	19	18	17	16	14	13	12		9	7	6			2	1	1-1438735-4	2LIT-14A464-SD-058														
45	43							38		36	35			31				25	24		21	19	18	17	16	14	12				7	6			2	1	1-1438735-3	2LIT-14A464-SD-057														
				42					37											20	18		15	14		11	10	9	8	7			4	3	2	1	1-1438735-2	2LIT-14A464-SD-056														
45	43									36	35			31				24		21	19			16	14	12					7	6			1	1-1438735-1	2LIT-14A464-SD-055															
										35						27																			3		1-1438735-0	2LIT-14A464-SD-054														
				43									31		29									18						9	8					2		1438735-9	2LIT-14A464-SD-053													
										35						27															7							1438735-8	2LIT-14A464-SD-052													
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER				
TERMINAL HOLE POSITION																																																				
PIN-OUT CHART KEYING OPTION "A"																																																				

THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR THE CUSTOMER'S ORGANIZATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR THE LATEST EDITION.

DIMENSIONS:

mm

MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

9 PLC ±.3

1 PLC ±0.10

5 PLC ±

4 PLC ±

ANGLES ±°

FINISH -

DWN R. VESTAL 01AUG2003

CHK D. STRAUSSER 01AUG2003

APVD D. STRAUSSER 01AUG2003

NAME

46 WAY PCM CONNECTOR HARNESS ASSEMBLY

SIZE

A

CAGE CODE

00779

DRAWING NO

C=1438082

RESTRICTED TO

-

CUSTOMER DRAWING

SCALE 4:1

SHEET 3 OF 5

REV 1

Tyco Electronics
Harrisburg, PA 17105-3608

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9