





				THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.HIKAGE 02AUG2012		 TE Connectivity								
						CHK A.KUBO 02AUG2012										
						APVD T.KUSUHARA 02AUG2012										
				DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME								
						0 PLC ± 0.1 1 PLC ± 0.1 2 PLC ± 0.1 3 PLC ± 0.1 4 PLC ± 0.1 ANGLES ± 3°		PRODUCT SPEC		0.4mm PITCH STACKING CONNECTOR PLUG ASSEMBLY 0.98mm HEIGHT						
								108-78916								
								APPLICATION SPEC								
						411-78379		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO					
				MATERIAL		FINISH		A3	00779	C-2201196	—					
								CUSTOMER DRAWING				SCALE 20:1	SHEET 1 of 3	REV A		
Ni UNDER PL; 0.65um Sn PL.; 2~5um		COPPER ALLOY	PLUG PEG	3												
Ni UNDER PL; 0.65um Au PL.(CONTACT AREA); 0.1um MIN. Au PL.(TINE AREA); 0.05um MIN.		COPPER ALLOY	PLUG CONTACT	2												
		LCP,UL94V-0,BLACK	PLUG HOUSING	1												
 FINISH		 MATERIAL	NAME	ITEM NO.												


4

3

2


1

LOC J	DIST —	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—



△6 REFERENCE PCB LAYOUT
(VIEWED FROM MOUNTING SIDE)

- NOTE
- △1 MATERIAL REFER TO THE TABLE.
 - △2 FINISH REFER TO THE TABLE.
 - 3. MATING CONNECTOR : P/N: *-2201197-*
 - △4 LASER MARKING; XXXXX
DATE CODE MACHINE CODE
(YWW)
 - △5 PICK UP THE CONNECTOR AT CENTER
 - △6 RECOMMENDED METAL MASK; THICKNESS 0.1mm
 - △7 Ni DAM AREA

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN — CHK — APVD —		TE Connectivity													
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME													
		0 PLC ± 0.1		0.4mm PITCH STACKING CONNECTOR PLUG ASSEMBLY 0.98mm HEIGHT													
		1 PLC ± 0.1															
		2 PLC ± 0.1															
		3 PLC ± 0.1															
		4 PLC ± 0.1															
ANGLES ± 3°		PRODUCT SPEC — APPLICATION SPEC — WEIGHT		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO							
MATERIAL		FINISH		A3		00779		C-2201196									
CUSTOMER DRAWING						SCALE		NTS		SHEET		2 OF 3		REV		A	

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION




© COPYRIGHT — By Tyco Electronics Japan G.K.

ALL RIGHTS RESERVED.


LOC
JDIST
—

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
—	—	SEE SHEET 1	—	—	—

UNREELING DIRECTION 

N—N




M—M



741.0	22.1	17.5	7.5	16	6.91	7.38	6.62	2.8	5.6	6.35	7.21	5000	30	3-2201196-0
731.5	22.1	17.5	7.5	16	5.71	6.18	5.42	2.2	4.4	5.15	6.01		24	2-2201196-4
708.5	18.1	13.5	5.5	12	2.91	3.38	2.62	0.8	1.6	2.35	3.21		10	1-2201196-0
REEL WEIGHT(g)	W2	W1	K	J	G	F	E	D	C	B	A	QTY/REEL	Pos.	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ± 0.1 1 PLC ± 0.1 2 PLC ± 0.1 3 PLC ± 0.1 4 PLC ± 0.1 ANGLES ± 3° FINISH
MATERIAL	

DWN	—
CHK	—
APVD	—
PRODUCT SPEC	—
APPLICATION SPEC	—
WEIGHT	—

 TE Connectivity			
NAME 0.4mm PITCH STACKING CONNECTOR PLUG ASSEMBLY 0.98mm HEIGHT			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2201196	
CUSTOMER DRAWING		SCALE	SHEET
NTS		3 of 3	REV A

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9