

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-13-017851	29NOV13	RS	LZ

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151630-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1855172
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.



THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1855172

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.SHEN		 TE Connectivity			
DIMENSIONS:		CHK LJ.ZHANG					
		APVD U.GUO		NAME FINE ADJUST SIDE FEED HDM APPLICATOR			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1855172	RESTRICTED TO
FINISH		CUSTOMER ACCESSIBLE PRODUCTION DRAWING		SCALE		SHEET 1 OF 2	REV A1


8			7		
THIS DRAWING IS UNPUBLISHED.			RELEASED FOR PUBLICATION		
20			20		
(C) COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.					
PART NUMBER	REV	FIRST USED	POWER UNIT	FEED TYPE	DESCRIPTION
1855172-1	A	122500-1	LEADMAKER	POST FEED	CUTS CARRIER
1855172-2	A	565435-5	BENCH MODEL K	PRE FEED	CUTS CARRIER
1855172-3	A	354500-1	BENCH MODEL G	PRE FEED	CUTS CARRIER
1855172-6	A	122500-1	LEADMAKER	POST FEED	CONTINUOUS CARRIER
7-1855172-7	A	-	-	-	SPARE PARTS

- △ RECOMMENDED SPARE PARTS
△ GREASE LIGHTLY
△ GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE
△ APPLY TORO-SEAL IN ALLEN SOCKET TO FILL HOLE AFTER FLAT HD HAS BEEN ADJUSTED TO CORRECT HEIGHT AT QUALIFICATION. APPLY PN 1-23419-5 LOC-TITE TO THREADS.

*** WARNING**
ON INSTALLATION, SET WIRE DISC TO LARGEST WIRE SIZE SETTING. USE OF SETTINGS BELOW MIN. REQUIRED CRIMP HEIGHT SETTING WILL CAUSE DAMAGE TO CRIMP TOOLING.

				TERMINAL NAME: METRI-PACK 150 FEMALE TERMINAL								
AMP-O-ELECTRIC TERM GUARD		G TERMINATOR GUARD		TYCO PN		MANUF PN		PACKARD TERMINAL - AMP CRIMP SPECS				
				286866		12048074						
								CRIMP HEIGHT		WIRE SIZE	REF SETTING	
								.062±.002[1.57±0.05mm]		16AWG	B-4	
								.054±.002[1.37±0.05mm]		18AWG	C-8	
								.046±.002[1.17±0.05mm]		20AWG	E-3	
				SEAL PN.		CRIMP		SIZE		TYPE	RANGE	
				TYCO PN		MANUF PN		WIRE				
				286867		12048086		INSUL		.170 [4.32mm]	O	Ø .080-.110
				WIRE STRIP LENGTH		TERM APPL SPEC		FEED		APPLICATOR INSTRUCTIONS		SET UP GAGE
				.189 -.204		NONE		.485		408-8040		458637-1

LOC		REV		REVISIONS		DATE		DWN		APPR	
A	66	F	LYR	DESCRIPTION		DATE		DWN		APPR	
		A	RELEASED			30 JAN 2007		MEH		TE	



△	-	-	-	REF	-	..	455749-1	GUARD WINDOW	116
△	-	-	REF	-	-	..	679532-1	INSERT, GUARD	115
-	1	1	1	1	1	-	2-21002-6	SCR, BTN SKT HD CAP 10-32 X .375	114
-	1	1	1	1	1	-	1-465184-0	LUBRICATOR ASSY	113
-	1	1	1	1	1	-	1-21002-7	SCR, BTN SKT HD CAP 6-32 X .375	91
-	1	1	1	1	1	-	318563-1	GUARD, FRONT CHIP	89
-	1	1	1	1	1	-	4088040	SF APPL INST 408-8040	72
-	1	1	1	1	1	-	217238-1	GENERAL INSTRUCTION PKG	71
-	1	1	1	1	1	-	461264-5	PLATE, IDENTIFICATION	67
-	2	2	2	2	2	-	21017-2	SCREW, DRIVE	66
-	1	1	1	1	1	-	21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250	63
-	1	1	1	1	1	-	22733-8	SCR, BHSC, SELF-LOCKING, 8-32 X .375	60
-	1	1	1	1	1	-	2-22603-0	SCR, HEX HD CAP 8-32 X .312	59
△	1	1	1	1	1	-	1-21003-9	SCR, FLT SKT HD CAP 6-32 X .375	57
-	1	1	1	1	1	-	458537-2	PAWL, FEED	56
-	4	4	4	4	4	-	2-21002-2	SCR, BTN SKT HD CAP 8-32 X .500	54
-	2	2	2	2	2	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500	53
-	1	1	1	1	1	-	21018-5	NUT, HEX, REG 6-32	52
-	1	1	1	1	1	-	811242-2	BUMPER, HOLD DOWN	51
-	1	1	1	1	1	-	690753-1	SPACER, TONKER	50
-	1	1	1	1	1	-	690602-6	CAM, PRE FEED, 1 5/8	49
-	1	1	1	1	1	-	690602-5	CAM, PRE FEED, 1 1/8	48
-	1	1	1	1	1	-	690501-4	CAM, POST FEED, 1 5/8	47
-	1	1	1	1	1	-	459456-1	APPL. BASIC SUB ASSY (SIDE WISE MOCA)	46
-	1	1	1	1	1	-	690191-1	PLUG, NYLON	45
-	1	1	1	1	1	-	455673-1	RAM, SIDE FEED	44
-	1	1	1	1	1	-	7-21002-9	SCR, BTN SKT HD CAP 5/16-24 X 1.00	41
-	1	1	1	1	1	-	690125-1	SHIM SUB-ASSY	39
-	1	1	1	1	1	-	1-469367-0	SHIM	38
-	1	1	1	1	1	-	879103-2	FINE ADJUST HEAD ASSEMBLY	37
-	1	1	1	1	1	-	690786-1	TERMINAL SUPPORT	34
-	2	2	2	2	2	-	2-21002-4	SCR, BTN SKT HD CAP 8-32 X .750	33
-	1	1	1	1	1	-	21024-5	WASHER, SPRG LOCK, REG NO 10	32
-	1	1	1	1	1	-	3-21000-4	SCR, SKT HD CAP 10-32 X .375	31
-	1	1	1	1	1	-	1320908-1	SPACER, STRIP GUIDE	30
-	1	1	1	1	1	-	1633091-2	ASSEMBLY, STRIP GUIDE	29
-	1	1	1	1	1	-	455888-5	SPACER, CRIMPER	28
-	1	1	1	1	1	-	1320928-1	PLATE, STRIP GUIDE	24
-	1	1	1	1	1	-	690472-2	STRIPPER	22
-	1	1	1	1	1	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500	21
-	4	4	4	4	4	-	21024-4	WASHER, SPRG LOCK, REG NO 8	20
-	1	1	1	1	1	-	691353-1	STRIPPER	19
△	1	1	1	1	1	-	679625-2	SHEAR HOLDER, FRONT (NO CUT)	17
-	1	1	1	1	1	-	3-22280-3	SPRING, COMPRESSION	12
-	1	1	1	1	1	-	690461-2	STOP, SHEAR	11
△	-	1	1	1	1	-	1-690459-0	SHEAR HOLDER, FRONT	10
△	1	1	1	1	1	-	318707-3	FLOATING SHEAR, FRONT	9
△	1	1	1	1	1	-	2-662184-3	ANVIL, COMBINATION .062	8
-	1	1	1	1	1	-	318701-1	DEPRESSOR, SHEAR	5
-	1	1	1	1	1	-	238011-2	BLOCK, CRIMPER SPACER	4
△	1	1	1	1	1	-	9-904741-5	CRIMPER, INSUL O PREMIUM	3
△	1	1	1	1	1	-	455888-8	SPACER, CRIMPER	2
△	1	1	1	1	1	-	3-456403-3	CRIMPER, WIRE PREMIUM	1

POST-FEED 1 5/8 STROKE	PRE-FEED 1 1/8 STROKE	PRE-FEED 1 5/8 STROKE
- 1 8 - 6	- 2	- 3

DIMENSIONS: INCHES		TOLERANCES: DECIMALS		DWG W. HERR 19JAN2007		Tyco Electronics	
8 PLC ±.01		9 PLC ±.01		G. BAILEY 19JAN2007		Harrisburg, PA 17105-3608	
3 PLC ±.001		4 PLC ±.0001		T. BENCHOFF 19JAN2007		NAME	
MATERIAL		FINISH		PRODUCT SPEC		FINE ADJUST SIDE FEED	
				APPLICATION SPEC		HDM APPLICATOR	
				WEIGHT		SIZE CASE CODE DRAWING NO	
				CUSTOMER DRAWING		A 00779 C=1855172	
						RESTRICTED TO	
						SCALE 3:5 SHEET 1 OF 1 REV A	

CUSTOMER VIEWABLE ASSEMBLY

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9