







SECTION B-B / Schnitt B-B

- 5 POSITION
STD. TIMER MARK-II HOUSING




SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Kishor M CHK K. Munz APVD Th. Klenner	18-10-07 18-10-07 18-10-07	 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.2 1 PLC ±0.2 2 PLC ±0.2 3 PLC ±- 4 PLC ±- ANGLES ±°		NAME STANDARD TIMER HSG. RAST 5 MARK II Standard Timer Gehäuse RAST 5 Mark II	
		PRODUCT SPEC 108-18049 APPLICATION SPEC -		SIZE A1	CASE CODE 00779
MATERIAL SEE TABLE SHEET 2 OF 3		WEIGHT - Customer Drawing		DRAWING NO C=1241961	RESTRICTED TO -
				SCALE 5:1	SHEET 1 of 3
				REV. 3	


THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION
© COPYRIGHT 2011	ALL RIGHTS RESERVED.

ONLY 5-1241961-7, 1-1241961-9, 7-1241961-7



ALL OTHER DIMENSIONS SEE SHEET 1 OF 3

KEY LAYOUT DESCRIPTION



SPECIAL VERSION: UL94 V0 & GWT 750 NF & CTI 350								
5-1241961-7	3	6	1	15	10	PA66	NATURAL	A
1-1241961-9	3			15	10		NATURAL	A
7-1241961-7	3			15	10		NATURAL	A

	SPECIAL VERSION: UL94 V0 & GWT 750 NF								
	2322164-1	4	4	0.5	20	15	PA66	NATURAL	1


SPECIAL VERSION: UL94 V2 & GWT 750 NF									
6-2178575-7	3	4	0.5	15	10	PA6 GF15	13	NATURAL	A

SPECIAL VERSION: UL94 VO & GWT 750 NF										
	3-2178412-7	3	6	1	15	10	UL94 VO & GWT 750 NF		NATURAL	1
	4-2178412-7	3			15	10			NATURAL	1
	8-2178412-2	2			10	5			NATURAL	1

UL94 V0 & GWT 750 NF									
	2322917-4	4	4	0.5	20	15	UL94  V0 & GWT 750 NF	NATURAL	1
	2322917-2	2			10	5		NATURAL	1
2315717-1	2	4	0.5	10	5	NATURAL		C	
2315717-2	2			10	5	NATURAL		C	
2315717-3	2			10	5	NATURAL		C	
2315717-4	4			20	15	NATURAL		C	
2315717-5	4			20	15	NATURAL		C	
2315717-6	3			15	10	NATURAL		C	
2315717-7	3			15	10	NATURAL		C	
PART NO.	POS								MATERIAL

PAY ATTENTION !
DIFFERENT CAVITY GEOMETRY AND LOCKING LATCH OVERHANG
Bitte beachten !
Unterschiedliche Kammergeometrie und Rasthakenüberstand.

FOR 2 POS. AND 3 POS.




SECTION B-B/Schnitt B-B

ALL OTHER DIMENSIONS SEE SHEET 1 OF 3
Alle anderen Masse siehe Seite 1 von 3

SPECIAL MATERIAL									
15	1955507-4	4	6	1	20	15	PA66 UL 94 V0	NATURAL	1
15	9-1955506-2	2			10	5		NATURAL	1

15	6-124 1961-7	3	4	0.5	15	10	PA 6 UL94V-2	NATURAL 	1
	4-124 1961-7	3			15	10	PA 6 UL94V-2	NATURAL 	A
	3-124 1961-7	3			15	10	PA 6 UL94V-2	NATURAL 	A
	1-1955422-7	3			15	10	PA 66 UNFILLED UL94 VO	NATURAL	A
	5-1955422-7	3			15	10	PA 66 UNFILLED UL94 VO	NATURAL	A
	4-1955422-3	2			6	1	10	5	PA 66 UNFILLED UL94 VO
	2-124 1817-3	3	4 or 6	0.5 or 1	15	10	PA 66 UL94 V-2	Green	E
	0-1955422-6	3	4	0.5	15	10	PA 66 UNFILLED UL94 VO	NATURAL	A
	8-124 1961-8	3			15	10	PA 6 UL94V-2	natural 	C
	0-124 1961-8	3			15	10			A
8-124 1961-3	2	10			5	C			
3-124 1961-1	2	10			5	PA 6 UL94V-2	NATURAL 	C	
0-1955422-1	2	10			5	PA 66 UNFILLED UL94 VO	NATURAL	A	
PART NO	POS	DIM C 	DIM D 	DIM A 	DIMM B 	MATERIAL	COLOUR Farbe	REV./Rev.	

LOC		DIST		REVISITONS		DESCRIPTION		DATE	DWN	APVD		
P	LTR			SEE SHEET-01								
0-1241959-5	5	4	0.5	25	20	PA 6 UL94V-2	Natural/natur			B		
4-1241959-4	4			20	15					A		
2-1241959-4	4			20	15					B		
0-1241959-4				20	15							
2-1241817-5	5	6	1	25	20	PA 6.6 UL94V-2	Natural/natur	C				
0-1241817-5		4	0.5	25	20		Black/schwarz					
3-1241817-4	4	6	1	20	15		Violet/violett					
2-1241817-4		4	0.5	20	15	Grey/grau						
0-1241817-4		4	0.5	20	15	Natural/natur						
2-1241983-2	2	4	0.5	10	5	PA 6 UL94V-2	Green/grün	C				
1-1241983-2				10	5		Violet/violett					
0-1241983-2				10	5		TARGET RAL 4001					
8-1241983-2				10	5		Yellow/gelb					
5-1241983-3				10	5		Black/schwarz					
6-1241983-2				10	5		Red/rot					
9-1241961-7	3	4	0.5	15	10	PA 6 UL94V-2	Natural/natur	C				
9-1241961-8		4	0.5	15	10							
6-1241961-8		4 or 6	0.5 or 1	15	10							
5-1241961-8		4	0.5	15	10							
4-1241961-8		4 or 6	0.5 or 1	15	10							
7-1241961-8		6	1	15	10							
1-1241961-8		4	0.5	15	10							
3-1241961-8				15	10							
2-1241961-8				15	10							
2-1241961-7		4	0.5	15	10							
1-1241961-7		15	10									
9-1241961-9		15	10									
0-1241961-6		15	10									
3-1241961-3		10	5									
2-1241961-2		10	5									
5-1241961-2	10	5										
4-1241961-3	10	5										
7-1241961-2	10	5										
7-1241961-3	10	5										
6-1241961-3	10	5										
3-1241961-2	10	5										
5-1241961-3	10	5										
6-1241961-2	10	5										
0-1241961-3	10	5										
8-1241961-2	10	5										
9-1241961-2	10	5										
0-1241961-1	10	5										
9-969484-9	3	6	1	15	10	PA 6.6 UL94V-2	Yellow/gelb					
2-969484-8	3	4 or 6	0.5 or 1	15	10	PA 6.6 UL94V-2	Natural/natur	H				
4-969484-8				15	10							
0-969484-8				15	10							
9-969484-7				15	10							
8-969484-7				4	0.5						15	10
7-969484-7				15	10							
6-969484-7				15	10							
5-969484-7				4	0.5						15	10
4-969484-7				15	10							
3-969484-7				4	0.5						15	10
2-969484-7				15	10							
1-969484-7				4	0.5						15	10
0-969484-7				15	10							
9-969484-6				6	1						15	10
8-969484-6				15	10							
7-969484-6	15	10										
6-969484-6	15	10										
5-969484-6	15	10										
4-969484-6	15	10										
3-969484-6	6	1	15	10								
2-969484-6	15	10										
1-969484-6	15	10										
0-969484-6	15	10										
7-969484-3	2	4	0.5	10	5	PA 6.6 UL94V-2	Natural/natur					
6-969484-3				10	5							
5-969484-3				10	5							
4-969484-3				10	5							
3-969484-3				10	5							
2-969484-3				10	5							
1-969484-3				10	5							
0-969484-3				10	5							
9-969484-2				10	5							
8-969484-2				10	5							
7-969484-2				10	5							
6-969484-2				10	5							
5-969484-2				10	5							
4-969484-2				10	5							
3-969484-2				10	5							
2-969484-2	10	5										
1-969484-2	10	5										
0-969484-2	6	1	10	5								
9-969484-1	4	1	10	5								
8-969484-1	4	1	10	5								
7-969484-1	6	1	10	5								
6-969484-1	6	1	10	5								
5-969484-1	6	1	10	5								
4-969484-1	6	1	10	5								
3-969484-1	4	0.5	10	5								
2-969484-1	4	0.5	10	5								
1-969484-1	4	0.5	10	5								
0-969484-1	4	0.5	10	5								
PART NO	POS.	DIM C	DIM D	DIM A	DIM B	MATERIAL	COLOUR	REV				

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN Kishor M 18-10-07	 TE Connectivity					
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK K.MUNZ 18-10-07		NAME STANDARD TIMER HSG. RAST 5 MARK II Standard Timer Gehaeuse RAST 5 Mark II				
mm				Th. Klenner 18-10-07						
				PRODUCT SPEC 108-18049						
				APPLICATION SPEC						
MATERIAL		FINISH		WEIGHT	SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO	
SEE TABLE		-		-	A1		00779	G=1241961	-	
SHEET 2 OF 3		-		Customer Drawing			SCALE	5:1	SHEET 2 OF 3	REV 3

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2011

ALL RIGHTS RESERVED.

2 POSITION VARIANTS

2.00

0-969484-1

2.14

1-969484-1
2315717-2

2.13

2-969484-1

2.12

3-969484-1 OBSOLETE

2.11

4-969484-1

2.10

5-969484-1 OBSOLETE

2.09

6-969484-1

2.07

7-969484-1 OBSOLETE

2.06

8-969484-1

2.04

9-969484-1 OBSOLETE

2.03

0-969484-2

2.02

1-969484-2 OBSOLETE

2.08

2-969484-2

2.21

3-969484-2

2.99

4-969484-2
2315717-1

2.20

5-969484-2

2.19

6-969484-2

2.18

7-969484-2

2.17

8-969484-2
2315717-3

2.16

9-969484-2

2.31

0-969484-3

2.15

1-969484-3 OBSOLETE

2.05

2-969484-3 OBSOLETE

2.30

3-969484-3 OBSOLETE

Ohne/None

4-969484-3

Ohne/None

5-969484-3

Ohne/None

6-969484-3

Ohne/None

7-969484-3 OBSOLETE

Ohne/None

8-1241961-2

Ohne/None

9-1241961-2

Ohne/None

0-1241961-1

PA6

2-1241961-2

PA6

3-1241961-2

PA6

6-1241961-2

PA6

7-1241961-2

PA6

8-1241961-2
8-2178412-2

PA6

9-1241961-2

PA6

0-1241961-3

PA6

3-1241961-3 OBSOLETE

PA6

4-1241961-3

PA6

5-1241961-3

PA6

6-1241961-3

PA6

7-1241961-3

PA6

6-1241983-2

PA6

8-1241983-2

PA6

5-1241983-3

PA6

0-1241983-2

PA6

1-1241983-2

PA6

2-1241983-2

PA6

3-1241961-1

PA6

8-1241961-3
8-2178412-2

PA6

4-1955422-3

PRELIMINARY

9-1955506-2

PRELIMINARY

0-1955422-1

3 POSITION VARIANTS

3.00

0-969484-6 OBSOLETE

3.38

1-969484-6 OBSOLETE

3.18

2-969484-6

3.37

3-969484-6

3.35

4-969484-6 OBSOLETE

3.33

5-969484-6 OBSOLETE

3.32

6-969484-6 OBSOLETE

3.20

7-969484-6

3.10

8-969484-6

3.09

9-969484-6

3.08

0-969484-7 OBSOLETE

3.39

1-969484-7
1-1955422-7 PRELIMINARY

3.31

2-969484-7 OBSOLETE

3.40

3-969484-7

3.99

4-969484-7 OBSOLETE

Ohne/NONE

5-969484-7

3.45

6-969484-7 OBSOLETE

3.47

7-969484-7 OBSOLETE

3.65

8-969484-7

3.48

9-969484-7 OBSOLETE

3.66

0-969484-8

Ohne/NONE

1-969484-8 OBSOLETE

Ohne/NONE

2-969484-8

PA6

9-1241961-9

PA6

3-1241961-8

PA6

9-969484-9

PA6

4-1241961-8

PA6

5-1241961-8

4 POSITION VARIANTS

0-1241959-4

0-1241817-4

2-1241959-4

4-1241959-4
2315717-4

4-1241959-4

0-1955507-4
PRELIMINARY

0-2315717-5

2-1241817-4

3-1241817-4

2322164-1
2322917-4

0-1241959-5

0-1241817-5

2-1241817-5

0-1241959-5

5 POSITION VARIANTS

0-1241961-6

8-1241961-8

2-1241961-7

5-1241961-7

1-1241961-8

0-1241961-8

3-1241961-7

4-1241961-7
2-178413-7
2-178413-7

4-1241961-7

0-1955422-7
2-178413-7
4-1241961-7

5-1955422-7

6-1241961-7
1-1241961-9
0-1955422-6
6-2178575-7

6-1241961-8

9-1241961-8

7-1241961-8

1-1241961-7

8-1241961-8

9-1241961-7

0-2315717-6

0-2315717-6

0-2315717-7

0-2315717-7

TE Connectivity

TE Connectivity

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN: Kishor M. 18-10-07

CHK: K. Munz 18-10-07

APVD: T. Klenner 18-10-07

PRODUCT SPEC: 108-18049

APPLICATION SPEC: -

WEIGHT: -

Customer Drawing

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.2, 1 PLC ±0.2, 2 PLC ±0.2, 3 PLC ±, 4 PLC ±, ANGLES FINISH ±°

MATERIAL: SEE TABLE

SHEET 2 OF 3

NAME: STANDARD TIMER HSG. RAST 5 MARK II

Standard Timer Gehäuse RAST 5 Mark II

SIZE: A1

CAGE CODE: 00779

DRAWING NO: 1241961

RESTRICTED TO: -

SCALE: 5:1

SHEET 3 OF 3

REV: C39

4805 (3/11)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9