



LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
					E8	RELEASE 2-3	10AUG2014	CZ	SZ
					E9	ADD NEW DASH NUMBER 3-0	19AUG2014	CZ	SZ

- 1 "AMP" TRADEMARK, PART NUMBER, AND DATE CODE TO BE MARKED IN AREA SHOWN
- 2 MATERIAL:
HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-0
SIGNAL CONTACT - COPPER ALLOY
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 3 CONTACT PLATING:NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS.
- 4 MECHANICAL CONNECTOR KEEP OUT ZONE.
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 6 PCB - ALL HOLES DIAMETERS ARE FINISHED HOLE SIZES.
- 7 PCB - .0453±.0010 DRILLED HOLES PLATED WITH .0003 MIN. Sn OVER .001 TO .003 CU PLATING TO ACHIEVE A .040±.003 DIA HOLE.
- 8 NOT RELEASED FOR PRODUCTION
- 9 VARIABLE DIMENSIONS SHOWN ON VIEW (SHEET 2)


D




C



B



A



C

B

A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.GRZYBOWSKI CHK M.PERCHEKKE APVD M.PERCHEKKE	02FEB05 02FEB05	TE Connectivity	
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC	NAME	RIGHT ANGLE HEADER ASSY W/GUIDES MULTI-BEAM XL	
	0 PLC ±.01 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES #2 FINISH #3	108-1973 APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO
MATERIAL		114-13038	A100779	C=6450122	RESTRICTED TO
		WEIGHT			
		CUSTOMER DRAWING		SCALE 4:1	SHEET 1 OF 10 REV E9


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-	-	SEE SHEET 1	-	-	-

E9	1.700	.250	1.375	1.750	.450	2.050	4P + 16S	3-6450122-0
	2.400	.250	1.875	2.450	.450	2.750	6P + 24S	2-6450122-9
	1.300	.250	1.175	1.350	.450	1.650	3P + 8S	2-6450122-8
	2.050	.250	1.925	2.100	.450	2.400	6P + 8S	2-6450122-7
8	4.425	.200	2.200	4.475	.450	4.775	9P + 92S	2-6450122-6
	2.900	.250	2.375	2.950	.450	3.250	8P + 24S	2-6450122-5
	2.700	.250	.875	2.750	.450	3.050	2P + 76S	2-6450122-4
	2.300	.250	1.875	2.350	.450	2.650	6P + 20S	2-6450122-3
8	3.200	.250	2.875	3.250	.450	3.550	10P + 16S	2-6450122-2
	1.650	.200	1.225	1.700	.450	2.000	4P + 20S	2-6450122-1
	2.950	.200	2.425	3.000	.450	3.300	10P + 24S	2-6450122-0
	1.800	.250	1.375	1.850	.450	2.150	4P + 20S	1-6450122-9
8	2.250	.250	1.975	2.300	.475	2.600	6P + 12S	1-6450122-7
	1.000	.250	.875	1.050	.450	1.350	2P + 8S	1-6450122-6
	1.850	.300	1.325	1.900	.475	2.200	3ACP + 24S	1-6450122-2
	5.900	.250	5.375	5.950	.450	6.250	20P + 24S	1-6450122-1
8	1.400	.250	.875	1.450	.450	1.750	2P + 24S	1-6450122-0
	3.050	.250	2.125	3.100	.450	3.400	7P + 40S	6450122-8
	4.425	.250	3.875	4.475	.450	4.775	14P + 24S	6450122-6
	3.800	9 -	3.550	3.850	.475	4.150	11P + 12S	6450122-3
8	4.600	.250	3.875	4.650	.450	4.950	14P + 32S	6450122-2
	3.800	9 -	3.550	3.850	.475	4.150	11P + 12S	6450122-1
	DIM U	DIM S	DIM W	DIM D	DIM K	DIM L	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

INCHES



MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±"

1 PLC ±.01

2 PLC ±.01

3 PLC ±.005

4 PLC ±.0020

ANGLES #2

FINISH

-

DWN

R.GRZYBOWSKI

02FEB05

CHK

M.PERCHERKE

02FEB05

APVD

M.PERCHERKE

-

PRODUCT SPEC

108-1973

APPLICATION SPEC

114-13038

WEIGHT

-

CUSTOMER DRAWING

NAME

RIGHT ANGLE HEADER ASSY W/GUIDES
MULTI-BEAM XL

-

SIZE

A1

CAGE CODE

00779

DRAWING NO

6450122

RESTRICTED TO

-

SCALE

4:1

SHEET

2



OF

10

REV


E9

TE Connectivity


[illegible][illegible]

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Z. GRZYBOWSKI 02FEB05		 TE Connectivity	
DIMENSIONS: INCHES		CHG M. PERCHERRE 02FEB05			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME RIGHT ANGLE HEADER ASSY W/GUIDES MULTI-BEAM XL - - -	
		0 PLC ±. 1 PLC ±. 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±2			
		FINISH - - -			
		MATERIAL - - -			
		PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038 WEIGHT -		SIZE CAGE CODE DRAWING NO A100779C-6450122 RESTRICTED TO -	
		CUSTOMER DRAWING		SCALE 4:1 SHEET 3 OF 10 REV E	



PART NUMBER	ROWS		POWER		SIGNAL														
			P1	P2	1	2	3	4	5	6									
1-6450122-0	D C B A																		
												PM	PM	J	J	J	J	J	J
												K	K	K	K	K	K	K	K
												N	N	N	N	N	N	N	N
																			
2P + 24S																			





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. GRZYBOWSKI 02FE05		 TE Connectivity	
		CHG M. PERCHERKE 02FE05			
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ±.1		RIGHT ANGLE HEADER ASSY W/GUIDES MULTI-BEAM XL - -	
		2 PLC ±.1			
		2 PLC ±.01			
		2 PLC ±.005			
4 PLG ±.0020		4 PLG ±.0020		-	
ANGLES		±.2		-	
FINISH		-		-	
MATERIAL		-		-	



PART NUMBER	ROWS						SIGNAL					
			P1	P2	P3	P4	1	2	3	4	5	
1-6450122-9	D C B A					J	J	J	J			
						K	K	K	K			
						N	N	N	N			
						S	S	S	S			
4P + 20S												


[illegible]4805 (3/11)




PART NUMBER	ROWS						SIGNAL					
			P1	P2	P3	P4	1	2	3	4	5	
2-6450122-1	D		PM	PM	PM	PM	J	J	J	J	J	
	C						K	K	K	K	K	
	B						N	N	N	N	N	
	A						H	H	H	H	H	
4P + 20S		HD										HD



LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-					
		-	SEE SHEET 1		-	-	-



PART NUMBER	ROWS		POWER						SIGNAL					
			P1	P2	P3	P4	P5	P6	1	2	3	4	5	
2-6450122-3	D C B A	HD	PM	PM	PM	PM	PM	PM	J	J	J	J	J	HD
									K	K	K	K	K	
									N	N	N	N	N	
									S	S	S	S	S	
6P + 20S														

PART NUMBER	ROWS		POWER		SIGNAL																					
			P1	P2	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19			
2-6450122-4	D C B A		PA	PA	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z			
					Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		Y	
					R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R		R	R
					O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O		O	O
2P + 76S																										



PART NUMBER	ROWS		POWER								SIGNAL						
			P1	P2	P3	P4	P5	P6	P7	P8	1	2	3	4	5	6	
2-6450122-5	D C B A									J	J	J	J	J	J		
										K	K	K	K	K	K		
										N	N	N	N	N	N		
										S	S	S	S	S	S		
8P + 24S																	

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

R.GRZYBOWSKI

02FEB05

CHK

M.PERCHERKE

02FEB05

DIMENSIONS:

INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC

±"

1 PLC

±.01

2 PLC

±.01

3 PLC

±.005

4 PLC

±.0020

ANGLES

±.0020

FINISH

#2

MATERIAL

-

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

R.GRZYBOWSKI

02FEB05

CHK

M.PERCHERKE

02FEB05

APVD

M.PERCHERKE

-

PRODUCT SPEC

108-1973

APPLICATION SPEC

114-13038

WEIGHT

-

CUSTOMER DRAWING

NAME

RIGHT ANGLE HEADER ASSY W/GUIDES
MULTI-BEAM XL

SIZE

CAGE CODE

DRAWING NO

A100779

C=6450122

RESTRICTED TO

-

SCALE

4:1

SHEET

8


OF

10

REV

E9

PART NUMBER	ROWS		POWER			SIGNAL		
			P1	P2	P3	1	2	
2-6450122-8	D C B A					   	   	
3P + 8S								



4805 (3/11)

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-		SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER						SIGNAL						
			P1	P2	P3	P4	P5	P6	1	2	3	4	5	6	
2-6450122-9	D C B A			PM		PM		PM		J	J	J	J	J	J
										K	K	K	K	K	K
										N	N	N	N	N	N
6P + 24S										S	S	S	S	S	S

NO CONTACTS LOADED

PART NUMBER	ROWS						SIGNAL						
			P1	P2	P3	P4	1	2	3	4			
3-6450122-0	D C B A			PM		PM		PM	J	J	J	J	
									K	K	K	K	
									N	N	N	N	
									S	S	S	S	



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN R.GRZYBOWSKI 02FEB05
CHK M.PERCHERKE 02FEB05
APVD M.PERCHERKE

DIMENSIONS:
INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.01
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES #2
FINISH

MATERIAL

-

CUSTOMER DRAWING

SCALE 4:1

NAME RIGHT ANGLE HEADER ASSY W/GUIDES MULTI-BEAM XL

SIZE A100779

CAGE CODE C=6450122

DRAWING NO

SHEET 10 OF 10

REV E9

TE Connectivity

RESTRICTED TO

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9