



Introducing WPM White Polyester Matte Finish Label

TE Connectivity's (TE) new high-durability, white polyester label with matte finish is a thermal transfer printable label with a permanent acrylic adhesive. Its excellent clarity, high initial tack, high shear and ultimate adhesion make this label the perfect choice for a variety of indoor low surface energy applications. Where glossy labels can be highly reflective, the matte label finish effectively reduces glare when adhered to polished lighting fixtures, electronic components, etc. The label supports applications such as bar coding, PCB and component labeling, as well as general purpose labeling applications that require a high-durability white label. Even when exposed to a variety of solvents and elevated temperatures of as much as 200°F (93°C), the WPM white polyester matte finish label resists cracking and splitting, maintaining both its print quality and initial appearance.

KEY FEATURES

- Excellent dimensional stability at elevated temperatures
- Excellent chemical resistance
- Various colors available
- Thermal transfer printable
- Ink receptive topcoat

APPLICATIONS

- Bar code labeling
- Electronic device and equipment labeling
- Lighting
- Racks and panels
- General purpose label application

ENVIRONMENTAL AND STORAGE PROPERTIES

- Service temperature: -54°C to +93°C (-65°F to +200°F)
- Minimum application temperature: +2°C (+35°F)
- Shelf life: 2 years when stored at 21°C (+70°F) at 50% RH

PRINT TECHNOLOGY

- Thermal transfer label
- Recommended printer: T300 series
- Recommended ribbon: 1330-0607-10

STANDARDS

- Compliant to EU RoHS Directive 2002/95/EC

PRODUCT SAMPLES

Samples are available upon request. Please call +1 800-430-7226.

TECHNICAL DATASHEET

The technical datasheet TTDS-234 is available on te.com

te.com/products/identification-labeling



PRODUCT OFFERING

| Part number | Part Description | Packaging Quantity | # AC | Label Width | | Label Height | | Horizontal Repeat | | Vertical Repeat | | Web Width | | SAP # |
|-------------|------------------|--------------------|------|-------------|-------|--------------|-------|-------------------|-------|-----------------|-------|-----------|-------|------------|
| | | | | mm | in | mm | in | mm | in | mm | in | mm | in | |
| 5-1899668-6 | WPM-064064-25-9 | 25000 | 12 | 6,4 | 0,250 | 6,4 | 0,250 | 6,4 | 0,250 | 9,5 | 0,375 | 82,2 | 3,24 | CR3436-000 |
| 5-1899668-7 | WPM-080080-10-9 | 10000 | 8 | 8,0 | 0,315 | 8,0 | 0,315 | 9,9 | 0,39 | 13,3 | 0,525 | 83,3 | 3,28 | CR3437-000 |
| 5-1899668-8 | WPM-089047-10-9 | 10000 | 5 | 8,9 | 0,350 | 4,7 | 0,185 | 11,4 | 0,45 | 7,9 | 0,313 | 60,6 | 2,386 | CR3446-000 |
| 6-1899668-0 | WPM-095095-10-9 | 10000 | 7 | 9,5 | 0,375 | 9,5 | 0,375 | 11,1 | 0,437 | 12,7 | 0,5 | 64,3 | 2,531 | CR3447-000 |
| 6-1899668-1 | WPM-114040-25-9 | 25000 | 6 | 11,4 | 0,450 | 4,0 | 0,158 | 11,4 | 0,45 | 7,1 | 0,282 | 74,6 | 2,936 | CR3448-000 |
| 6-1899668-2 | WPM-127032-10-9 | 10000 | 5 | 12,7 | 0,500 | 3,2 | 0,126 | 19,1 | 0,75 | 6,4 | 0,25 | 94,6 | 3,736 | CR3449-000 |
| 6-1899668-3 | WPM-127064-10-9 | 10000 | 6 | 12,7 | 0,500 | 6,4 | 0,252 | 15,2 | 0,6 | 9,5 | 0,375 | 95,3 | 3,75 | CR3450-000 |
| 6-1899668-4 | WPM-127111-10-9 | 10000 | 5 | 12,7 | 0,500 | 11,1 | 0,437 | 16,8 | 0,662 | 14,3 | 0,563 | 86 | 3,38 | CR3451-000 |
| 6-1899668-5 | WPM-127127-10-9 | 10000 | 5 | 12,7 | 0,500 | 12,7 | 0,500 | 15,9 | 0,625 | 15,9 | 0,625 | 82,6 | 3,25 | CR3452-000 |
| 6-1899668-6 | WPM-165051-25-9 | 25000 | 4 | 16,5 | 0,650 | 5,1 | 0,200 | 17,8 | 0,7 | 8,3 | 0,325 | 75,8 | 2,99 | CR3453-000 |
| 6-1899668-7 | WPM-171171-10-9 | 10000 | 5 | 17,1 | 0,674 | 17,1 | 0,674 | 19,7 | 0,774 | 20,3 | 0,8 | 101,8 | 4,006 | CR3454-000 |
| 6-1899668-8 | WPM-178095-10-9 | 10000 | 4 | 17,8 | 0,700 | 9,5 | 0,375 | 19,1 | 0,75 | 12,7 | 0,5 | 80,9 | 3,19 | CR3455-000 |
| 7-1899668-0 | WPM-191064-10-9 | 10000 | 4 | 19,1 | 0,750 | 6,4 | 0,250 | 21,6 | 0,85 | 9,5 | 0,375 | 89,9 | 3,54 | CR3457-000 |
| 7-1899668-1 | WPM-203127-10-9 | 10000 | 4 | 20,3 | 0,800 | 12,7 | 0,500 | 22,9 | 0,9 | 15,9 | 0,625 | 94,6 | 3,73 | CR3458-000 |
| 7-1899668-2 | WPM-229064-10-9 | 10000 | 3 | 22,9 | 0,900 | 6,4 | 0,250 | 28,6 | 1,125 | 9,5 | 0,375 | 86 | 3,39 | CR3459-000 |
| 7-1899668-3 | WPM-254064-10-9 | 10000 | 3 | 25,4 | 1,000 | 6,4 | 0,250 | 27,9 | 1,1 | 9,5 | 0,375 | 95,3 | 3,75 | CR3460-000 |
| 7-1899668-4 | WPM-254097-10-9 | 10000 | 3 | 25,4 | 1,000 | 9,7 | 0,380 | 27,9 | 1,1 | 12,7 | 0,5 | 87,4 | 3,44 | CR3461-000 |
| 7-1899668-5 | WPM-254254-10-9 | 10000 | 3 | 25,4 | 1,000 | 25,4 | 1,000 | 27,9 | 1,1 | 28,6 | 1,125 | 87,4 | 3,44 | CR3463-000 |
| 7-1899668-6 | WPM-318064-10-9 | 10000 | 1 | 31,8 | 1,250 | 6,4 | 0,250 | N/A | N/A | 9,5 | 0,375 | 37,9 | 1,49 | CR3464-000 |
| 7-1899668-7 | WPM-318097-10-9 | 10000 | 1 | 31,8 | 1,250 | 9,7 | 0,380 | N/A | N/A | 12,7 | 0,5 | 37,9 | 1,49 | CR3465-000 |
| 7-1899668-8 | WPM-381064-10-9 | 10000 | 1 | 38,1 | 1,500 | 6,4 | 0,250 | N/A | N/A | 9,5 | 0,375 | 44,5 | 1,75 | CR3466-000 |
| 7-1899668-9 | WPM-381127-5-9 | 5000 | 2 | 38,1 | 1,500 | 12,7 | 0,500 | 44,2 | 1,74 | 15,9 | 0,625 | 88,2 | 3,47 | CR3467-000 |
| 8-1899668-0 | WPM-381191-5-9 | 5000 | 2 | 38,1 | 1,500 | 19,1 | 0,750 | 43,2 | 1,7 | 22,2 | 0,875 | 87,6 | 3,45 | CR3468-000 |
| 8-1899668-1 | WPM-445102-5-9 | 5000 | 1 | 44,5 | 1,750 | 10,2 | 0,400 | N/A | N/A | 12,7 | 0,5 | 50,4 | 1,986 | CR3469-000 |
| 8-1899668-2 | WPM-478175-5-9 | 5000 | 1 | 47,8 | 1,880 | 17,5 | 0,690 | N/A | N/A | 24,4 | 0,962 | 66 | 2,6 | CR3470-000 |
| 8-1899668-3 | WPM-508064-10-9 | 10000 | 1 | 50,8 | 2,000 | 6,4 | 0,250 | N/A | N/A | 9,5 | 0,375 | 56,9 | 2,24 | CR3471-000 |
| 8-1899668-4 | WPM-508095-5-9 | 5000 | 1 | 50,8 | 2,000 | 9,5 | 0,375 | N/A | N/A | 12,7 | 0,5 | 57,2 | 2,25 | CR3472-000 |
| 8-1899668-5 | WPM-508127-5-9 | 5000 | 1 | 50,8 | 2,000 | 12,7 | 0,500 | N/A | N/A | 15,9 | 0,625 | 56,9 | 2,24 | CR3473-000 |
| 8-1899668-6 | WPM-508254-5-9 | 5000 | 1 | 50,8 | 2,000 | 25,4 | 1,000 | N/A | N/A | 28,6 | 1,125 | 57,2 | 2,25 | CR3474-000 |
| 8-1899668-7 | WPM-508318-2.5-9 | 2500 | 1 | 50,8 | 2,000 | 31,8 | 1,250 | N/A | N/A | 34,9 | 1,375 | 56,9 | 2,24 | CR3475-000 |
| 8-1899668-8 | WPM-523841-1.5-9 | 1500 | 1 | 52,3 | 2,060 | 84,1 | 3,310 | N/A | N/A | 88,9 | 3,5 | 58,2 | 2,29 | CR3476-000 |
| 8-1899668-9 | WPM-699191-5-9 | 5000 | 1 | 69,9 | 2,750 | 19,1 | 0,750 | N/A | N/A | 23,3 | 0,917 | 76,2 | 3 | CR3477-000 |
| 9-1899668-0 | WPM-699254-5-9 | 5000 | 1 | 69,9 | 2,750 | 25,4 | 1,000 | N/A | N/A | 28,6 | 1,125 | 76,2 | 3 | CR3478-000 |
| 9-1899668-1 | WPM-762127-1-9 | 1000 | 1 | 76,2 | 3,000 | 127,0 | 5,000 | N/A | N/A | 129,5 | 5,1 | 79,4 | 3,13 | CR3479-000 |
| 9-1899668-2 | WPM-762254-5-9 | 5000 | 1 | 76,2 | 3,000 | 25,4 | 1,000 | N/A | N/A | 28,6 | 1,125 | 82,3 | 3,24 | CR3480-000 |
| 9-1899668-3 | WPM-762508-2.5-9 | 2500 | 1 | 76,2 | 3,000 | 50,8 | 2,000 | N/A | N/A | 54 | 2,125 | 82,6 | 3,24 | CR3481-000 |

PART NUMBERING SYSTEM



te.com/products/identification-labeling



Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9