





PRODUCT NUMBER
10127403-13HI400LF



spec ref		-		dr		Kaka Zhang	2015/07/22	projection				mm		size		A2	scale		2:1				
tolerance std		-		eng		De-Ming Lu	2015/12/29			ecn no		-		rel level		Released							
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		Fancy Zhang	2015/12/29																
				appr		Pei-Ming Zheng	2015/12/29																
								product family		PwrBlade ULTRA													
surface				linear		0.X		±0.5				title		10HP+33S, SOLDER-TO-BOARD		dwg no		10127403-13HI400		rev		A	
				0.XX		±0.25																	
				0.XXX		±0.130																	
ASME Y14.5				angular		0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw		sheet 1 of 3					

[illegible]



PRODUCT NUMBER
10127403-13H1400LF

NOTES:

1. "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
2. MATERIALS:
HOUSING: GLASS FILLED WITH HIGH TEMP POLYAMIDE, UL94V-0.
POWER CONTACTS: COPPER ALLOY.
SIGNAL CONTACTS: COPPER ALLOY.
HOLD DOWN: COPPER ALLOY.
3. PLATING SPECIFICATION: FCI 10135186.
4. DENOTES CONNECTOR KEEP OUT ZONE.
5. DATUM AND BASIC DIMENSION ARE ESTABLISHED BY CUSTOMER.
6. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
7. 1.150 ± 0.025 mm DRILLED HOLE PLATED WITH $7.62 \mu\text{m}$ MIN Sn OVER
 $25.4 \mu\text{m}$ - $76.2 \mu\text{m}$ Cu PLATING TO ACHIEVE A 1.02 ± 0.07 mm FINISHED HOLE.
8. PRODUCT SPECIFICATION: FCI GS-12-1176.
APPLICATION SPECIFICATION: FCI GS-20-0389.
PRODUCT PACKAGE SPECIFICATION: FCI GS-14-2354.
9. THE VOID CORING BETWEEN POWER MODULES, SIGNAL MODULES AND END MODULES ARE
OPTIONAL AND THE SHAPE MAY BE DIFFERENT TO OPTIMIZE THE MOLDING
PROCESS. THE VOID CORING WILL NOT EFFECT THE PRODUCT FUNCTION.



Copyright FCI.

spec ref		-		dr		Kaka Zhang		2015/07/22		projection		mm		size		A2		scale		2:1	
tolerance std		-		eng		De-Ming Lu		2015/12/29						ecn no		-					
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		Fancy Zhang		2015/12/29						rel level		Released					
				appr		Pei-Ming Zheng		2015/12/29		product family		PwrBlade ULTRA									
surface				linear				title		10HP+33S, SOLDER-TO-BOARD		dwg no		10127403-13H1400		rev		A			
		0.X		±0.5																	
		0.XX		±0.25																	
ASME Y14.5				0.XXX		±0.130				VERT RECEPTACLE, PwrBlade ULTRA											
		angular		0°		±2°		www.fci.com		cat. no.		-		Product- Customer Drw		sheet 3 of 3					

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9