

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

| P | LTR | DESCRIPTION   | DATE      | DWN | APVD |
|---|-----|---------------|-----------|-----|------|
|   | A3  | ECR-14-002311 | 14FEB2014 | GK  | HMR  |
|   |     |               |           |     |      |
|   |     |               |           |     |      |
|   |     |               |           |     |      |

REPLACED BY OCEAN STYLE APPLICATOR PART  
NUMBER 2151364-1


FOR REPLACEMENT PARTS FOR APPLICATOR 1855327  
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)  
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE  
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR  
1855327


|                                                                                       |  |                      |  |                                                                                                       |           |                          |               |
|---------------------------------------------------------------------------------------|--|----------------------|--|-------------------------------------------------------------------------------------------------------|-----------|--------------------------|---------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  | DWN GOPALAKRISHNA HV |  |  TE Connectivity |           |                          |               |
| DIMENSIONS:                                                                           |  | CHK RAGHAVENDRA      |  |                                                                                                       |           |                          |               |
|  |  | APVD RAGHAVENDRA     |  | NAME<br>FINE ADJUST SIDE FEED HDM<br>APPLICATOR                                                       |           |                          |               |
|                                                                                       |  | PRODUCT SPEC         |  |                                                                                                       |           |                          |               |
|                                                                                       |  | APPLICATION SPEC     |  |                                                                                                       |           |                          |               |
| MATERIAL                                                                              |  | WEIGHT               |  | SIZE<br>A3                                                                                            | CAGE CODE | DRAWING NO<br>C- 1855327 | RESTRICTED TO |
| FINISH                                                                                |  | CUSTOMER DRAWING     |  | SCALE                                                                                                 |           | SHEET 1 OF 2             | REV A3        |

|     |  |      |     |               |  |           |         |
|-----|--|------|-----|---------------|--|-----------|---------|
|     |  | 2    |     |               |  | 1         |         |
| LOC |  | DIST |     | REVISIONS     |  |           |         |
| A   |  | 66   |     |               |  |           |         |
|     |  | P    | LTR | DESCRIPTION   |  | DATE      | OWN     |
|     |  | A    |     | RELEASED      |  | 11OCT2007 | ROW GEB |
|     |  | A1   |     | ECR-08-014045 |  | 03JUN2009 | MY GB   |
|     |  | A2   |     | ECR-09-004546 |  | 28FEB2009 | MY GB   |

- \* WARNING  
ON INSTALLATION, SET WIRE  
DISC TO LARGEST WIRE SIZE  
SETTING. USE OF SETTINGS  
BELOW MIN. REQUIRED CRIMP  
HEIGHT SETTING WILL CAUSE  
DAMAGE TO CRIMP TOOLING.



|   |     |    |    |     |    |     |    |             |                                       |         |
|---|-----|----|----|-----|----|-----|----|-------------|---------------------------------------|---------|
| 3 | -   | -  | -  | REF | -  | -   | .. | 455749-1    | GUARD WINDOW                          | 116     |
|   | -   | -  | -  | REF | -  | -   | .. | 679532-1    | INSERT, GUARD                         | 115     |
|   | -   | -  | -  | -   | -  | -   | -  | 1-21002-7   | SCR, BTN SKT HD CAP 6-32 X .375       | 91      |
|   | -   | -  | -  | -   | -  | -   | -  | 318563-1    | GUARD, FRONT CHIP                     | 89      |
|   | -   | -  | -  | -   | -  | -   | -  | 455888-1    | SPACER, CRIMPER                       | 82      |
|   | -   | -  | -  | -   | -  | -   | -  | 4088040     | SF APPL INST 408-8040                 | 72      |
|   | -   | -  | -  | -   | -  | -   | -  | 217238-1    | GENERAL INSTRUCTION PKG               | 71      |
|   | -   | -  | -  | -   | -  | -   | -  | 461264-5    | PLATE, IDENTIFICATION                 | 67      |
|   | -   | 2  | 2  | 2   | 2  | -   | -  | 21017-2     | SCREW, DRIVE                          | 66      |
|   | -   | -  | -  | -   | -  | -   | -  | 21009-2     | SCR, SET, SELF LOCKING 1/4-20 X .250  | 61      |
|   | -   | -  | -  | -   | -  | -   | -  | 22733-8     | SCR, BHSC, SELF-LOCKING, 8-32 X .375  | 60      |
|   | -   | -  | -  | -   | -  | -   | -  | 2-22603-0   | SCR, HEX HD CAP 8-32 X .312           | 59      |
|   | -   | -  | -  | -   | -  | -   | -  | 458537-2    | PAWL, FEED                            | 56      |
|   | -   | 4  | 4  | 4   | 4  | -   | -  | 2-21002-2   | SCR, BTN SKT HD CAP 8-32 X .500       | 54      |
|   | -   | 2  | 2  | 2   | 2  | -   | -  | 2-21000-9   | SCR, SKT HD CAP 8-32 X .750           | 53      |
|   | -   | -  | -  | -   | -  | -   | -  | 21018-5     | NUT, HEX, REG 6-32                    | 52      |
|   | -   | -  | -  | -   | -  | -   | -  | 811242-2    | BUMPER, HOLD DOWN                     | 51      |
|   | -   | -  | -  | -   | -  | -   | -  | 690753-1    | SPACER, TONKER                        | 50      |
|   | -   | -  | -  | -   | -  | -   | .. | 690602-6    | CAM, PRE FEED, I 5/8                  | 49      |
|   | -   | -  | -  | -   | -  | -   | .. | 690602-5    | CAM, PRE FEED, I 1/8                  | 48      |
|   | -   | -  | -  | -   | -  | -   | -  | 690501-4    | CAM, POST-FEED I 5/8                  | 47      |
|   | -   | -  | -  | -   | -  | -   | -  | 459456-1    | APPL, BASIC SUB ASSY (SIDE WISE MOCA) | 46      |
|   | -   | -  | -  | -   | -  | -   | -  | 690191-1    | PLUG, NYLON                           | 45      |
|   | -   | -  | -  | -   | -  | -   | -  | 455673-1    | RAM, SIDE FEED                        | 44      |
|   | -   | -  | -  | -   | -  | -   | -  | 7-21002-9   | SCR, BTN SKT HD CAP 5/16-24 X 1.00    | 41      |
|   | -   | -  | -  | -   | -  | -   | -  | 690125-1    | SHIM SUB-ASSY                         | 39      |
|   | -   | -  | -  | -   | -  | -   | -  | 1-469367-2  | SHIM                                  | 38      |
|   | -   | -  | -  | -   | -  | -   | -  | 879103-3    | FINE ADJUST HEAD ASSEMBLY             | 37      |
|   | -   | -  | -  | -   | -  | -   | -  | 690786-6    | TERMINAL SUPPORT                      | 34      |
|   | -   | 2  | 2  | 2   | 2  | -   | -  | 2-21002-4   | SCR, BTN SKT HD CAP 8-32 X .750       | 33      |
|   | -   | -  | -  | -   | -  | -   | -  | 21024-5     | WASHER, SPRG LOCK, REG NO 10          | 32      |
|   | -   | -  | -  | -   | -  | -   | -  | 3-21000-4   | SCR, SKT HD CAP 10-32 X .375          | 31      |
|   | -   | -  | -  | -   | -  | -   | -  | 1320908-8   | SPACER, STRIP GUIDE                   | 30      |
|   | -   | -  | -  | -   | -  | -   | -  | 1633091-2   | ASSEMBLY, STRIP GUIDE                 | 29      |
|   | -   | -  | -  | -   | -  | -   | -  | 1-455888-0  | SPACER, CRIMPER                       | 28      |
|   | -   | -  | -  | -   | -  | -   | -  | 1320928-1   | PLATE, STRIP GUIDE                    | 24      |
|   | -   | -  | -  | -   | -  | -   | -  | 690472-2    | STRIPPER                              | 22      |
|   | -   | -  | -  | -   | -  | -   | -  | 2-21000-7   | SCR, SKT HD CAP 8-32 X .500           | 21      |
|   | -   | 4  | 4  | 4   | 4  | -   | -  | 21024-4     | WASHER, SPRG LOCK, REG NO 8           | 20      |
|   | -   | -  | -  | -   | -  | -   | -  | 691353-1    | STRIPPER                              | 19      |
| △ | -   | -  | -  | -   | -  | -   | -  | 679625-1    | SHEAR HOLDER, FRONT (NO CUT)          | 13      |
|   | -   | -  | -  | -   | -  | -   | -  | 3-22280-3   | SPRING, COMPRESSION                   | 12      |
| △ | -   | -  | -  | -   | -  | -   | -  | 690461-1    | STOP, SHEAR                           | 11      |
| △ | -   | -  | -  | -   | -  | -   | -  | 690459-1    | SHEAR HOLDER, FRONT                   | 10      |
| △ | -   | -  | -  | -   | -  | -   | -  | 454276-1    | FLOATING SHEAR, FRONT                 | 9       |
| △ | -   | -  | -  | -   | -  | -   | -  | 4-1633535-8 | ANVIL, COMBINATION                    | 8       |
|   | -   | -  | -  | -   | -  | -   | -  | 1-240641-5  | SPACER                                | 7       |
|   | -   | -  | -  | -   | -  | -   | .. | -           | -                                     | 6       |
|   | -   | -  | -  | -   | -  | -   | -  | 1-455889-4  | DEPRESSOR, SHEAR                      | 5       |
|   | -   | -  | -  | -   | -  | -   | -  | 238011-2    | BLOCK, CRIMPER SPACER                 | 4       |
| △ | -   | -  | -  | -   | -  | -   | -  | 3-456134-9  | CRIMPER, INSULATION F PREMIUM         | 3       |
|   | -   | -  | -  | -   | -  | -   | -  | 455888-6    | SPACER, CRIMPER                       | 2       |
| △ | -   | -  | -  | -   | -  | -   | -  | 2-1490019-4 | CRIMPER, WIRE PREMIUM                 | 1       |
|   | -77 | -6 | -3 | -2  | -1 | U/M |    | PART NO     | DESCRIPTION                           | ITEM NO |

|                                                                                                                                                                                                                   |  |                                                                                                           |  |                                                                                                                                            |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------|--|
| <small>*THIS DRAWING IS CONTROLLED DOCUMENT. ANY REVISIONS TO THIS DRAWING MUST BE APPROVED BY THE DESIGN ENGINEER. ANY UNAUTHORIZED CHANGES TO THIS DRAWING SHOULD BE CONTACTED FOR THE LATEST REVISION.</small> |  | DWG NO. <b>R. Q. WILSON 22SEP2007</b><br>CHG NO. <b>R. Q. WILSON 22SEP2007</b><br>DATE <b>11 FEB 2011</b> |  |  <b>Tyco Electronics</b><br>Harrisburg, PA 17105-3608 |  |
| DIMENSIONS:<br>INCHES                                                                                                                                                                                             |  | TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>DECIMALS: ±.01<br>FRACTIONS: ±.001<br>ANGLES: ±.01              |  | NAME<br><b>FINE ADJUST SIDE FEED<br/>         HDM APPLICATOR</b>                                                                           |  |
|                                                                                                                              |  | PRODUCT SPEC<br>APPLICATION SPEC                                                                          |  | SIZE CASE CODE DRAWING NO<br><b>A   00779 C-1855327</b>                                                                                    |  |
| MATERIAL<br>-                                                                                                                                                                                                     |  | FINISH<br>-                                                                                               |  | WEIGHT<br>-                                                                                                                                |  |
|                                                                                                                                                                                                                   |  | CUSTOMER DRAWING                                                                                          |  | SCALE <b>3:5</b> SHEET <b>1</b> OF <b>1</b> REV <b>A</b>                                                                                   |  |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9