








PRODUCT NUMBER
10127402-02HI410LF



spec ref -				dr Kaka Zhang		2015/07/30		projection		mm		size A2		scale 2:1			
tolerance std -				eng Kaka Zhang		2015/09/23						ecn no -		rel level Released			
ASME Y14.5				TOLERANCES UNLESS OTHERWISE SPECIFIED		chr Fancy Zhang										2015/09/23	
				appr Pei-Ming Zheng		2015/09/23		product family		PwrBlade ULTRA							
surface 		linear		0.X		±0.5				title		4HP+2IS+9HP, PRESS-FIT		dwg no 10127402-02HI410		rev A	
				0.XX		±0.25											
		ASME Y14.5		angular		0°											

1		2		3		4		5		6		7		8																				
PRODUCT NO.		ROWS		HIGH POWER								SIGNAL					HIGH POWER															CODE	DESCRIPTION	
			E2	P13	P12	P11	P10	P9	P8	P7	P6	P5	7	6	5	4	3	2	1	P4	P3											P2	P1	E1
10127402-02HI410LF		C B A																							F	STD HIGH POWER CONTACT								
																											F	SIGNAL CONTACT						
																												HD	HOLD DOWN					



Copyright FCI.



spec ref		-		dr		Kaka Zhang		2015/07/30		projection				size		A2		scale		2:1	
tolerance std		-		eng		Kaka Zhang		2015/09/23				ecn no		-		rel level		Released			
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		Fancy Zhang		2015/09/23				product family		PwrBlade ULTRA							
				appr		Pei-Ming Zheng		2015/09/23													
surface				linear				title		4HP+2IS+9HP, PRESS-FIT VERTICAL RECEPTACLE, PwrBlade ULTRA		dwg no		10127402-02HI410		rev		A			
				0.X																±0.5	
				0.XX																±0.25	
ASME Y14.5				0.XXX		±0.130															
		angular		0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw				sheet 2 of 3			

1

2

3

4

5

6

7

8

PRODUCT NUMBER

10127402-02HI410LF

A

NOTES:

1.

"FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.

2.

MATERIALS:
HOUSING: GLASS FILLED WITH HIGH TEMP POLYAMIDE, UL94V-0.
POWER CONTACTS: COPPER ALLOY.
SIGNAL CONTACTS: COPPER ALLOY.
HOLD DOWN: COPPER ALLOY.

3.

PLATING SPECIFICATION: FCI 10135186.

4.

DENOTES CONNECTOR KEEP OUT ZONE.

5.

DATUM AND BASIC DIMENSION ARE ESTABLISHED BY CUSTOMER.

6.

ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.

7.

1.150±0.025mm DRILLED HOLE PLATED WITH 7.62µm MIN Sn OVER
25.4µm-76.2µm Cu PLATING TO ACHIEVE A 1.02±0.07mm FINISHED HOLE.

8.

PRODUCT SPECIFICATION: FCI GS-12-1176.
APPLICATION SPECIFICATION: FCI GS-20-0389.
PRODUCT PACKAGE SPECIFICATION: FCI GS-14-2354.

9.

THE VOID CORING BETWEEN POWER MODULES, SIGNAL MODULES AND END MODULES ARE
OPTIONAL AND THE SHAPE MAY BE DIFFERENT TO OPTIMIZE THE MOLDING
PROCESS. THE VOID CORING WILL NOT EFFECT THE PRODUCT FUNCTION.

B

C



D

E

F

Copyright FCI.

FCI

spec ref		-		dr	Kaka Zhang	2015/07/30	projection 	mm 	size	A2	scale	2:1	
tolerance std		-		eng	Kaka Zhang	2015/09/23			ecn no				-
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Fancy Zhang	2015/09/23			rel level				Released
				appr	Pei-Ming Zheng	2015/09/23			product family				PwrBlade ULTRA
surface			linear	0.X	±0.5		title 4HP+2IS+9HP, PRESS-FIT VERTICAL RECEPTACLE, PwrBlade ULTRA			dwg no 10127402-02HI410	rev A		
ASME Y14.5				0.XX	±0.25								
				0.XXX	±0.130								
		angular	0°	±2°	www.fci.com		cat. no.		-	Product - Customer Drw		sheet 3 of 3	

PDS: Rev :A

STATUS:Released

Printed: Sep 23, 2015

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9