

D
Dimensioning and tolerancing per ASME Y14.5M-2009
C

B

A

D

C

B


A

4		3		2		1							
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		LOC		DIST		REVISIONS					
© COPYRIGHT		ALL RIGHTS RESERVED.						P	LTR	DESCRIPTION	DATE	DWN	APVD
									A1	ECR-12-015651	04SEPT2012	MY	GB

REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER 2151045-6

FOR REPLACEMENT PARTS FOR APPLICATOR 1911193
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1911193

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN M. YOUNGER		 TE Connectivity				
DIMENSIONS:				CHK M. YOUNGER						
				APVD T. ELBIN		NAME SIDE FEED SYSTEM III APPLICATOR				
				PRODUCT SPEC						
				APPLICATION SPEC						
				MATERIAL		FINISH		WEIGHT		SIZE A3
				CUSTOMER DRAWING		SCALE		SHEET 1 OF 2		REV A1


8				7				6				5				4				3				2				1			
THIS DRAWING IS UNPUBLISHED.								RELEASED FOR PUBLICATION																							
© COPYRIGHT 20								BY TYCO ELECTRONICS CORPORATION, ALL RIGHTS RESERVED.																							
PART NUMBER		REV	DESCRIPTION				PROGRAMMED MEMORY CHIP																								
1911193-1		A	CUTS CARRIER				8-1911193-1																								
1911193-6		A	CONTINUOUS CARRIER				8-1911193-6																								

FEED FINGER 1901694-1		SET UP GAGE 1901067-1		LOC A	DIST 66	REVISIONS						
P	LTR	DESCRIPTION				DATE	DWN	APVD				
A		RELEASED				21FEB2008	RD	GB				

APPLICATOR DATA		
CRIMP	SIZE	TYPE
WIRE	1.57mm [.062]	F
INSUL	2.29mm [.090]	O
APPL INSTRUCTIONS 408-10135		

TERMINAL DATA: TE TERMINAL		TYCO ELECTRONICS CRIMP SPEC	
TERMINAL NAME: MICRO POWER QUADLOCK PIN/SKT CONTACT			
WIRE STRIP LENGTH 3.2-3.8 mm [.125-.149 IN]		INSULATION DIAMETER RANGE 1.20-1.60mm [.047-.062 IN]	
TERMINAL APPL SPEC 		114-18141 - -	
TERMINALS APPLIED			
968678-2		968678-5	
			
968679-2		968679-5	

WIRE SIZE			CRIMP HEIGHT mm [INCH]	
0.5mm ²			1.15±0.03 - [0.045±0.012]	
0.35mm ²			1.08±0.03 - [0.043±0.012]	



-	1	1	1	1	1-993111-6	PIN, SLOTTED SPRING 3.0 X 30.0	177
-	2	2	2	2	3-22280-7	SPRING, COMPRESSION	176
-	1	1	1	1	1752353-1	GUIDE PIN,HOLDDOWN	175
-	1	1	1	1	1901680-1	GUIDE PIN,HOLDDOWN	174
-	REF	REF	REF	REF	SEE TABLE	MEMORY CHIP, PROGRAMMED	135
-	1	1	1	1	1633565-1	DOCUMENTATION PACKAGE	71
-	1	1	1	1	1901048-1	TAG,IDENTIFICATION	67
-	2	2	2	2	21017-1	SCREW, DRIVE	66
-	1	1	1	1	18028-1	WASHER, FLAT, REG M3	64
-	1	1	1	1	1655785-9	SCR, BTN SKT HD CAP (M3 X 6)	62
-	2	2	2	2	1655785-1	SCR, BTN SKT HD CAP (M4 X 8)	60
-	4	4	4	4	1655783-3	SCR, CAP, SOC HD, LOW HEAD, M4 X 12	54
-	1	1	1	1	1-18030-0	NUT, HEX, REG M3.5	52
-	1	1	1	1	1901681-1	HOLDDOWN, TERMINAL	51
-	1	1	1	1	2-1752354-2	STANDOFF,HOLD-DOWN	50
-	1	1	1	1	1752300-1	SF SYSTEM III APPLICATOR	46
-	1	1	1	1	1752308-1	RAM	44
-	1	1	1	1	2-1655785-3	SCR, BTN SKT HD CAP (M8 X 25)	41
-	1	1	1	1	993002-4	SCREW,SET,SFT TIP	40
-	1	1	1	1	1962043-1	PLUNGER,BALL,METRIC	39
-	1	1	1	1	1752309-4	RING,INSULATION CRIMP	38
-	1	1	1	1	1-1752356-3	SUPPORT, TERMINAL	34
-	2	2	2	2	3-1655785-3	SCR, BTN SKT HD CAP (M4 X 20)	33
-	1	1	1	1	18028-3	WASHER, FLAT, REG M5	32
-	1	1	1	1	5-1655316-3	SCR, SKT HD CAP, M5 X 10.0	31
-	1	1	1	1	1-1320908-5	SPACER, STRIP GUIDE	30
-	1	1	1	1	1901087-1	ASSEMBLY, STRIP GUIDE	29
-	1	1	1	1	1-455888-0	SPACER, CRIMPER	28
-	1	1	1	1	1320928-5	PLATE, STRIP GUIDE	24
-	1	1	1	1	1976045-1	STRIPPER	22
-	1	1	1	1	18028-2	WASHER, FLAT, REG M4	20
-	REF	REF	REF	REF	1752311-1	STRIPPER	19
-	1	-	1	-	1338684-1	SHEAR HOLDER, FRONT	13
-	1	1	1	1	3-22280-3	SPRING, COMPRESSION	12
-	1	1	1	1	356885-4	STOP, SHEAR	11
-	-	1	-	1	1320921-1	SHEAR HOLDER, FRONT, CUT	10
-	1	1	1	1	462006-1	FLOATING SHEAR, FRONT	9
1	2	2	1	1	5-1333202-3	ANVIL, COMBINATION	8
-	1	1	1	1	2-455889-0	DEPRESSOR, SHEAR	5
-	1	1	1	1	238011-9	BLOCK, CRIMPER SPACER	4
1	2	2	1	1	8-456135-0	CRIMPER, INSULATION O PREMIUM	3
-	1	1	1	1	455888-6	SPACER, CRIMPER	2
1	2	2	1	1	3-456403-9	CRIMPER, WIRE PREMIUM	1
-77	-76	-71	-6	-1	PART NO	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYPOL ELECTRONICS CORPORATION IT IS SUBJECT TO THE TYPOL ELECTRONICS CORPORATION POLICY ON CONTROLLED DOCUMENTS SHOULD BE CONTACTED FOR THE LATEST REVISION.		OWN R. DOBSON 11JAN2008 CWN R. DOBSON 11JAN2008 APV N. DEMING 11JAN2008		 Tyco Electronics Harrisburg, PA 17105-3608		NO	
DIMENSIONS: INCHES (mm)		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME SIDE FEED SYSTEM IIII APPLICATOR		SIZE CAGE CODE DRAWING NO	
		0 PLC ± 0 PLC ± 0 PLC ± 0 PLC ± ANGLES ± FINISH		PRODUCT SPEC - APPLICATION SPEC - SEE TABLE WEIGHT		RESTRICTED TO	
MATERIAL		CUSTOMER DRAWING		SCALE 3:5 SHEET 1 OF 1 REV A		A 1 00779 C 1911193	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9