





Amphenol
FCi


© 2016 AFci


PRELIMINARY


spec ref		-		dr		Andy Lu		2016-10-08		projection		MM		size		A2		scale		4:1	
tolerance std		-		eng		Andy Lu		2016-11-15						ecn no		-		rel level			
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		Terris Liu		2016-11-15													
				appr		PM Zheng		2016-11-15													
surface		linear		0.X		±0.5		Amphenol FCI		title		eHPCE STRADDLE MOUNT		dwg no		10141334		rev		2	
ASME Y14.5		0.XX		±0.25																	
		0.XXX		±0.13																	
		angular		0°		±2°				cat. no.		Product- Customer Drw		sheet 1 of 4							



RECOMMENDED HOST BOARD LAYOUT AS VIEWED



spec ref		-		dr		Andy Lu		2016-10-08		projection		MM		size		A2		scale		4:1	
tolerance std		-		eng		Andy Lu		2016-11-15						ecn no		-		rel level			
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		Terris Liu		2016-11-15													
				appr		PM Zheng		2016-11-15		product family											
surface		linear		0.X		±0.5		Amphenol FCI		eHPCE STRADDLE MOUNT 2UP6MP2UP+20S		dwg no		10141334		rev		2			
				0.XX		±0.25															
ASME Y14.5		angular		0.XXX		±0.13															
						±0°				cat. no.		Product - Customer Drw		sheet 2 of 4							



RECOMMENDED CARD LAYOUT
TOLERANCE ± 0.05

spec ref -				dr Andy Lu 2016-10-08		projection	MM	size A2	scale 4:1					
tolerance std -				eng Andy Lu 2016-11-15				ecn no -						
ASME Y14.5				chr Terris Liu 2016-11-15				rel level -						
				appr PM Zheng 2016-11-15				product family						
surface		linear	0.X	±0.5	Amphenol FCI	title	eHPCE STRADDLE MOUNT				dwg no	10141334	rev	2
			0.XX	±0.25										
			0.XXX	±0.13										
		ASME Y14.5	angular	0°			±2°	cat. no.	Product - Customer Drw					

1	2	3	4	5	6	7	8
PART NUMBER	REAR GUIDE SYSTEM	MOUNT EARS	POLARIZATION KEY				
10141334 - 001LF	YES	YES	NO				
10141334 - 003LF	YES	NO	NO				

REAR GUIDE

MOUNT EARS

10141334 - 001LF

NOTES:

1. CONNECTOR MATERIALS:

HOUSING: HIGH TEMPERATURE THERMAL PLASTIC, BLACK, LOW HALOGEN, UL 94V-0, CONTACTS: HIGH PERFORMANCE COPPER ALLOY.

2. CONTACT FINISH REF. SECTION 5.2 IN PRODUCT SPECIFICATION.

3. PRODUCT SPECIFICATION: GS-12-1362.

4. APPLICATION SPECIFICATION: GS-20-0469.

5. PRODUCT MARKING (AFCI - PART NUMBER & DATE CODE) ON HOUSING IN AREA SHOWN.

6. PACKAGING MEETS FCI SPECIFICATION GS-14-2532.

7. HOUSING COMPONENT WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION, INFRA-RED, OR VAPOR PHASE REFLOW OVEN.

8. PLATING OF PADS SHALL BE 30u" GOLD MINIMUM OVER 50u" NICKEL MINIMUM. SURFACE MUST BE FREE OF MILLED FIBERGLASS AND FOREIGN MATTER

9. SURFACE ROUGHNESS OF BEVELED LEAD-IN ON PCB MUST NOT EXCEED 125 MICRO INCHES. SURFACE MUST BE FREE OF MILLED FIBERGLASS AND FOREIGN MATTER.

10. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004.

10141334 - 003LF

11.50

50.46

OTHER DIMENSIONS ARE SAME AS 10141334 - 001LF

spec ref	-	dr	Andy Lu	2016-10-08	projection	MM	size	A2	scale	4:1	
tolerance std	-	eng	Andy Lu	2016-11-15			ecn no			-	
-	TOLERANCES UNLESS OTHERWISE SPECIFIED	chr	Terris Liu	2016-11-15							
ASME Y14.5		appr	PM Zheng	2016-11-15							
surface	-	Amphenol FCI			title		eHPCE STRADDLE MOUNT		2UP6MP2UP+20S		
linear	0.X										±0.5
angular	0°										±2°
ASME Y14.5	0.XX	±0.25	cat. no.		Product - Customer Drw		sheet 4 of 4				

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9