

LOC		DIST		REVISIONS				
ES	00	P	LYR	DESCRIPTION	DATE	DWN	APVD	
		B3		REV PER ECR-11-012858	16JUN2011	AY	SZ	
		B4		ADDED NEW DASH NUMBER -9	04SEP2012	CZ	SZ	
		B5		ADDED NEW DASH NUMBER 1-1	19APR2013	CZ	SZ	

- 1

"AMP", PART NUMBER AND DATE CODE TO BE MARKED IN AREA SHOWN
PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES
- 2

MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC,UL94 V-0,BLACK.
SIGNAL CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
LP CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 3

CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA
OF POWER AND SIGNAL CONTACTS.
- 4

MECHANICAL CONNECTOR KEEP OUT ZONE
- 5

DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 6



PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES
- 7

PCB - 0.0453 ±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn
OVER .001 TO .003 Cu PLATING TO ACHIEVE A .040 ±.030 HOLE
- 8

VARIABLE DIMENSIONS SHOW ON TABLE.
- 9

PLEASE REFER TO PART VIEW FOR DETAIL DIMENSIONS.
- 10

NOT RELEASED FOR PRODUCTION.



B5	.710	.115	-	-	.550	.1025	.900	4LP	1-6450863-1
	-	-	.250	.170	1.090	-	1.440	4P	6450863-9
	-	-	.200	.170	1.340	-	1.690	6HDP	6450863-8
	-	-	.200	.145	1.490	-	1.840	7HDP	6450863-6
	-	-	.300	.195	2.190	-	2.540	7ACP	6450863-5
9	-	-	-	-	-	-	-	12 HDP	6450863-4
	2.700	-	8	.145	2.540	-	2.890	12P	6450863-2
	D	T	S	K	U	R	L	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES

MATERIAL

6

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.01
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±.2°
FINISH

7

DWN H.LIU 12JUN2008
CHK S.ZHAO 12JUN2008
APVD S.YAO

PRODUCT SPEC
108-2292
APPLICATION SPEC
114-13038

WEIGHT

CUSTOMER DRAWING

NAME

SIZE CAGE CODE DRAWING NO
A100779

RESTRICTED TO



SCALE N/A SHEET 1 OF 6 REV B5

TE Connectivity

VER RECEP ASSEMBLY
SHROT GUIDES, PRESS FIT
MULTI-BEAM XLE

6450863

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-



LSI	STD LOW POWER PRESS FIT,.135 TAIL LENGTH
GP	MFBL POWER PRESS FIT,.135 TAIL LENGTH.
GS	STD POWER PRESS FIT,.135 TAIL LENGTH.
CODE	DESCRIPTION
CONTACT TABLE	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

H.LIU

12JUN2008

CHK

S.ZHAO

12JUN2008

APVD

S.YAO

-

DIMENSIONS:

INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±"

1 PLC ±.01

2 PLC ±.01

3 PLC ±.005

4 PLC ±.0020

ANGLES #2°

FINISH -

MATERIAL

-

CUSTOMER DRAWING

PRODUCT SPEC

108-2292

APPLICATION SPEC

114-13038

WEIGHT

-

SCALE

N/A

SHEET

2

OF

6

REV

B5

NAME

VER RECEP ASSEMBLY SHROT GUIDES, PRESS FIT MULTI-BEAM XLE

SIZE

A1

CAGE CODE

00779

DRAWING NO



6450863

RESTRICTED TO





-



TE Connectivity


VER RECEP ASSEMBLY
SHROT GUIDES, PRESS FIT
MULTI-BEAM XLE



LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-



PART NUMBER	ROWS		POWER				
			P4	P3	P2	P1	
6450863-9	D C B A						
4P							

4805 (3/11)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9