







RETENTION BARB TYPE SHOWN ON ALL SHEET UNLESS OTHERWISE NOTED

- △ MATERIALS:
- | | |
|-----------------|----------------------------------|
| HOUSING: | HIGH TEMPERATURE NYLON, UL94 V-0 |
| EXTRACTOR: | HIGH TEMPERATURE NYLON, UL94 V-0 |
| CONTACTS: | COPPER ALLOY |
| RETENTION BARB: | BRASS, TIN PLATED |
- △ INTERFACE FINISH:
- (1) 0.00038 MIN THK GOLD OVER 0.00127 MIN THK NICKEL.
 - (2) 0.00008 MIN THK GOLD OVER 0.00127 MIN THK NICKEL.
 - (3) 0.00076 MIN THK GOLD OVER 0.00127 MIN THK NICKEL.
- △ FINISHED HOLE SIZE. 0.15 MAXIMUM ANNULAR RING.
- △ KEEP OUT ZONE.
- △ KEEP OUT AREA RESERVED FOR SOCKET EXTRACTORS, BOTH ENDS.
- △ SOLDER TAIL FINISH:
- 0.00300 MIN THK MATTE TIN OVER 0.00127 MIN THK NICKEL.
- △ LED LOCATION AS APPLICABLE PER CUSTOMER.
- △ DATUM -G- IS CONNECTOR SIDE SURFACE OF PCB.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG LEO ZHOU 28FBZ007		 TE Connectivity			
		CHK STEVEN YAO 28FBZ007					
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME			
mm		APVD STEVEN YAO 28FBZ007					
		PRODUCT SPEC		SOCKET ASSEMBLY, VERTICAL DDR3 DIMM, SOLDER TAIL, 240 POSITION			
		108-2256					
		APPLICATION SPEC					
		114-13154					
MATERIAL		FINISH		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
				WEIGHT	A1 00779 C-1932000		—
CUSTOMER DRAWING				SCALE	4:1		SHEET 1 of 4
						REV	H7

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

LOC

DIST

REV

DATE

BY

APP

ES

00

SEE SHEET 1

1.35

LED PLACED IN "X" DIRECTION

2.10

LED PLACED IN "Y" DIRECTION

LED TARGET ZONE REF

4.25

PARTIAL BOTTOM VIEW

SCALE 12:1

1.23

LED HEIGHT OFF BOARD

2.10

LED PLACED IN "X" DIRECTION

1.35

LED PLACED IN "Y" DIRECTION

4.25

LED CENTER IN "X" OR "Y" DIRECTIONS

SECTION N-N

SCALE 10:1

RETENTION BARB	BLACK	BLACK	0.00076 MIN (30u'')	2.54	7-1932000-6
	NATURAL	BLACK		2.54	7-1932000-5
	NATURAL	BLUE<2935U>	0.00038 MIN<15u''>	2.67	7-1932000-2
	NATURAL	PINK<701C>	0.00008 MIN (3u'', FLASH)	2.54	6-1932000-5
		BLUE<284C>		2.54	6-1932000-4
	BLACK	BLACK	0.00076 MIN (30u'')	4.00	5-1932000-2
	NATURAL	BLACK		3.18	5-1932000-1
				4.00	4-1932000-8
	NATURAL	GREEN<368C> BLUE<284C> ORANGE<021C>	0.00038 MIN (15u'')	3.18	4-1932000-7
				2.67	4-1932000-6
				2.67	3-1932000-3
	NATURAL	BLACK	0.00038 MIN (15u'')	2.67	2-1932000-5
				2.67	2-1932000-1
				3.18	1-1932000-7
	BLACK	BLACK	0.00038 MIN (15u'')	2.67	1-1932000-6
			0.00008 MIN<3u''>	4.00	1-1932000-5
NATURAL	BLACK	0.00038 MIN (15u'')	3.18	1-1932000-1	
		0.00008 MIN<3u''>	2.67	1-1932000-0	
NATURAL	NATURAL	0.00038 MIN (15u'')	2.67	1932000-7	
			4.00	1932000-6	
			3.18	1932000-5	
		2.67	1932000-4		
		0.00008 MIN (3u'', FLASH)	4.00	1932000-3	
			3.18	1932000-2	
		2.67	1932000-1		
HOUSING STYLE	EXTRACTOR COLOR	HOUSING COLOR	CONTACT GOLD INTERFACE	TAIL LENGTH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

0 PLC ± -

1 PLC ± 0.5

2 PLC ± 0.13

3 PLC ± 0.013

4 PLC ± 0.0001

ANGLES ± -

MATERIAL -

FINISH -

DWN LEO ZHOU 28FEB2007

CHK STEVEN YAO 28FEB2007

APPV STEVEN YAO 28FEB2007

PRODUCT SPEC

APPLICATION SPEC

WEIGHT -

CUSTOMER DRAWING

NAME

SIZE CAGE CODE DRAWING NO

RESTRICTED TO



TE Connectivity

SOCKET ASSEMBLY,
VERTICAL DDR3 DIMM,
SOLDER TAIL, 240 POSITION

A100779C1932000

SCALE 4:1 SHEET 2 OF 4 REV H7

4805 (3/11)



Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9