

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

- - -

C



COPYRIGHT 2010 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
C2		REVISED(ECR-14-007434), ADD PN 2-1759500-4	19MAY14	S.C.	H.L



RECOMMENDED PCB LAYOUT (CONNECTOR MOUNT SIDE)
TOLERANCE: ±0.05, PCB THICKNESS: 1.6mm

NOTE:

1. MATERIAL:

HOUSING: SEE TABLE(PA46, UL94 V-0, COLOR: BLACK.
OR PA6T, HF, UL94 V-0, COLOR:BLACK)

CONTACTS: BRASS.

2. FINISH:

SEE TABLE.

(CONTACTS: 2.03um [80u"] MIN. MATTE-TIN PLATING ALL OVER
1.27um [50u"] MIN. NICKEL UNDERPLATED OVERALL.

OR




CONTACTS: GOLD FLASH PLATING ALL OVER
1.27um [50u"] MIN. NICKEL UNDERPLATED OVERALL.)

3. WAVE SOLDER CAPABLE TO 265°C PER TEST SPEC.

109-202, CONDITION B.

△ PIN NO.4 IS 5.60mm AND THE OTHERS ARE 5.10mm.

5. WEIGHT: SEE TABLE



PA6T	GF	6P	1.95g	WITH		3.30	5.1	12.00	5.08	8.80	15.00	2-1759500-4
PA46	TIN	6P	1.95g			2.10	5.1	12.00	5.08	8.80	15.00	1-1759500-4
		4P	1.67g				5.1	9.46	2.54	6.26	12.50	1-1759500-1
		10P		WITH		3.30	5.1	17.08	10.16	13.88	20.10	
		8P	2.07g				5.1					1759500-8
			2.08g	WITH			5.1	14.54	7.62	11.34	17.50	1759500-7
		6P	1.90g				△ 5.1					1759500-6
			1.90g				5.1	12.00	5.08	8.80	15.00	1759500-5
			1.95g	WITH			5.1					1759500-4
		4P	1.67g				△ 5.1					1759500-3
			1.67g				5.1	9.46	2.54	6.26	12.50	1759500-2
				WITH	WITH		5.1					
HSG MAT'L	CONT. Plated	N(POS.)	N.W	POST 2	POST 1	DIM. F	DIM.E	DIM. D	DIM. C	DIM. B	DIM. A	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN B. HSING 25JUN2009

CHK S. CHIEN 25JUN2009

APVD W. KODAMA 25JUN2009

PRODUCT SPEC

108-99100

APPLICATION SPEC

WEIGHT

SEE TABLE

CUSTOMER DRAWING

STE

TE Connectivity

NAME

BLIND MATE BOX HEADER

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A3100779C=1759500

SCALE SHEET 1 OF 2 REV C2

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

—, —



COPYRIGHT 2010

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

DW

REVISIONS

P

LTR


DESCRIPTION

DATE


DWN

APVD


SEE SHEET 1.




PRODUCT




PAPER CLAPBOARD



INNER BOX



CARTON



NOTES :

1. MATERIAL :

1.1 INNER BOX : CORRUGATED FIBERBOARD

1.2 CARTON : CORRUGATED FIBERBOARD

2. DIMENSION : SEE TABLE

3. QUANTITY : SEE TABLE

4. WEIGHT : SEE TABLE

10.5KG	9.2KG	440x193x244	179x126x53	300PCS	3600PCS	8P
10.7KG	9.4KG	440x198x244	184x126x53	360PCS	4320PCS	6P
10.2KG	8.9KG	440x193x244	179x126x53	420PCS	5040PCS	4P
GROSS WEIGHT	NET WEIGHT	CARTON DIM. LxWxH(mm)	INNER BOX DIM. LxWxH(mm)	Q'TY/ INNER BOX	Q'TY/CARTON (12 INNER BOX)	PIN NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.


DWN	—
CHK	—
APVD	—
PRODUCT SPEC	—
APPLICATION SPEC	—
WEIGHT	—
CUSTOMER DRAWING	—



TE Connectivity

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±	—
1 PLC	±	0.3
2 PLC	±	0.2
3 PLC	±	0.15
4 PLC	±	—
ANGLES	±	3°

MATERIAL

FINISH

NAME

BLIND MATE BOX HEADER

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1759500

SCALE

SHEET

2 OF 2

REV

C2

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9