

4

3

2

1


THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION
© COPYRIGHT	ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			A1	ECR-13-019325	24DEC2013	RS	LZ

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151356-1


FOR REPLACEMENT PARTS FOR APPLICATOR 1528385
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1528385

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN R.SHEN		TE Connectivity						
			CHK LJ.ZHANG								
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD U.GUO		NAME FINE ADJ SIDE FD HD-I APPL					
		0 PLC ±		PRODUCT SPEC							
		1 PLC ±		APPLICATION SPEC							
		2 PLC ±				SIZE A3					
		3 PLC ±									CAGE CODE
		4 PLC ±				DRAWING NO C- 1528385					
		ANGLES ±									RESTRICTED TO
MATERIAL		FINISH		WEIGHT							
CUSTOMER ACCESSIBLE PRODUCTION DRAWING						SCALE		SHEET 1 OF 2		REV A1	

home/eb003420/ednmod

1. RECOMMENDED SPARE PARTS.
2. GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY.
3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.



ON INSTALLATION, SET WIRE DISC TO LARGEST WIRE SIZE SETTING. USE OF SETTINGS BELOW MIN REQUIRED CRIMP HEIGHT SETTING WILL CAUSE DAMAGE TO CRIMP TOOLING.

LONG POSITION
GUIDE OFF WIRE BARREL

-	1	1	1	1	1	1	1528385	PRINT, APPLICATOR LOG SHEET	73					
-	1	1	1	1	1	1	1338705-3	DOCUMENTATION PACKAGE	72					
									70					
									69					
									68					
-	1	1	1	1	1	1	461264-5	PLATE, IDENTIFICATION	67					
-	2	2	2	2	2	2	21017-2	SCR,DRIVE (#2x.19) ID PLATE	66					
									65					
									64					
-	1	1	1	1	1	1	3-18031-0	SCR,SKT SET (M6X6) RAM	63					
									62					
-	2	2	2	2	2	2	1-18024-5	SCR,BHC (M5X25) DRAG	61					
-	1	1	1	1	1	1	18024-7	SCR,BHC (M4X10) ANVIL	60					
-	1	1	1	1	1	1	5-18022-2	SCR,HEX (M4X8) FEED FINGER	59					
									58					
									57					
-	1	1	1	1	1	1	1338685-1	PAWL, FEED	56					
									55					
-	4	4	4	4	4	4	18024-8	SCR,BHC (M4x12) SHEAR HOLDER	54					
									53					
-	1	1	1	1	1	1	18030-1	NUT, HEX (M3) HOLD DOWN	52					
-	1	1	1	1	1	1	811242-5	BUMPER, HOLDDOWN	51					
-	1	1	1	1	1	1	690753-2	SPACER, TONKER	50					
-	1	1	1	1	1	1	18024-3	SCR,BHC (M3X10) CAM	49					
-	-	1	-	-	1	-	1338675-1	CAM, PRE FEED 30 & 40 mm ST	48					
-	1	-	1	1	-	1	1338676-1	CAM, POST FEED 30 & 40 mm ST	47					
-	1	1	1	1	1	1	1320999-3	APPLICATOR BASIC SUBASSY	46					
-	1	1	1	1	1	1	690191-1	PLUG, NYLON	45					
-	1	1	1	1	1	1	1338660-1	RAM	44					
									43					
									42					
-	1	1	1	1	1	1	2-18024-6	SCR,BHC (M8X25) RAM	41					
									40					
-	1	1	1	1	1	1	690125-1	SHIM SUBASSY	39					
-	1	1	1	1	1	1	469367-2	SPACER, FINE ADJUST	38					
-	1	1	1	1	1	1	879103-2	FINE ADJUST HEAD SUBASSY	37					
									36					
									35					
-	1	1	1	1	1	1	1-1320934-3	SUPPORT, TERMINAL	34					
-	2	2	2	2	2	2	1-18024-0	SCR,BHC (M4X20) STRIP GUIDE	33					
-	1	1	1	1	1	1	18027-2	WASHER, FLAT (M4)	32					
-	3	3	3	3	3	3	1-18023-2	SCR,SKT CAP (M4X12) MOUNT BLOCK	31					
-	1	1	1	1	1	1	1320908-8	SPACER, STRIP GUIDE	30					
-	1	1	1	1	1	1	1633073-1	STRIP GUIDE PLATE ASSY	29					
-	1	1	1	1	1	1	2-455888-5	SPACER, FRONT SHEAR DEP	28					
-	2	2	2	2	2	2	1-22284-0	SPRING, DRAG	27					
-	1	1	1	1	1	1	356835-1	LEVER, DRAG RELEASE	26					
-	1	1	1	1	1	1	240792-1	DRAG, TERMINAL	25					
-	1	1	1	1	1	1	1320928-1	PLATE, STRIP GUIDE	24					
-	1	1	1	1	1	1	980371-4	SCR,SHC SHLD	23					
-	1	-	1	1	-	1	690472-2	STRIPPER	22					
-	1	1	1	1	1	1	1-18023-1	SCR,SHC (M4X10) STRIPPER	21					
-	4	4	4	4	4	4	18025-2	WASHER, LOCK (M4) STRIPPER	20					
-	-	1	-	-	1	-	690472-1	STRIPPER	19					
									18					
-	1	-	-	1	-	-	1338684-1	HOLDER, SHEAR, FRONT (NO-CUT)	17					
									16					
									15					
									14					
									13					
-	1	1	1	1	1	1	5-22280-0	SPRING, SHEAR	12					
-	1	1	1	1	1	1	356885-4	STOP, SHEAR	11					
-	-	1	1	-	1	1	1320921-1	HOLDER, SHEAR, FRONT (CUT)	10					
-	1	1	1	1	1	1	462006-1	SHEAR, FLOAT (FRONT)	9					
1	2	2	2	1	1	1	1-1333207-3	ANVIL	8					
									7					
									6					
-	1	1	1	1	1	1	2-455889-7	DEPRESSOR, SHEAR (FRONT)	5					
-	1	1	1	1	1	1	238011-4	SPACER, BLOCK CRIMPER	4					
1	2	2	2	1	1	1	1-1424909-4	CRIMPER, INSULATION	3					
									2					
1	2	2	2	1	1	1	456408-2	CRIMPER, WIRE	1					
-77	-76	-72	-71	-6	-2	-1	PART NO	DESCRIPTION	ITEM NO					
							REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)							
QTY REQD PER ASSY							PARTS LIST							
DIMENSIONS: mm (INCHES) DO NOT SCALE PRINT. TOLERANCES UNLESS OTHERWISE SPECIFIED: 1 PLC DEC ±- 2 PLC DEC ±- 3 PLC DEC ±- ANGLES ±- SURF TEXTURE: ✓							MATL	-	HT TR	-	FIN	-		
DR L.LOFTHOUSE							19MAY04 APP	19MAY04 F.BACKHURST	Type Electronics Harrisburg, PA 17105-3608					
CHK -							REL	25-06-04 M.CLIFFORD	AMP					
NAME							FINE ADJ SIDE FD HD-I APPL			MACHINE REF	HD-I APPL			
SCALE							D	DWG NO	1528385		SHEET	1 of 1	REV	A
CASE CODE 00779							CUSTOMER AND ASSEMBLY DRAWING					RESTRICTED TO		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9