



Tous droits strictement réservés. Reproduction ou communication o des liers
interdit sous quelque forme que ce soit sans autorisation écrite du propriétaire.
Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any
form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.

A
FCI

PRODUCT NUMBER
SEE SHEET 4



THIS FILE WAS ORIGINALLY CREATED IN THE PRO
ENGINEER ENVIRONMENT AND ANY FUTURE REVISIONS TO
THIS FILE MUST BE MADE IN THE PRO ENGINEER
ENVIRONMENT

mat'l code				tolerances unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com	
lfr	ecn no.	dr	date	linear	.XX±.01/0.X±0.3	projection		title	14P + 32S RIGHT ANGLE RECEPTACLE
G	DG05-0363	GuoJM	09/28/05		.XXX±.005/0.XX±0.13			product family	PwrBlade
				angles	.XXXX±.0020/.XXX±.051			code	213
				dr	S. ROYER 10-01-99	INCH / MM		size	51402
				engr	J. BROWN 10-01-99	scale	1:1	dwg no	1 OF 4
				chr	J. BROWN 10-01-99				
				appd	J. BROWN 10-01-99				
sheet index	revision sheet	G 1	G 2	G 3	G 4				

form no. 7530-001-103

cage code 22526

PDM: Rev:G

STATUS: Released

Printed: Dec 20, 2010

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.

FCI

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
SEE SHEET 4

CONNECTOR NOTES:

1. HOUSING MATERIAL: UL 94V-0 GLASS FILLED HIGH
TEMP THERMO PLASTIC
SIGNAL CONTACT MATERIAL: COPPER ALLOY
POWER CONTACT: COPPER ALLOY

2. PLATING:
51402-XXYYY Singal Pin:30u"/0.76um Au OVER 50u"/1.27um Ni ON THE CONTACT AREA,
AND 100u"/2.54um SnPb PLATING OVER 50u"/1.27um Ni ON THE TERMINATION SECTION.
Power Pin:30u"/0.76um Au OVER 50u"/1.27um Ni ON THE CONTACT AREA,
AND 100u"/2.54um SnPb PLATING OVER 50u"/1.27um Ni ON THE TERMINATION SECTION.

51402-XXYYL F Singal Pin:30u"/0.76um Au OVER 50u"/1.27um Ni ON THE CONTACT AREA,
AND 78u"/2.00um Sn PLATING OVER 50u"/1.27um Ni ON THE TERMINATION SECTION.
Power Pin:30u"/0.76um Au OVER 50u"/1.27um Ni ON THE CONTACT AREA,
AND 78u"/2.00um Sn PLATING OVER 50u"/1.27um Ni ON THE TERMINATION SECTION.

PART NUMBER 51402-XXYYL F MEETS EUROPEAN UNION DIRECTIVE AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.


THE HOUSING WILL WITHSTAND EXPOSURE TO 260° PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A CIRCUIT BOARD.

3. MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS
SURFACE.

PCB NOTES:

- ALL DIMENSIONS ARE BASIC UNLESS OTHERWISE SPECIFIED.
- ALL THRU HOLES ARE LOCATED WITH A TRUE POSITION OF 0.004".
- ALL DIAMETERS ARE FINISHED HOLE SIZES
- Ø0.098 THRU HOLES ARE UNPLATED.

THIS FILE WAS ORIGINALLY CREATED IN THE PRO
ENGINEER ENVIRONMENT AND ANY FUTURE REVISIONS TO
THIS FILE MUST BE MADE IN THE PRO ENGINEER
ENVIRONMENT

mat'l code				SEE NOTES		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
lfr	ecn no.	dr	date	linear	.XX±.01/.X±0.3		COPY		 INCH / MM scale 1:1		
G					.XXX±.005/0.XX±0.13		projection				
					.XXX±.0020/.XXX±.051		0°±2°				
				angles					product family PwrBlade code 213 size dwg no 51402 A SHEET 2 OF 4		
				dr	S. ROYER	10-01-99					
				enrg	J. BROWN	10-01-99					
				chr	J. BROWN	10-01-99			cage code 22526		
				appd	J. BROWN	10-01-99					
sheet index		revision sheet									

form no. 7530-001-103

PDM: Rev:G

STATUS: Released





Printed: Dec 20, 2010

Tous droits strictement réservés. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.

FCI

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
SEE SHEET 4



THIS FILE WAS ORIGINALLY CREATED IN THE PRO ENGINEER ENVIRONMENT AND ANY FUTURE REVISIONS TO THIS FILE MUST BE MADE IN THE PRO ENGINEER ENVIRONMENT

mat'l code				SEE NOTES		tolerances unless otherwise specified		CUSTOMER		A FCI www.fciconnect.com	
lfr	ecn no.	dr	date			linear	.XX±.01/0.X±0.3		COPY	title	14P + 32S
G						angles	.XXX±.005/0.XX±0.13	projection		RIGHT ANGLE RECEPTACLE	
							.XXX±.0020/.XXX±.051			product family	PwrBlade
						dr	S. ROYER 10-01-99	INCH / MM		size	213
						enqr	J. BROWN 10-01-99	scale	1:1	dwg no	51402
						chr	J. BROWN 10-01-99				3 OF 4
						appd	J. BROWN 10-01-99				
sheet index	revision sheet										

form no. 7530-001-103

cage code 22526

PDM: Rev:G

STATUS: Released


Printed: Dec 20, 2010

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.


All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

A
FCI

1 2		3		4	
PRODUCT NUMBER		ITEM NO.		CONTACT TYPE	
SEE TABLE		QTY			
		DIM "M" MATING LENGTH ±.010		DIM "T" TAIL LENGTH ±.010	
		E 8 N/A [N/A]		0.135 [3.43] SIGNAL	
		F 8 N/A [N/A]		0.135 [3.43] SIGNAL	
		G 8 N/A [N/A]		0.135 [3.43] SIGNAL	
		H 8 N/A [N/A]		0.135 [3.43] SIGNAL	
		PA 14 0.042 [1.07]		0.135 [3.43] POWER	
		HA 2 N/A [N/A]		N/A [N/A] HOLD-DOWN	



ITEM NO.		QTY		DIM "M" MATING LENGTH ±.010		DIM "T" TAIL LENGTH ±.010		CONTACT TYPE	
E		8		N/A [N/A]		0.135 [3.43]		SIGNAL	
F		8		N/A [N/A]		0.135 [3.43]		SIGNAL	
G		8		N/A [N/A]		0.135 [3.43]		SIGNAL	
H		8		N/A [N/A]		0.135 [3.43]		SIGNAL	
PA		7		0.042 [1.07]		0.135 [3.43]		POWER	
PC		7		0.092 [2.34]		0.135 [3.43]		POWER	
HA		2		N/A [N/A]		N/A [N/A]		HOLD-DOWN	



mat'l code				SEE NOTES				tolerances unless otherwise specified				CUSTOMER				www.fciconnect.com			
lfr		ecn no.		dr		date		linear		.XX±.01/0.X±0.3		COPY				title 14P + 32S RIGHT ANGLE RECEPTACLE			
G						.XXX±.005/0.XX±0.13													
						.XXXX±.0020/.XXX±.051													
								angles		0°±2°		INCH / MM				product family PwrBlade			
						0°±2°													
								dr		S. ROYER 10-01-99		scale 1:1		size A		dwg no 51402			
						enrg		J. BROWN 10-01-99											
						chr		J. BROWN 10-01-99											
								appd		J. BROWN 10-01-99									

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9