






REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	E	REVISED PER ECO-10-025607	21DEC10	HMR	MW
	E1	REVISED PER ECO-16-017354	10MAR2017	RK	AS




2.00-3.00	20.20	22.20
1.25-2.00	19.60	22.20
0.75-1.25	19.40	22.20
PANEL THICKNESS	X	Y







PRODUCT MARKING DETAIL A



TYCO ELECTRONICS LOGO
PER TEC-202-36


 1634200-2 SHOWN ON-OFF

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN SA008712 2-4-07	 TE Connectivity			
DIMENSIONS: mm		CHK —	NAME POWER ROCKER SWITCH 19,4MM X 22,2mm PANEL SIZE DPST, NON-ILLUMINATED			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD —				
		PRODUCT SPEC —	SIZE A2			
MATERIAL —		APPLICATION SPEC —	CAGE CODE 00779			
		WEIGHT —	DRAWING NO C-1634200			
		CUSTOMER DRAWING	RESTRICTED TO —			
		SCALE 3:1	SHEET 1 of 7			
			REV E1			




2.00–3.00	20.20	22.20
1.25–2.00	19.60	22.20
0.75–1.25	19.40	22.20
PANEL THICKNESS	X	Y

CIRCUIT DIAGRAM



PRODUCT MARKING
DETAIL A



PRE
10A 125VAC, 6A 250VAC



TYCO ELECTRONICS LOGO
PER TEC-202-36


7 OBSOLETE 1634200-8 SHOWN ON-OFF ILLUMINATED

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN SA008712 2-4-07	TE Connectivity			
DIMENSIONS: mm		CHK -	NAME POWER ROCKER SWITCH 19,4MM X 22,2mm PANEL SIZE DPST, NON-ILLUMINATED			
		APVD -				
		PRODUCT SPEC -				
		APPLICATION SPEC -				
MATERIAL -		WEIGHT -	SIZE A2	CAGE CODE 00779	DRAWING NO C-1634200	RESTRICTED TO -
		CUSTOMER DRAWING		SCALE 3:1	SHEET 2 of 7	REV E1




2.00–3.00	20.20	22.20
1.25–2.00	19.60	22.20
0.75–1.25	19.40	22.20
PANEL THICKNESS	X	Y

CIRCUIT DIAGRAM



PRODUCT MARKING
DETAIL A



PRE
10A 125VAC, 6A 250VAC



TYCO ELECTRONICS LOGO
PER TEC-202-36


8 1-1634200-2 SHOWN ON-ON

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN SA008712 2-4-07	TE Connectivity			
DIMENSIONS: mm		CHK —				
		APVD —	NAME POWER ROCKER SWITCH 19,4MM X 22,2mm PANEL SIZE DPST, NON-ILLUMINATED			
		PRODUCT SPEC —	SIZE A2			
MATERIAL —		APPLICATION SPEC —	CAGE CODE 00779			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		WEIGHT —	DRAWING NO 1634200			
		CUSTOMER DRAWING	RESTRICTED TO —			
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± - FINISH -		SCALE 3:1	SHEET 3 of 7		REV E1	




2.00–3.00	20.20	22.20
1.25–2.00	19.60	22.20
0.75–1.25	19.40	22.20
PANEL THICKNESS	X	Y

CIRCUIT DIAGRAM



PRODUCT MARKING
DETAIL A


PRE
10A 125VAC, 6A 250VAC




TYCO ELECTRONICS LOGO
PER TEC-202-36

1-1634200-7 SHOWN ON-OFF-ON

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	2-4-07	TE Connectivity	
		CHK	-		
DIMENSIONS:		APVD	-	NAME	
mm		PRODUCT SPEC	-		
		APPLICATION SPEC	-	POWER ROCKER SWITCH 19,4MM X 22,2mm PANEL SIZE DPST, NON-ILLUMINATED	
		WEIGHT	-		
MATERIAL		SCALE	3:1	SIZE	RESTRICTED TO
		CUSTOMER DRAWING	4 of 7	A2 00779 C-1634200	-
		REVISIONS	E1		




PANEL CUT OUT		
2.00–3.00	20.20	22.20
1.25–2.00	19.60	22.20
0.75–1.25	19.40	22.20
PANEL THICKNESS	X	Y



PRODUCT MARKING DETAIL A

PRE
10A 125VAC, 6A 250VAC



TYCO ELECTRONICS LOGO
PER TEC-202-36

10 2-1634200-3 SHOWN ON-OFF-(ON)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN SA008712 2-4-07	TE Connectivity			
DIMENSIONS: mm		CHK —				
		APVD —	NAME POWER ROCKER SWITCH 19,4MM X 22,2mm PANEL SIZE DPST, NON-ILLUMINATED			
		PRODUCT SPEC —	SIZE A2			
MATERIAL —		APPLICATION SPEC —	CAGE CODE 00779			
FINISH —		WEIGHT —	DRAWING NO C-1634200			
		CUSTOMER DRAWING	RESTRICTED TO —			
		SCALE 3:1	SHEET 5 of 7			
			REV E1			




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

D


C

B

A




2.00–3.00	20.20	22.20
1.25–2.00	19.60	22.20
0.75–1.25	19.40	22.20
PANEL THICKNESS	X	Y



PRODUCT MARKING
DETAIL A

PRE
10A 125VAC, 6A 250VAC



TYCO ELECTRONICS LOGO
PER TEC-202-36

11 2-1634200-6 SHOWN (ON)-OFF-(ON)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN SA008712 2-4-07	TE Connectivity			
DIMENSIONS: mm		CHK —				
		APVD —	NAME POWER ROCKER SWITCH 19,4MM X 22,2mm PANEL SIZE DPST, NON-ILLUMINATED			
		PRODUCT SPEC —	SIZE A2			
MATERIAL —		APPLICATION SPEC —	CAGE CODE 00779			
		WEIGHT —	DRAWING NO C-1634200			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		CUSTOMER DRAWING	RESTRICTED TO —			
0 PLC ± -		SCALE 3:1	SHEET 6 of 7			
1 PLC ± -		REV E1				
2 PLC ± -						
3 PLC ± -						
4 PLC ± -						
ANGLES ± -						
FINISH —						

D

 COMPONENT RECOGNIZED TO EUROPEAN STANDARDS (ENEC, PENDING VDE). MARKS LICENSE No. 40006757

ROCKER COLOR: $X_{11} = \begin{matrix} \underline{B} & - & \text{BLACK} \\ \underline{G} & - & \text{GREEN} \\ \underline{R} & - & \text{RED} \\ \underline{W} & - & \text{WHITE} \end{matrix}$

W — WHITE

W - WHITE

1634200

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN SA008712		2-4-07		 TE Connectivity												
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK		NAME		POWER ROCKER SWITCH 19,4MM X 22,2mm PANEL SIZE DPST, NON-ILLUMINATED											
mm				APVD															
		0 PLC ± -		PRODUCT SPEC															
		1 PLC ± -																	
		2 PLC ± -																	
		3 PLC ± -																	
4 PLC ± -				APPLICATION SPEC															
ANGLES ± -																			
MATERIAL		FINISH		WEIGHT		A2 00779		DRAWING NO		RESTRICTED TO									
-		-		-		C=1634200				-									
CUSTOMER DRAWING								SCALE		3:1		SHEET		7 of 7		REV		E1	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9