

Mating harness







| Model | Harness model # | |
|-------------------|-----------------|---------|
| | Input | Output |
| LCA10S | H-IN-4 | H-OU-7 |
| LCA15S | H-IN-4 | H-OU-8 |
| LCA30S | | H-OU-9 |
| LCA50S, *LGA50A | | H-OU-9 |
| LCA75S, *LGA75A | H-IN-5 or | H-OU-18 |
| LCA100S, *LGA100A | H-IN-10 | H-OU-10 |
| LCA150S, | | H-OU-11 |
| *LGA150A, | | H-OU-12 |
| *LGA240A, | H-IN-14 | H-OU-11 |
| *LFA300F, | | H-OU-12 |
| *LFP300F | | |
| SNA-01,-03 | H-OU-8 | H-OU-8 |
| SNA-06 | H-OU-9 | H-OU-9 |
| SNR-10 | H-OU-18 | H-OU-18 |

| Model | Harness model # | |
|---|-----------------|---------|
| | Input | Output |
| LDA10F | | H-OU-8 |
| LDA15F | | H-OU-8 |
| LDA30F, *LFA30F | | H-OU-9 |
| LDA50F, LEA50F, *LFA50F | | H-OU-9 |
| LDA75F, LEA75F, *LFA75F | | H-OU-18 |
| LDA100W, LEA100F, *LFP100F, *LFA100F | H-IN-5 or | H-OU-10 |
| *LMA100F, LEP100F, 150F, 240F | H-IN-10 | |
| LDA150W, LEA150F, *LFP150F, *LFA150F, *LFA240F, | | H-OU-11 |
| *LFP240F, *LMA150F, *LMA240F | | H-OU-12 |
| *LFA10F | | H-OU-34 |
| *LFA15F | | H-OU-34 |
| *LDA300W | H-IN-7 | H-OU-22 |

* Optional : connector type "-J" (LDA300W)
 * Optional : connector type "-J1" (LGA50A, 75A, 100A, 150A, 240A)
 * Optional : connector type "-J1" (LFA10F, 15F, 30F, 50F, 75F, 100F, 150F, 240F, 300F)
 * Optional : connector type "-J1" (LFP100F, 150F, 240F, 300F)
 * Optional : connector type "-J1" (LMA100F, 150F, 240F)

LCA Series
 LGA Series
 LDA Series
 LEA Series
 LEP Series
 LFA Series
 LFP Series
 LMA Series
 SNA Series
 SNR Series

| <p>●Model number H-IN-4 Housing : XHP-7 (J.S.T.) Pin : SXH-001T-P0.6 (J.S.T.) Weight : 10g max</p> | <p>●Type</p> | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length ℓ (mm)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>UL1007</td> <td>22</td> <td>black</td> <td>500</td> </tr> <tr> <td>2, 3</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>UL1007</td> <td>22</td> <td>white</td> <td>500</td> </tr> <tr> <td>5, 6</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>7</td> <td>UL1007</td> <td>22</td> <td>green</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length ℓ (mm) | 1 | UL1007 | 22 | black | 500 | 2, 3 | | | | | 4 | UL1007 | 22 | white | 500 | 5, 6 | | | | | 7 | UL1007 | 22 | green | 500 |
|---|--------------|--|--------------|---------------|-----|-------|---------------|------|--------|----|-------|-----|------|--------|----|-------|-----|------|--------|----|-------|-----|------|--------|----|-----|-----|------|--------|----|--------------|-----|
| Pin # | Wire | AWG | Color | Length ℓ (mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | UL1007 | 22 | black | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2, 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | UL1007 | 22 | white | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5, 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | UL1007 | 22 | green | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>●Model number H-IN-5 Housing : VHR-5N (J.S.T.) Pin : SVH-21T-P0.6 (J.S.T.) Weight : 30g max</p> | <p>●Type</p> | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length ℓ (mm)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> <tr> <td>2</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>UL1015</td> <td>18</td> <td>white</td> <td>500</td> </tr> <tr> <td>4</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td>UL1015</td> <td>18</td> <td>green</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length ℓ (mm) | 1 | UL1015 | 18 | black | 500 | 2 | | | | | 3 | UL1015 | 18 | white | 500 | 4 | | | | | 5 | UL1015 | 18 | green | 500 |
| Pin # | Wire | AWG | Color | Length ℓ (mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | UL1015 | 18 | white | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | UL1015 | 18 | green | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>●Model number H-IN-7 Housing : 1-178128-5 (Tyco Electronics) Pin : 1-175218-2 or 1-175218-3 (Tyco Electronics) Weight : 35g max</p> | <p>●Type</p> | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length ℓ (mm)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>UL1015</td> <td>18</td> <td>white</td> <td>500</td> </tr> <tr> <td>2</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> <tr> <td>4</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td>UL1015</td> <td>18</td> <td>green/yellow</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length ℓ (mm) | 1 | UL1015 | 18 | white | 500 | 2 | | | | | 3 | UL1015 | 18 | black | 500 | 4 | | | | | 5 | UL1015 | 18 | green/yellow | 500 |
| Pin # | Wire | AWG | Color | Length ℓ (mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | UL1015 | 18 | white | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | UL1015 | 18 | green/yellow | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>●Model number H-IN-10 Housing : VHR-5N (J.S.T.) Pin : SVH-21T-P1.1 (J.S.T.) Weight : 30g max</p> | <p>●Type</p> | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length ℓ (mm)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> <tr> <td>2</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>UL1015</td> <td>18</td> <td>white</td> <td>500</td> </tr> <tr> <td>4</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td>UL1015</td> <td>18</td> <td>green/yellow</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length ℓ (mm) | 1 | UL1015 | 18 | black | 500 | 2 | | | | | 3 | UL1015 | 18 | white | 500 | 4 | | | | | 5 | UL1015 | 18 | green/yellow | 500 |
| Pin # | Wire | AWG | Color | Length ℓ (mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | UL1015 | 18 | white | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | UL1015 | 18 | green/yellow | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>●Model number H-IN-14 Housing : VHR-8N (J.S.T.) Pin : SVH-21T-P1.1 (J.S.T.) Weight : 60g max</p> | <p>●Type</p> | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length ℓ (mm)</th> </tr> </thead> <tbody> <tr> <td>1, 2</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> <tr> <td>3</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>4, 5</td> <td>UL1015</td> <td>18</td> <td>white</td> <td>500</td> </tr> <tr> <td>6</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>7, 8</td> <td>UL1015</td> <td>18</td> <td>green</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length ℓ (mm) | 1, 2 | UL1015 | 18 | black | 500 | 3 | | | | | 4, 5 | UL1015 | 18 | white | 500 | 6 | | | | | 7, 8 | UL1015 | 18 | green | 500 |
| Pin # | Wire | AWG | Color | Length ℓ (mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1, 2 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4, 5 | UL1015 | 18 | white | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7, 8 | UL1015 | 18 | green | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>●Model number H-OU-7 Housing : XHP-2 (J.S.T.) Pin : SXH-001T-P0.6 (J.S.T.) Weight : 7g max</p> | <p>●Type</p> | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length ℓ (mm)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>UL1007</td> <td>22</td> <td>black</td> <td>500</td> </tr> <tr> <td>2</td> <td>UL1007</td> <td>22</td> <td>red</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length ℓ (mm) | 1 | UL1007 | 22 | black | 500 | 2 | UL1007 | 22 | red | 500 | | | | | | | | | | | | | | | |
| Pin # | Wire | AWG | Color | Length ℓ (mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | UL1007 | 22 | black | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | UL1007 | 22 | red | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>●Model number H-OU-8 Housing : XHP-4 (J.S.T.) Pin : SXH-001T-P0.6 (J.S.T.) Weight : 15g max</p> | <p>●Type</p> | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length ℓ (mm)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>UL1007</td> <td>22</td> <td>black</td> <td>500</td> </tr> <tr> <td>2</td> <td>UL1007</td> <td>22</td> <td>black</td> <td>500</td> </tr> <tr> <td>3</td> <td>UL1007</td> <td>22</td> <td>red</td> <td>500</td> </tr> <tr> <td>4</td> <td>UL1007</td> <td>22</td> <td>red</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length ℓ (mm) | 1 | UL1007 | 22 | black | 500 | 2 | UL1007 | 22 | black | 500 | 3 | UL1007 | 22 | red | 500 | 4 | UL1007 | 22 | red | 500 | | | | | |
| Pin # | Wire | AWG | Color | Length ℓ (mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | UL1007 | 22 | black | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | UL1007 | 22 | black | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | UL1007 | 22 | red | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | UL1007 | 22 | red | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>●Model number H-OU-9 Housing : VHR-4N (J.S.T.) Pin : SVH-21T-P1.1 (J.S.T.) Weight : 40g max</p> | <p>●Type</p> | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length ℓ (mm)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> <tr> <td>2</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> <tr> <td>3</td> <td>UL1015</td> <td>18</td> <td>red</td> <td>500</td> </tr> <tr> <td>4</td> <td>UL1015</td> <td>18</td> <td>red</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length ℓ (mm) | 1 | UL1015 | 18 | black | 500 | 2 | UL1015 | 18 | black | 500 | 3 | UL1015 | 18 | red | 500 | 4 | UL1015 | 18 | red | 500 | | | | | |
| Pin # | Wire | AWG | Color | Length ℓ (mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | UL1015 | 18 | red | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | UL1015 | 18 | red | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| <p>●Model number H-OU-10 Housing : VHR-8N (J.S.T.) Pin : SVH-21T-P1.1 (J.S.T.) Weight : 80g max</p> | <p>●Type</p>  | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length l (mm)</th> </tr> </thead> <tbody> <tr> <td>1 - 4</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> <tr> <td>5 - 8</td> <td>UL1015</td> <td>18</td> <td>red</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length l (mm) | 1 - 4 | UL1015 | 18 | black | 500 | 5 - 8 | UL1015 | 18 | red | 500 |
|---|--|---|-------|-----------------|-----|-------|-----------------|-------|--------|----|-------|-----|--------|--------|----|-----|-----|
| Pin # | Wire | AWG | Color | Length l (mm) | | | | | | | | | | | | | |
| 1 - 4 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | |
| 5 - 8 | UL1015 | 18 | red | 500 | | | | | | | | | | | | | |
| <p>●Model number H-OU-11 Housing : VHR-6N (J.S.T.) Pin : SVH-21T-P1.1 (J.S.T.) Weight : 60g max</p> | <p>●Type</p>  | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length l (mm)</th> </tr> </thead> <tbody> <tr> <td>1 - 6</td> <td>UL1015</td> <td>18</td> <td>red</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length l (mm) | 1 - 6 | UL1015 | 18 | red | 500 | | | | | |
| Pin # | Wire | AWG | Color | Length l (mm) | | | | | | | | | | | | | |
| 1 - 6 | UL1015 | 18 | red | 500 | | | | | | | | | | | | | |
| <p>●Model number H-OU-12 Housing : VHR-7N (J.S.T.) Pin : SVH-21T-P1.1 (J.S.T.) Weight : 70g max</p> | <p>●Type</p>  | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length l (mm)</th> </tr> </thead> <tbody> <tr> <td>1 - 7</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length l (mm) | 1 - 7 | UL1015 | 18 | black | 500 | | | | | |
| Pin # | Wire | AWG | Color | Length l (mm) | | | | | | | | | | | | | |
| 1 - 7 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | |
| <p>●Model number H-OU-18 Housing : VHR-6N (J.S.T.) Pin : SVH-21T-P1.1 (J.S.T.) Weight : 60g max</p> | <p>●Type</p>  | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length l (mm)</th> </tr> </thead> <tbody> <tr> <td>1 - 3</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> <tr> <td>4 - 6</td> <td>UL1015</td> <td>18</td> <td>red</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length l (mm) | 1 - 3 | UL1015 | 18 | black | 500 | 4 - 6 | UL1015 | 18 | red | 500 |
| Pin # | Wire | AWG | Color | Length l (mm) | | | | | | | | | | | | | |
| 1 - 3 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | |
| 4 - 6 | UL1015 | 18 | red | 500 | | | | | | | | | | | | | |
| <p>●Model number H-OU-22 Housing : 1-178288-8 (Tyco Electronics) Pin : 1-175218-2 or 1-175218-3 (Tyco Electronics) Weight : 100g max</p> | <p>●Type</p>  | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length l (mm)</th> </tr> </thead> <tbody> <tr> <td>1 - 5</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> <tr> <td>6 - 10</td> <td>UL1015</td> <td>18</td> <td>red</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length l (mm) | 1 - 5 | UL1015 | 18 | black | 500 | 6 - 10 | UL1015 | 18 | red | 500 |
| Pin # | Wire | AWG | Color | Length l (mm) | | | | | | | | | | | | | |
| 1 - 5 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | |
| 6 - 10 | UL1015 | 18 | red | 500 | | | | | | | | | | | | | |
| <p>●Model number H-OU-34 Housing : VHR-2N (J.S.T.) Pin : SVH-21T-P1.1 (J.S.T.) Weight : 20g max</p> | <p>●Type</p>  | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length l (mm)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> <tr> <td>2</td> <td>UL1015</td> <td>18</td> <td>red</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length l (mm) | 1 | UL1015 | 18 | black | 500 | 2 | UL1015 | 18 | red | 500 |
| Pin # | Wire | AWG | Color | Length l (mm) | | | | | | | | | | | | | |
| 1 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | |
| 2 | UL1015 | 18 | red | 500 | | | | | | | | | | | | | |

LGA Series
LFA Series
LFP Series
LMA Series

Mating harness


| Model | Harness model # | |
|--|-----------------|--------------------|
| | Input | Output |
| LFA10F | H-IN-12 | H-OU-33 |
| LFA15F | | H-OU-33 |
| LFA30F | | H-OU-28 |
| LFA50F, LGA50A | | H-OU-28 |
| LFA75F, LGA75A | | H-OU-29 |
| LFP100F, LFA100F, LGA100A LMA100F | | H-OU-30 |
| LFP150F, LFA150F, LGA150A, LFA240F, LFP240F, LMA150F LMA240F | | H-OU-31 H-OU-32 |
| LGA240A, LFA300F LFP300F | H-IN-13 | H-OU-31 H-OU-32 |

| <p>●Model number H-IN-12 Housing : 1-1123722-5 (Tyco Electronics) Pin : 1123721-1 or 1318912-1 (Tyco Electronics) Weight : 30g max</p> | <p>●Type</p> | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length ℓ (mm)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> <tr> <td>2</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>UL1015</td> <td>18</td> <td>white</td> <td>500</td> </tr> <tr> <td>4</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td>UL1015</td> <td>18</td> <td>green</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length ℓ (mm) | 1 | UL1015 | 18 | black | 500 | 2 | | | | | 3 | UL1015 | 18 | white | 500 | 4 | | | | | 5 | UL1015 | 18 | green | 500 |
|---|--------------|---|-------|---------------|-----|-------|---------------|-------|--------|----|-------|-----|-------|--------|----|-------|-----|-----|--------|----|-------|-----|---|--------|----|-----|-----|-----|--------|----|-------|-----|
| Pin # | Wire | AWG | Color | Length ℓ (mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | UL1015 | 18 | white | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | UL1015 | 18 | green | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>●Model number H-IN-13 Housing : 1-1123722-8 (Tyco Electronics) Pin : 1123721-1 or 1318912-1 (Tyco Electronics) Weight : 55g max</p> | <p>●Type</p> | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length ℓ (mm)</th> </tr> </thead> <tbody> <tr> <td>1,2</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> <tr> <td>3</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>4,5</td> <td>UL1015</td> <td>18</td> <td>white</td> <td>500</td> </tr> <tr> <td>6</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>7,8</td> <td>UL1015</td> <td>18</td> <td>green</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length ℓ (mm) | 1,2 | UL1015 | 18 | black | 500 | 3 | | | | | 4,5 | UL1015 | 18 | white | 500 | 6 | | | | | 7,8 | UL1015 | 18 | green | 500 |
| Pin # | Wire | AWG | Color | Length ℓ (mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,2 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4,5 | UL1015 | 18 | white | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7,8 | UL1015 | 18 | green | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>●Model number H-OU-28 Housing : 1-1123722-4 (Tyco Electronics) Pin : 1123721-1 or 1318912-1 (Tyco Electronics) Weight : 40g max</p> | <p>●Type</p> | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length ℓ (mm)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> <tr> <td>2</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> <tr> <td>3</td> <td>UL1015</td> <td>18</td> <td>red</td> <td>500</td> </tr> <tr> <td>4</td> <td>UL1015</td> <td>18</td> <td>red</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length ℓ (mm) | 1 | UL1015 | 18 | black | 500 | 2 | UL1015 | 18 | black | 500 | 3 | UL1015 | 18 | red | 500 | 4 | UL1015 | 18 | red | 500 | | | | | |
| Pin # | Wire | AWG | Color | Length ℓ (mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | UL1015 | 18 | red | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | UL1015 | 18 | red | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>●Model number H-OU-29 Housing : 1-1123722-6 (Tyco Electronics) Pin : 1123721-1 or 1318912-1 (Tyco Electronics) Weight : 60g max</p> | <p>●Type</p> | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length ℓ (mm)</th> </tr> </thead> <tbody> <tr> <td>1 - 3</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> <tr> <td>4 - 6</td> <td>UL1015</td> <td>18</td> <td>red</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length ℓ (mm) | 1 - 3 | UL1015 | 18 | black | 500 | 4 - 6 | UL1015 | 18 | red | 500 | | | | | | | | | | | | | | | |
| Pin # | Wire | AWG | Color | Length ℓ (mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 - 3 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 - 6 | UL1015 | 18 | red | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>●Model number H-OU-30 Housing : 1-1123722-8 (Tyco Electronics) Pin : 1123721-1 or 1318912-1 (Tyco Electronics) Weight : 75g max</p> | <p>●Type</p> | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length ℓ (mm)</th> </tr> </thead> <tbody> <tr> <td>1 - 4</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> <tr> <td>5 - 8</td> <td>UL1015</td> <td>18</td> <td>red</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length ℓ (mm) | 1 - 4 | UL1015 | 18 | black | 500 | 5 - 8 | UL1015 | 18 | red | 500 | | | | | | | | | | | | | | | |
| Pin # | Wire | AWG | Color | Length ℓ (mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 - 4 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 - 8 | UL1015 | 18 | red | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>●Model number H-OU-31 Housing : 1-1123722-6 (Tyco Electronics) Pin : 1123721-1 or 1318912-1 (Tyco Electronics) Weight : 60g max</p> | <p>●Type</p> | <p>●Wire</p> <table border="1"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length ℓ (mm)</th> </tr> </thead> <tbody> <tr> <td>1 - 6</td> <td>UL1015</td> <td>18</td> <td>red</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length ℓ (mm) | 1 - 6 | UL1015 | 18 | red | 500 | | | | | | | | | | | | | | | | | | | | |
| Pin # | Wire | AWG | Color | Length ℓ (mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 - 6 | UL1015 | 18 | red | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| <p>●Model number H-OU-32 Housing : 1-1123722-7 (Tyco Electronics) Pin : 1123721-1 or 1318912-1 (Tyco Electronics) Weight : 70g max</p> | <p>●Type</p>  | <p>●Wire</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length l (mm)</th> </tr> </thead> <tbody> <tr> <td>1 - 7</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length l (mm) | 1 - 7 | UL1015 | 18 | black | 500 | | | | | |
|---|--|--|-------|-----------------|-----|-------|-----------------|-------|--------|----|-------|-----|---|--------|----|-----|-----|
| Pin # | Wire | AWG | Color | Length l (mm) | | | | | | | | | | | | | |
| 1 - 7 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | |
| <p>●Model number H-OU-33 Housing : 1-1123722-2 (Tyco Electronics) Pin : 1123721-1 or 1318912-1 (Tyco Electronics) Weight : 20g max</p> | <p>●Type</p>  | <p>●Wire</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length l (mm)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>UL1015</td> <td>18</td> <td>black</td> <td>500</td> </tr> <tr> <td>2</td> <td>UL1015</td> <td>18</td> <td>red</td> <td>500</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length l (mm) | 1 | UL1015 | 18 | black | 500 | 2 | UL1015 | 18 | red | 500 |
| Pin # | Wire | AWG | Color | Length l (mm) | | | | | | | | | | | | | |
| 1 | UL1015 | 18 | black | 500 | | | | | | | | | | | | | |
| 2 | UL1015 | 18 | red | 500 | | | | | | | | | | | | | |

LFP Series

Harness for connecting the external capacitor unit is prepared for LFP240/300F(U1 type).

| <p>●Model number H-IN-23 Housing : VHR-4N(J.S.T.) Pin : SVH-21T-P1.1(J.S.T.) Weight : 5g max</p> | <p>●Type</p>  | <p>●Wire</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Pin #</th> <th>Wire</th> <th>AWG</th> <th>Color</th> <th>Length l (mm)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>UL1015</td> <td>20</td> <td>black</td> <td>100</td> </tr> <tr> <td>3</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>UL1015</td> <td>20</td> <td>red</td> <td>100</td> </tr> </tbody> </table> | Pin # | Wire | AWG | Color | Length l (mm) | 1 | | | | | 2 | UL1015 | 20 | black | 100 | 3 | | | | | 4 | UL1015 | 20 | red | 100 |
|---|--|--|-------|-----------------|-----|-------|-----------------|---|--|--|--|--|---|--------|----|-------|-----|---|--|--|--|--|---|--------|----|-----|-----|
| Pin # | Wire | AWG | Color | Length l (mm) | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | UL1015 | 20 | black | 100 | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | UL1015 | 20 | red | 100 | | | | | | | | | | | | | | | | | | | | | | | |

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Cosel:

[H-OU-31](#) [H-OU-33](#) [H-OU-28](#) [H-OU-22](#) [H-OU-30](#) [H-OU-34](#) [H-OU-32](#) [H-IN-13](#) [H-IN-14](#) [H-OU-29](#) [H-IN-12](#)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9