


FEMALE PLUG M12 90° ANGLED TO MALE PLUG M12 STRAIGHT



NOTES:

RATED VOLTAGE: 3, 4 contacts 250V per IEC 60664
5 contacts 60V per IEC 60664
5 contacts 250V per UL 2238
8 contacts 30V per IEC 60664
RATED CURRENT: 3, 4, 5 contacts 4A
8 contacts 2A
PROTECTION CLASS: IP 67
TEMPERATURE: -25°C / +85°C

* FOR CABLES lxx USE PRINTING ON THE CABLE IN THE SAME MEASUREMENT LIKE FOR LABEL – ENGINEERING No

CONTACTS POSITION FRONT VIEW:

	3 CONTACTS		4 CONTACTS		5 CONTACTS		8 CONTACTS	
FEMALE								
MALE								
CONNECTIONS	PIN	WIRE	PIN	WIRE	PIN	WIRE	PIN	WIRE
	1	BROWN	1	BROWN	1	BROWN	1	WHITE
	2	---	2	WHITE	2	WHITE	2	BROWN
	3	BLUE	3	BLUE	3	BLUE	3	GREEN
	4	BLACK	4	BLACK	4	BLACK	4	YELLOW
			5	---	5	GREY OR GREEN/YELLOW	5	GREY
							6	PINK
							7	BLUE
CODING REQUIRED TO IEC 61076-2-101								

FOR OPTIONS SEE - NUMERICAL CODE - ON SHEET 2

11	SEE PART LIST	ID CARRIER	PVC	TRANSPARENT
10	1	LABEL YELLOW	VINYL	---
	-	PRINTING FOR CABLES lxx	---	---
9	3 / 4 / 5 / 8	CONTACT MALE	SEE PART LIST	SELECTIVE Au OVER Ni
8	1	INSERT MALE BLACK	SEE PART LIST	---
7	1	COUPLING NUT MALE	SEE PART LIST	---
6	-	CABLE	SEE SHEET 2	---
5	-	OVERMOULDING BLACK	SEE PART LIST	---
4	1	COUPLING NUT FEMALE	SEE PART LIST	---
3	1	INSERT FEMALE BLACK	SEE PART LIST	---
2	1	O-RING RED	FPM	---
1	3 / 4 / 5 / 8	CONTACT FEMALE	SEE PART LIST	SELECTIVE Au OVER Ni
ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
SYMBOLS		CURRENT REV DESC: ADDED NEW PN		molex
DIMENSION UNITS		SCALE		
mm		1:1		
GENERAL TOLERANCES (UNLESS SPECIFIED)		ANGULAR TOL ± 1.0°		
▽ = 0		EC NO: 632130		CSE M12 XP AC FE RA MA STR XM DE
▽ = 0		DRWN: MDHARMANTI 2020/01/31		
▽ = 0		CHK'D: RSILLER 2020/02/14		
▽ = 0		APPR: RSILLER 2020/02/14		
▽ = 0		4 PLACES ±		PRODUCT CUSTOMER DRAWING
▽ = 0		3 PLACES ±		
▽ = 0		2 PLACES ± 0.05		
▽ = 0		1 PLACE ± 0.3		
□ = 0		0 PLACES ± 0.5		DOCUMENT NUMBER 1200660973
■ = 0		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		
THIRD ANGLE PROJECTION		DRAWING		
A3-SIZE		SERIES		
120066		MATERIAL NUMBER		CUSTOMER GENERAL MARKET
SEE PART LIST		SHEET NUMBER		
1 OF 4				

ENGINEERING NO. - NUMERICAL CODE (Available parts see PART LIST table. Other parts available upon request).

88X0X1XXXXXX

88=Micro-Change
M12x1
Double ended

Contacts:
3=3 Contacts
4=4 Contacts
5=5 Contacts
8=8 Contacts

Heads style:
031=Plug Female 90°
to Plug Male Straight
021=Plug Female 90°
to Plug Male Straight
with Female
Coupling Nut

Cable type: See Table

Units:
M=Meter
C=Centimeter

Length
Examples:
005=0.5 unit
010=1 unit
100=10 units






Options:

Overmold color:
Blank (Standard)=Black TPU
Blank=Yellow PVC for cables
A09, S19, S20, S26
Blank=Yellow TPE-E for cables
K03, K05
A=Grey / G=Black / Y=Yellow

Coupling Nut:
Blank (Standard)=Knurled Brass Ni Plated
1=Hexagonal Stainless steel
5=Knurled Derlin
7=Knurled Brass Ni Plated, Teflon Coated
Blank=7 for cables I20, I26, K03, K05, P82, S26
9=Knurled / Hexagonal Brass Ni Plated SW13

H= 2 pcs. of I/D Carrier PVC Transparent
(Cables Ixx & P82 always with 2 pcs. of
I/D Carrier even if no H in Engineering No.)

COUPLING NUT
FEMALE MALE



CABLE INFORMATION (for more information see Cable Data Sheet).

CABLE TYPE	NO. OF WIRES	CROSS SECTION	CABLE JACKET	UL	CSA	STATIC: TEMP. / BENDING RADIUS	DYNAMIC: TEMP. / BENDING RADIUS	DRAG CHAIN	SHIELD
B02	4	18AWG	PUR YELLOW	UL 20549	I/II A/B 80°C/300V	-	-	-	-
I03	3 / 4 / 5	0.34mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	-
I20	3 / 4	0.34mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	YES
I26	5	0.34mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	YES
K03	4	18AWG	TPE YELLOW	UL ITC or PLC	I/II A/B 90°C/300V	max 105°C	-	-	-
K05	3 / 4 / 5	22AWG	TPE YELLOW	UL ITC or PLC	I/II A/B 90°C/300V	max 105°C	-	-	-
P82	3 / 4 / 5	0.34mm²	PUR IRR ORANGE	-	-	-50°C to +105°C, >5xO.D.	-40°C to +105°C, >7.5xO.D.	-	-
S20	3 / 4 / 5	0.34mm²	PVC YELLOW	UL 2661/1731	C22.2 II A 105°C/300V	-30°C to +105°C	-	-	YES
E02	3 / 4 / 5 / 8	0.25mm²	PVC BLACK	UL 2464/1729	C22.2 I/II A/B 80°C/300V	-30°C to +80°C, 10xO.D.	-10°C to +80°C, 15xO.D.	-	-
E03	3 / 4 / 5	0.34mm²	PVC BLACK	UL 2464/1729	C22.2 I/II A/B 80°C/300V	-30°C to +80°C, 10xO.D.	-10°C to +80°C, 15xO.D.	-	-
H09	3 / 4 / 5	0.34mm²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-40°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000 cycles at 20°C, Temp. range +5°C to +60°C	-
P03	3 / 4 / 5	0.34mm²	PUR / PVC BLACK	-	-	-30°C to +80°C, >7xO.D.	-5°C to +80°C, >15xO.D.	-	-
H08	8	0.25mm²	PUR BLACK LS0H	UL 21198/10493	UL 21198/10493	-40°C to +80°C, >5xO.D.	-25°C to +80°C, >10xO.D.	2 000 000 cycles, Temp max 60°C	-
P02	8	0.25mm²	PUR / PVC BLACK	-	-	-30°C to +80°C, >7xO.D.	-5°C to +80°C, >15xO.D.	-	-

CABLE LENGTH TOLERANCES

OVER	UP TO AND INCLUDING	TOLERANCES
0	305mm	+19mm
305mm	915mm	+45mm
915mm	1830mm	+56mm
1830mm	3660mm	+89mm
3660mm	7320mm	+165mm
7320mm	14640mm	+317mm
14640mm	30500mm	+610mm
30500mm	>	+2% of finished length

SYMBOLS

▽ = 0

▽ = 0

▽ = 0

▽ = 0

▽ = 0

▽ = 0

▽ = 0

▽ = 0

▽ = 0

▽ = 0

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

SCALE

CURRENT REV DESC: ADDED NEW PN

mm

1:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 1.0°

4 PLACES ±

3 PLACES ±

2 PLACES ± 0.05

1 PLACE ± 0.3

0 PLACES ± 0.5

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

EC NO: 632130

DRWN: MDHARMANTI 2020/01/31

CHK'D: RSILLER 2020/02/14

APPR: RSILLER 2020/02/14

INITIAL REVISION:

DRWN: JMARSZALEK 2016/10/06

APPR: RSILLER 2016/12/08

THIRD ANGLE PROJECTION

DRAWING

SERIES

MATERIAL NUMBER

CUSTOMER

SHEET NUMBER

moLEX

CSE M12 XP AC FE RA MA STR XM DE

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

DOC TYPE

DOC PART

REVISION

1200660973

PSD

000

A4

SEE PART LIST

GENERAL MARKET

2 OF 4

DOCUMENT STATUS | P1 | RELEASE DATE | 2020/02/14 | 08:56:15

10987654321

	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																		
	PART LIST																																																																																																																																																																											
F	<table> <tr><th>No.</th><th>Part No.</th><th>Engineering No.</th><th>Cable Length</th></tr> <tr><td>1</td><td>1200060052</td><td>884031I20M005</td><td>0.5m</td></tr> <tr><td>2</td><td>1200060053</td><td>884031I20M010</td><td>1m</td></tr> <tr><td>3</td><td>1200060054</td><td>884031I20M015</td><td>1.5m</td></tr> <tr><td>4</td><td>1200060055</td><td>884031I20M020</td><td>2m</td></tr> </table>				No.	Part No.	Engineering No.	Cable Length	1	1200060052	884031I20M005	0.5m	2	1200060053	884031I20M010	1m	3	1200060054	884031I20M015	1.5m	4	1200060055	884031I20M020	2m	<table> <tr><th>No.</th><th>Part No.</th><th>Engineering No.</th><th>Cable Length</th></tr> <tr><td>36</td><td>1200071575</td><td>884031P82M006</td><td>0.6m</td></tr> <tr><td>37</td><td>1200071576</td><td>884031P82M010</td><td>1m</td></tr> <tr><td>38</td><td>1200071577</td><td>884031P82M015</td><td>1.5m</td></tr> <tr><td>39</td><td>1200071578</td><td>884031P82M0307</td><td>3m</td></tr> </table>				No.	Part No.	Engineering No.	Cable Length	36	1200071575	884031P82M006	0.6m	37	1200071576	884031P82M010	1m	38	1200071577	884031P82M015	1.5m	39	1200071578	884031P82M0307	3m	<table> <tr><th>No.</th><th>Part No.</th><th>Engineering No.</th><th>Cable Length</th></tr> <tr><td>71</td><td>1200660947</td><td>884031B02M100</td><td>10m</td></tr> <tr><td>72</td><td>1200660971</td><td>884031K03M006</td><td>0.6m</td></tr> <tr><td>73</td><td>1200660973</td><td>884031K03M010</td><td>1m</td></tr> <tr><td>74</td><td>1200660975</td><td>884031K03M015</td><td>1.5m</td></tr> </table>				No.	Part No.	Engineering No.	Cable Length	71	1200660947	884031B02M100	10m	72	1200660971	884031K03M006	0.6m	73	1200660973	884031K03M010	1m	74	1200660975	884031K03M015	1.5m	<table> <tr><th>Pos.</th><th>Part No.</th><th>Engineering No.</th><th>Cable Length</th></tr> <tr><td>106</td><td>1200070447</td><td>884021S20M030</td><td>3m</td></tr> <tr><td>107</td><td>1200070449</td><td>884021S20M050</td><td>5m</td></tr> <tr><td>108</td><td>1200668042</td><td>883021S20M006</td><td>0.6m</td></tr> <tr><td>109</td><td>1200668043</td><td>883021S20M020</td><td>2m</td></tr> </table>				Pos.	Part No.	Engineering No.	Cable Length	106	1200070447	884021S20M030	3m	107	1200070449	884021S20M050	5m	108	1200668042	883021S20M006	0.6m	109	1200668043	883021S20M020	2m																																																																												
No.	Part No.	Engineering No.	Cable Length																																																																																																																																																																									
1	1200060052	884031I20M005	0.5m																																																																																																																																																																									
2	1200060053	884031I20M010	1m																																																																																																																																																																									
3	1200060054	884031I20M015	1.5m																																																																																																																																																																									
4	1200060055	884031I20M020	2m																																																																																																																																																																									
No.	Part No.	Engineering No.	Cable Length																																																																																																																																																																									
36	1200071575	884031P82M006	0.6m																																																																																																																																																																									
37	1200071576	884031P82M010	1m																																																																																																																																																																									
38	1200071577	884031P82M015	1.5m																																																																																																																																																																									
39	1200071578	884031P82M0307	3m																																																																																																																																																																									
No.	Part No.	Engineering No.	Cable Length																																																																																																																																																																									
71	1200660947	884031B02M100	10m																																																																																																																																																																									
72	1200660971	884031K03M006	0.6m																																																																																																																																																																									
73	1200660973	884031K03M010	1m																																																																																																																																																																									
74	1200660975	884031K03M015	1.5m																																																																																																																																																																									
Pos.	Part No.	Engineering No.	Cable Length																																																																																																																																																																									
106	1200070447	884021S20M030	3m																																																																																																																																																																									
107	1200070449	884021S20M050	5m																																																																																																																																																																									
108	1200668042	883021S20M006	0.6m																																																																																																																																																																									
109	1200668043	883021S20M020	2m																																																																																																																																																																									
E	<table> <tr><td>5</td><td>1200070132</td><td>883031I03M003</td><td>0.3m</td></tr> <tr><td>6</td><td>1200070133</td><td>883031I03M006</td><td>0.6m</td></tr> <tr><td>7</td><td>1200070134</td><td>883031I03M010</td><td>1m</td></tr> <tr><td>8</td><td>1200070136</td><td>883031I03M020</td><td>2m</td></tr> <tr><td>9</td><td>1200070137</td><td>883031I03M030</td><td>3m</td></tr> <tr><td>10</td><td>1200070138</td><td>883031I03M050</td><td>5m</td></tr> <tr><td>11</td><td>1200070152</td><td>883031S20M010</td><td>1m</td></tr> <tr><td>12</td><td>1200070153</td><td>883031S20M020</td><td>2m</td></tr> <tr><td>13</td><td>1200070156</td><td>883031S20M050</td><td>5m</td></tr> </table>				5	1200070132	883031I03M003	0.3m	6	1200070133	883031I03M006	0.6m	7	1200070134	883031I03M010	1m	8	1200070136	883031I03M020	2m	9	1200070137	883031I03M030	3m	10	1200070138	883031I03M050	5m	11	1200070152	883031S20M010	1m	12	1200070153	883031S20M020	2m	13	1200070156	883031S20M050	5m	<table> <tr><td>40</td><td>1200071579</td><td>884031P82M050</td><td>5m</td></tr> <tr><td>41</td><td>1200071581</td><td>884031P82M020</td><td>2m</td></tr> <tr><td>42</td><td>1200071832</td><td>884031I20M050</td><td>5m</td></tr> <tr><td>43</td><td>1200071833</td><td>884031I20M100</td><td>10m</td></tr> <tr><td>44</td><td>1200071893</td><td>884031S20M100</td><td>10m</td></tr> <tr><td>45</td><td>1200071994</td><td>885031P82M0307</td><td>3m</td></tr> <tr><td>46</td><td>1200072696</td><td>883031S20M010H</td><td>1m</td></tr> <tr><td>47</td><td>1200072725</td><td>885031I26M005</td><td>0.5m</td></tr> <tr><td>48</td><td>1200072726</td><td>885031I26M010</td><td>1m</td></tr> <tr><td>49</td><td>1200659070</td><td>884031I20M010Y</td><td>1m</td></tr> </table>				40	1200071579	884031P82M050	5m	41	1200071581	884031P82M020	2m	42	1200071832	884031I20M050	5m	43	1200071833	884031I20M100	10m	44	1200071893	884031S20M100	10m	45	1200071994	885031P82M0307	3m	46	1200072696	883031S20M010H	1m	47	1200072725	885031I26M005	0.5m	48	1200072726	885031I26M010	1m	49	1200659070	884031I20M010Y	1m	<table> <tr><td>75</td><td>1200660976</td><td>884031K03M020</td><td>2m</td></tr> <tr><td>76</td><td>1200660977</td><td>884031K03M030</td><td>3m</td></tr> <tr><td>77</td><td>1200660978</td><td>884031K03M040</td><td>4m</td></tr> <tr><td>78</td><td>1200660980</td><td>884031K03M050</td><td>5m</td></tr> <tr><td>79</td><td>1200660982</td><td>884031K03M060</td><td>6m</td></tr> <tr><td>80</td><td>1200660983</td><td>884031K03M070</td><td>7m</td></tr> <tr><td>81</td><td>1200660984</td><td>884031K03M090</td><td>9m</td></tr> <tr><td>82</td><td>1200660985</td><td>884031K03M100</td><td>10m</td></tr> <tr><td>83</td><td>1200665007</td><td>884031P82M0157</td><td>1.5m</td></tr> <tr><td>84</td><td>1200665039</td><td>884031S20M003</td><td>0.3m</td></tr> </table>				75	1200660976	884031K03M020	2m	76	1200660977	884031K03M030	3m	77	1200660978	884031K03M040	4m	78	1200660980	884031K03M050	5m	79	1200660982	884031K03M060	6m	80	1200660983	884031K03M070	7m	81	1200660984	884031K03M090	9m	82	1200660985	884031K03M100	10m	83	1200665007	884031P82M0157	1.5m	84	1200665039	884031S20M003	0.3m	<table> <tr><td>110</td><td>1200668044</td><td>883021S20M030</td><td>3m</td></tr> <tr><td>111</td><td>1200668160</td><td>883021S20M010</td><td>1m</td></tr> <tr><td>112</td><td>1200668608</td><td>883031E02M020</td><td>2m</td></tr> <tr><td>113</td><td>1200668613</td><td>883031E02M030</td><td>3m</td></tr> <tr><td>114</td><td>1200659035</td><td>883031E02M050</td><td>5m</td></tr> <tr><td>115</td><td>1200668612</td><td>883031E02M100</td><td>10m</td></tr> <tr><td>116</td><td>1200668908</td><td>883031E03M003H</td><td>0.3m</td></tr> <tr><td>117</td><td>1200070118</td><td>883031E03M006</td><td>0.6m</td></tr> <tr><td>118</td><td>1200668909</td><td>883031E03M006H</td><td>0.6m</td></tr> <tr><td>119</td><td>1200070119</td><td>883031E03M010</td><td>1m</td></tr> </table>				110	1200668044	883021S20M030	3m	111	1200668160	883021S20M010	1m	112	1200668608	883031E02M020	2m	113	1200668613	883031E02M030	3m	114	1200659035	883031E02M050	5m	115	1200668612	883031E02M100	10m	116	1200668908	883031E03M003H	0.3m	117	1200070118	883031E03M006	0.6m	118	1200668909	883031E03M006H	0.6m	119	1200070119	883031E03M010	1m
5	1200070132	883031I03M003	0.3m																																																																																																																																																																									
6	1200070133	883031I03M006	0.6m																																																																																																																																																																									
7	1200070134	883031I03M010	1m																																																																																																																																																																									
8	1200070136	883031I03M020	2m																																																																																																																																																																									
9	1200070137	883031I03M030	3m																																																																																																																																																																									
10	1200070138	883031I03M050	5m																																																																																																																																																																									
11	1200070152	883031S20M010	1m																																																																																																																																																																									
12	1200070153	883031S20M020	2m																																																																																																																																																																									
13	1200070156	883031S20M050	5m																																																																																																																																																																									
40	1200071579	884031P82M050	5m																																																																																																																																																																									
41	1200071581	884031P82M020	2m																																																																																																																																																																									
42	1200071832	884031I20M050	5m																																																																																																																																																																									
43	1200071833	884031I20M100	10m																																																																																																																																																																									
44	1200071893	884031S20M100	10m																																																																																																																																																																									
45	1200071994	885031P82M0307	3m																																																																																																																																																																									
46	1200072696	883031S20M010H	1m																																																																																																																																																																									
47	1200072725	885031I26M005	0.5m																																																																																																																																																																									
48	1200072726	885031I26M010	1m																																																																																																																																																																									
49	1200659070	884031I20M010Y	1m																																																																																																																																																																									
75	1200660976	884031K03M020	2m																																																																																																																																																																									
76	1200660977	884031K03M030	3m																																																																																																																																																																									
77	1200660978	884031K03M040	4m																																																																																																																																																																									
78	1200660980	884031K03M050	5m																																																																																																																																																																									
79	1200660982	884031K03M060	6m																																																																																																																																																																									
80	1200660983	884031K03M070	7m																																																																																																																																																																									
81	1200660984	884031K03M090	9m																																																																																																																																																																									
82	1200660985	884031K03M100	10m																																																																																																																																																																									
83	1200665007	884031P82M0157	1.5m																																																																																																																																																																									
84	1200665039	884031S20M003	0.3m																																																																																																																																																																									
110	1200668044	883021S20M030	3m																																																																																																																																																																									
111	1200668160	883021S20M010	1m																																																																																																																																																																									
112	1200668608	883031E02M020	2m																																																																																																																																																																									
113	1200668613	883031E02M030	3m																																																																																																																																																																									
114	1200659035	883031E02M050	5m																																																																																																																																																																									
115	1200668612	883031E02M100	10m																																																																																																																																																																									
116	1200668908	883031E03M003H	0.3m																																																																																																																																																																									
117	1200070118	883031E03M006	0.6m																																																																																																																																																																									
118	1200668909	883031E03M006H	0.6m																																																																																																																																																																									
119	1200070119	883031E03M010	1m																																																																																																																																																																									
D	<table> <tr><td>14</td><td>1200070522</td><td>884031I03M020</td><td>2m</td></tr> <tr><td>15</td><td>1200070523</td><td>884031I03M030</td><td>3m</td></tr> <tr><td>16</td><td>1200070534</td><td>884031S20M030</td><td>3m</td></tr> <tr><td>17</td><td>1200070651</td><td>884031I03M006</td><td>0.6m</td></tr> <tr><td>18</td><td>1200070768</td><td>884031S20M050</td><td>5m</td></tr> <tr><td>19</td><td>1200070783</td><td>884031S20M100H</td><td>10m</td></tr> <tr><td>20</td><td>1200071010</td><td>884031P82M100</td><td>10m</td></tr> <tr><td>21</td><td>1200071096</td><td>884031P82M0037</td><td>0.3m</td></tr> <tr><td>22</td><td>12000711</td></tr></table>	14	1200070522	884031I03M020	2m	15	1200070523	884031I03M030	3m	16	1200070534	884031S20M030	3m	17	1200070651	884031I03M006	0.6m	18	1200070768	884031S20M050	5m	19	1200070783	884031S20M100H	10m	20	1200071010	884031P82M100	10m	21	1200071096	884031P82M0037	0.3m	22	12000711																																																																																																																																									
14	1200070522	884031I03M020	2m																																																																																																																																																																									
15	1200070523	884031I03M030	3m																																																																																																																																																																									
16	1200070534	884031S20M030	3m																																																																																																																																																																									
17	1200070651	884031I03M006	0.6m																																																																																																																																																																									
18	1200070768	884031S20M050	5m																																																																																																																																																																									
19	1200070783	884031S20M100H	10m																																																																																																																																																																									
20	1200071010	884031P82M100	10m																																																																																																																																																																									
21	1200071096	884031P82M0037	0.3m																																																																																																																																																																									
22	12000711																																																																																																																																																																											

FORMAT: master file mod-A3 REVISION: H FILE NO: 4010-110	9	8
--	---	---

4	3	2	1
---	---	---	---

10

9

8

7

6

5

4

3

2

1

Pos.

Part No.

Engineering No.

Cable Length

143

1200070140

883031P03M003

0.3m

144

1200070141

883031P03M006

0.6m

145

1200070142

883031P03M010

1m

146

1200668324

883031P03M010G

1m

147

1200071121

883031P03M010H

1m

148

1200070143

883031P03M020

2m

149

1200668325

883031P03M020G

2m

150

1200668753

883031P03M020H

2m

151

1200070144

883031P03M030

3m

152

1200668326

883031P03M030G

3m

153

1200070145

883031P03M050

5m

154

1200668520

883031P03M070

7m

155

1200070146

883031P03M100

10m

156

1200070507

884031E03M003

0.3m

157

1200070508

884031E03M006

0.6m

158

1200070509

884031E03M010

1m

159

1200668361

884031E03M015

1.5m

160

1200070511

884031E03M020

2m

161

1200070512

884031E03M030

3m

162

1200669260

884031E03M030H

3m

163

1200070904

884031E03M050

5m

164

1200071157

884031E03M060

6m

165

1200071278

884031E03M100

10m

166

1200072365

884031E03M1501

15m

167

1200072011

884031E03M200

20m

168

1200668669

884031H09M006

0.6m

169

1200668846

884031H09M008

0.8m

170

1200668210

884031H09M009

0.9m

171

1200668484

884031H09M010

1m

172

1200668848

884031H09M013

1.3m

173

1200668488

884031H09M015

1.5m

174

1200668845

884031H09M018

1.8m

175

1200668212

884031H09M020

2m

176

1200668847

884031H09M021

2.1m

177

1200668215

884031H09M030

3m

178

1200668670

884031H09M050

5m

179

1200668671

884031H09M100

10m

180

1200070526

884031P03M003

0.3m

181

1200070527

884031P03M006

0.6m

182

1200060056

884031P03M010

1m

183

1200060057

884031P03M020

2m

184

1200070529

884031P03M030

3m

185

1200071187

884031P03M050

5m

186

1200072012

884031P03M100

10m

187

1300288001

885031D12M020

2m

188

1200668658

885031E02M020

2m

189

1200668610

885031E02M050

5m

190

1200668660

885031E02M100

10m

DOCUMENT STATUS

P1

RELEASE DATE

2020/02/14

08:56:15

7

6

5

4

3

2

1

Pos.

Part No.

Engineering No.

Cable Length

191

1200668339

885031E03M006

0.6m

192

1200668189

885031E03M010

1m

193

1200668278

885031E03M020

2m

194

1200668340

885031E03M030

3m

195

1200668279

885031E03M050

5m

196

1200668653

885031E03M070

7m

197

1200668348

885031E03M100

10m

198

1200668761

885031E03M150

15m

199

1200669229

885031H09C250

25m

200

1200668512

885031H09M006

0.6m

201

1200668496

885031H09M010

1m

202

1200668513

885031H09M020

2m

203

1200668514

885031H09M030

3m

204

1200668515

885031H09M050

5m

205

1200668516

885031H09M100

10m

206

1200073085

885031P03M006

0.6m

207

1200668188

885031P03M010

1m

208

1200072376

885031P03M0105

1m

209

1200070917

885031P03M020

2m

210

1200668091

885031P03M025

2.5m

211

1200070919

885031P03M030

3m

212

1200668273

885031P03M050

5m

213

1200073086

885031P03M100

10m

214

1200070434

884021E03M020

2m

215

1200072575

888031P02M030

3m

216

1200072708

888031P02M060

6m

217

1200658319

888031H08M050

5m

218

1200661620

888031P02M020

2m

219

1200661626

888031P02M010

1m

220

1200668673

888031E02M0041

0.4m

221

1200668849

888031P02M150

15m

222

1200656208

888031H08C250

2.5m

223

1200656209

888031H08M005

0.5m

224

1200656210

888031H08M008

0.8m

225

1200656211

888031H08M012

1.2m

226

1200656212

888031H08M015

1.5m

227

1200070057

883021E03M006

0.6m

228

1200070058

883021E03M020

2m

229

1200070439

884021P03M006

0.6m

230

1200070440

884021P03M010

1m

231

1200070441

884021P03M020

2m

232

1200070442

884021P03M030

3m

233

1200070870

883021P03M050

5m

234

1200072191

883021E03M030

3m

235

1200072198

883021E03M050

5m

236

1200665038

884021E03M050

5m

237

1200668061

884021E03M006

0.6m

238

1200668219

884021E03M030

3m

7

6

5

4

3

2

1

Pos.

Part No.

Engineering No.

Cable Length

239

1200668673

888031E02M0041

0.4m

240

1200669541

884031P03M015

1.5m

241

1200669556

885031P03M015

1.5m

4

3

2

1

SYMBOLS

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

<

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9