






1438129-1
SHOWN WITH SPACER
IN SEATED POSITION



- 1


PRINT PART NUMBER (5S4T-14A464-L*-***, 5S4T-14A464-M*-***, 5S4T-14A464-N*-***) AND TRACEABILITY (YY : 2 DIGIT YEAR, JJJ = JULIAN DATE, HH = 2 DIGIT MILITARY HOUR CODE IN THE LOCATION AT ASSEMBLY. SEE SHEET 3 THRU 7 (-*) PART NUMBERS.
2.

APPLICABLE MOLEX (1.5) POWER TERMINAL PART NUMBERS:
33012-0002 TIN 0.50-1.50mm²
3.





CAM LEVER AND SPACER ARE SHIPPED IN THEIR PRE-ASSEMBLED POSITIONS.
4.

REFERENCE TE CONNECTIVITY INSTRUCTION SHEET 408-8893.
- 5

COMPANY LOGO.




SECTION A-A
SPACER AND LEVER IN
PRE-SEATED POSITION
(DELIVERY CONDITION)





SCALE 1:1

APPLICABLE COMPONENTS (FOR REFERENCE ONLY)						
DESCRIPTION	NOMINAL TERMINAL SIZE	COLOR/ PLATING	FORD COMPONENT PART NUMBER	SUPPLIER PART NUMBER	MATERIAL/SPECIFICATION NUMBER	SAE WIRE SIZE
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-AA	1393366-2	COPPER ALLOY/SILVER PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-BA	1393367-2	COPPER ALLOY/SILVER PLATE	22AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-AA	1393366-1	COPPER ALLOY/TIN PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-BA	1393367-1	COPPER ALLOY/TIN PLATE	22AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-CA	1393365-1	COPPER ALLOY/GOLD PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-DA	1393364-1	COPPER ALLOY/GOLD PLATE	22AWG


ANY DESIGN CHANGES ON THIS ASSEMBLY MAY
ALSO BE REQUIRED ON ASSEMBLY DRAWING 1438691

THIS DRAWING IS A CONTROLLED DOCUMENT.			OWN R. VESTAL 15APR2005		 TE Connectivity		
			CHK T. VALASEK 15APR2005				
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME PCM 50-WAY HARNESS ASSEMBLY			
mm		APVD T. VALASEK 15APR2005					
		PRODUCT SPEC					
		APPLICATION SPEC					
		SIZE					
		CAGE CODE					
DRAWING NO		RESTRICTED TO					
MATERIAL		FINISH		A100779C=1438129			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			
-		-		-			


REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-




1438129-1
KEYING OPTION "A"




1438129-2
KEYING OPTION "B"




1438129-3
KEYING OPTION "C"



1438129-4
KEYING OPTION "D"



1438129-5
KEYING OPTION "E"



1438129-6
KEYING OPTION "F"

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL 15APR2005	TE Connectivity	
DIMENSIONS:		CHK T. VALASEK 15APR2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. VALASEK 15APR2005	NAME	
	0 PLC ±.3 1 PLC ±0.3 2 PLC ±0.10 3 PLC ±.1 4 PLC ±.1 ANGLES ±1° FINISH	PRODUCT SPEC	PCM 50-WAY HARNESS ASSEMBLY	
MATERIAL	-	APPLICATION SPEC	SIZE	RESTRICTED TO
-	-	WEIGHT	A100779C=1438129	-
-	-	CUSTOMER DRAWING	SCALE	REV
			2:1	F32

[illegible]

REVISIONS				
P	LYR	DESCRIPTION	DATE	DWN APVD
-	-	SEE SHEET 1	-	-

KEYING OPTION B

CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS

BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATIONS

TERMINAL HOLE POSITION

5S4T-14A464-M* PIN-OUT CHART

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
CHK
T. VALASEK

15APR2005

DIMENSIONS:
mm

0 PLC
1 PLC
2 PLC
3 PLC
4 PLC
ANGLES
FINISH

±
±0.3
±0.10
±
±
°

MATERIAL
-
-

WEIGHT
-

CUSTOMER DRAWING

DWN
CHK
T. VALASEK

15APR2005

PRODUCT SPEC
-

APPLICATION SPEC
-

NAME
PCM
50-WAY HARNESS
ASSEMBLY

SIZE
A1

CAGE CODE
00779

DRAWING NO
1438129

RESTRICTED TO
-

SCALE
1:1

SHEET
4

OF
10

REV
F32

TE Connectivity

TE

8	7	6	5	4	3	2	1
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		20			
COPYRIGHT 20		BY -		ALL RIGHTS RESERVED.			

8		7		6		5		4		3		2		1	
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION				20							
© COPYRIGHT 20				BY -				ALL RIGHTS RESERVED.							

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-

KEYING OPTION C

CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS

BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATIONS

TERMINAL HOLE POSITION

50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	---	---	---	---	---	---	---	---	---

5S4T-14A464-N* PIN-OUT CHART

ASSEMBLY
PART
NUMBER

FORD PART
NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
R. VESTAL

CHK
T. VALASEK

APVD
T. VALASEK

15APR2005
15APR2005
15APR2005

DIMENSTIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.3
1 PLC ±0.3
2 PLC ±0.10
3 PLC ±.
4 PLC ±.
ANGLES ±1°
FINISH -

PRODUCT SPEC
APPLICATION SPEC
WEIGHT
CUSTOMER DRAWING

NAME

PCM
50-WAY HARNESS
ASSEMBLY

SIZE
A1

CAGE CODE
00779

DRAWING NO
C=1438129

SCALE
1:1

SHEET
8


OF
10

REV
F32



RESTRICTED TO

-


TE Connectivity



SCALE 2:1




SECTION B-B



DETAIL E
SCALE 8:1

NOTES: UNLESS OTHERWISE SPECIFIED

- GENERAL TOLERANCE:
±0.3 ALL ONE PLACE DIMENSIONS
±0.10 ALL TWO PLACE DIMENSIONS
±1°00' ALL ANGULAR DIMENSIONS
- DRAFT ANGLE PERMISSIBLE ONLY WITHIN DRAWING TOLERANCE.
- SEALING SURFACE, NO WITNESS LINES OR DAMAGE PERMITTED.
- ALL UNMARKED RADIUS TO BE 0.5 MAX., UNLESS OTHERWISE SPECIFIED.
- VENT HOLE SIZE AND LOCATION IS OPTIONAL.
- THIS AREA TO REMAIN CLEAR FOR THE HARNESS ASSEMBLY.
- TERMINAL POSITION IDENTIFICATION.
- MATES WITH TYCO ELECTRONICS PART NUMBERS 1438129-# & 1438950-#













SECTION A-A

SEE RECOMMENDED CONTACT
PIN 0.8 X 1.5 DETAIL

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. VESTAL 15APR2005	TE Connectivity	
DIMENSIONS:		CHK T. VALASEK 15APR2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. VALASEK 15APR2005	NAME	
0 PLC ±0.3	1 PLC ±0.3	PRODUCT SPEC	PCM 50-WAY HARNESS ASSEMBLY	
2 PLC ±0.10	3 PLC ±0.10	APPLICATION SPEC		
4 PLC ±0.10	5 PLC ±0.10	WEIGHT	SIZE CAGE CODE DRAWING NO	
ANGLES ±1°	FINISH	CUSTOMER DRAWING	A100779C=1438129	
MATERIAL		SCALE 1:1	SHEET 9 OF 10	
		REV F32		

HEADER INTERFACE KEYING OPTIONS

REVISIONS				
P	LYR	DESCRIPTION	DATE	OWN APVD
-	-	SEE SHEET 1	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. VESTAL 15APR2005	TE Connectivity	
DIMENSIONS:		CHK T. VALASEK 15APR2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. VALASEK 15APR2005	NAME	
	0 PLC ±0.3	PRODUCT SPEC	PCM 50-WAY HARNESS ASSEMBLY	
	1 PLC ±0.10	APPLICATION SPEC		
MATERIAL	FINISH	WEIGHT	SIZE CAGE CODE DRAWING NO	RESTRICTED TO
-	-	-	A100779C=1438129	-
CUSTOMER DRAWING		SCALE 1:1	SHEET 10 OF 10	REV F32

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9