



LOC	DIST	REVISIONS					
GP	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
		A		RELEASED FOR PRODUCTION	03MAR2016	TX	SH



- MATERIALS:
 CAGE ASSEMBLY- NICKEL SILVER ALLOY PER ASTM B 122.
 EMI SPRING- COPPER ALLOY, NICKEL PLATED.
 HOUSING- POLYESTER LCP WITH 94 V-0
 CHICKLET- POLYESTER LCP WITH 94 V-0
 CONTACT- COPPER ALLOY.
 LIGHTPIPE- POLYCARBONATE

- ⚠ CONTACT FINISH: 0.76µm GOLD ON MATING END, 1.25µm TIN ON SOLDER TAIL, ALL OVER 1.27µm NICKEL.
- ⚠ DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- 4. MINIMUM PCB THICKNESS OF 1.57.
- ⚠ THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT, INDICATED BY THE DASHED LINE, TO BE CONSIDERED THE KEEPOUT AREA FOR COMPONENTS.
- ⚠ CROSS-HATCHED AREAS REPRESENT ZONES ON THE PCB THAT COME IN CONTACT WITH OR BE IN CLOSE PROXIMITY TO THE PLASTIC HOUSING OR THE CONNECTOR CAGE. INDICATED AREAS TO BE CONSIDERED TRACE FREE.
- ⚠ PART NUMBER AND DATE CODE MADE IN APPROXIMATE AREA SHOWN.
- ⚠ CONTACT FINISH: 0.08µm MINIMUM GOLD OVER 0.68µm PALLADIUM-NICKEL ON MATING END, 1.25µm TIN ON SOLDER TAIL, ALL OVER 1.27µm NICKEL.
- ⚠ REMOVE THE PCB HOLES FOR 1-2227671-0 FOR BELLY TO BELLY APPLICATION
- ⚠ HATCHED AREA IS PLACEMENT ZONE FOR LED. LED SHOULD BE CENTERED WITHIN ZONE. RECOMMEND 0805 PACKAGE

CONTACT FINISH	DESCRIPTION	PART NUMBER
⚠	ALL INDICATOR DOWN, 4 LP	1-2227671-2
⚠	DUAL LEFT INDICATOR UP, 4 LP	1-2227671-1
⚠	LEFT INDICATOR UP, 2 LP	1-2227671-0
⚠	LEFT INDICATOR DOWN, 4 LP	2227671-9
⚠	LEFT INDICATOR UP, 4 LP	2227671-8
⚠	ALL INDICATOR UP, 4 LP	2227671-7
⚠	LEFT INDICATOR DOWN	2227671-6
⚠	LEFT INDICATOR UP	2227671-5
⚠	NO LIGHTPIPE	2227671-4
⚠	LEFT INDICATOR DOWN	2227671-3
⚠	LEFT INDICATOR UP	2227671-2
⚠	NO LIGHTPIPE	2227671-1

THIS DRAWING IS A CONTROLLED DOCUMENT. DWG: M_SHIRK 18JAN2013
 CHK: D_SZCZESNY 18JAN2013
 APVD: -

TE Connectivity

NAME: CAGE AND CONNECTOR ASSEMBLY, WITH EMI SPRING, THRU BEZEL, 2X3, ZQSFP+ STACKED


PRODUCT SPEC: 108-60102
 APPLICATION SPEC: 114-60015

SIZE: A1
 CAGE CODE: 100779
 DRAWING NO: C=2227671


RESTRICTED TO: -

SCALE: 4:1 SHEET 1 OF 6 REV A


LOC		DIST		REVISIONS			
P	LTN	DESCRIPTION	DATE	DWN	APVD		
-	-	SEE SHEET 1	-	-	-		




RECOMMENDED PANEL CUTOUT
 AND PC BOARD, PANEL POSITION
 SCALE 3:1



SECTION U-U




VIEW Y-Y




SECTION V-V
 SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SHIRK 18JAN2013		
DIMENSIONS: mm		CHK D. SZCZESNY 18JAN2013		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME	
0 PLC ±	1 PLC ±0.25	PRODUCT SPEC		CAGE AND CONNECTOR ASSEMBLY, WITH EMI SPRING, THRU BEZEL, 2X3, ZQSFP+ STACKED
2 PLC ±0.15	3 PLC ±	APPLICATION SPEC		
4 PLC ±	ANGLES ±	SIZE		RESTRICTED TO
MATERIAL	FINISH	CAGE CODE DRAWING NO		
SEE NOTE 1	SEE NOTE 2	114-60015		A100779C=2227671
CUSTOMER DRAWING		WEIGHT		SCALE 4:1 SHEET 1 OF 6 REV A


LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	OWN	APVD
-	-	SEE SHEET 1	-	-	-




2227671-1/4
 NO LIGHTPIPE IN ASSEMBLY
 SCALE 5:2




2227671-2/5
 LEFT LIGHTPIPE INDICATOR
 POINTING TO UPPER PORT
 SCALE 5:2




2227671-3/6
 LEFT LIGHTPIPE INDICATOR
 POINTING TO LOWER PORT
 SCALE 5:2




1-2227671-0
 LEFT INDICATOR UP, 2LP
 SCALE 5:2




2227671-7
 ALL INDICATOR UP, 4LP
 SCALE 5:2




2227671-8
 LEFT INDICATOR UP, 4LP
 SCALE 5:2




2227671-9
 LEFT INDICATOR DOWN, 4LP
 SCALE 5:2




1-2227671-1
 DUAL LEFT INDICATOR UP, 4 LP
 SCALE 5:2



1-2227671-2
 ALL INDICATOR DOWN, 4 LP
 SCALE 5:2




ONLY 1-2227671-0 AS SHOWN WITHOUT CRESCENT PINS
 SCALE 2:1




2227671-1 TO 2227671-9, 1-2227671-1
 AND 1-2227671-2 AS SHOWN WITH CRESCENT PINS
 SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: M. SHIRK 18JAN2013	TE Connectivity NAME: CAGE AND CONNECTOR ASSEMBLY, WITH EMI SPRING, THRU BEZEL, 2X3, ZQSFP+ STACKED
DIMENSIONS: mm		CHK: D. SZCZESNY 18JAN2013	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: -	PRODUCT SPEC: 108-60102
0 PLC ±		APVD: -	APPLICATION SPEC: 114-60015
1 PLC ±0.25		APVD: -	WEIGHT: -
2 PLC ±0.15		APVD: -	FINISH: -
3 PLC ±		APVD: -	RESTRICTED TO: -
4 PLC ±		APVD: -	SIZE: A1
ANGLES ±		APVD: -	CAGE CODE: 100779
MATERIAL: -		APVD: -	DRAWING NO: C=2227671
SEE NOTE 1		APVD: -	CUSTOMER DRAWING
SEE NOTE 2		APVD: -	SCALE: 4:1
		APVD: -	SHEET 1 OF 6
		APVD: -	REV A

LOC	DIST	REVISIONS			
P.	LTH	DESCRIPTION	DATE	OWN	APVD
-	-	SEE SHEET 1	-	-	-




RECOMMENDED PCB BOARD LAYOUT
 COMPONENT SIDE OF BOARD
 PCB TOLERANCE: ± 0.05
 SCALE 5:1




THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: M. SHIRK 18JAN2013	TE Connectivity
DIMENSIONS: mm		CHK: D. SZCZESNY 18JAN2013	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: -	NAME: CAGE AND CONNECTOR ASSEMBLY, WITH EMI SPRING, THRU BEZEL, 2X3, ZQSFP+ STACKED
0 PLC \pm 1 PLC ± 0.25 2 PLC ± 0.15 3 PLC \pm 4 PLC \pm ANGLES \pm		PRODUCT SPEC: 108-60102	SIZE: 114-60015
MATERIAL: SEE NOTE 1		APPLICATION SPEC: 114-60015	RESTRICTED TO: -
FINISH: SEE NOTE 2		WEIGHT: -	SCALE: 4:1
CUSTOMER DRAWING		A100779C=2227671	SHEET 1 OF 6


LOC		DIST		REVISIONS			
P.	LTN.	DESCRIPTION	DATE	DMN	APVD		
-	-	SEE SHEET 1	-	-	-		




KEEPOUT AREAS COMPONENT
 SIDE OF BOARD FOR 2 LP
 SCALE 5:1




DETAIL H
 SCALE 10:1



DETAIL J
 LED PADS
 SCALE 10:1







DETAIL L
 SCALE 10:1



DETAIL K
 SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN M. SHIRK 18JAN2013	TE Connectivity
DIMENSIONS: mm		CHK D. SZCZESNY 18JAN2013	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME
0 PLC ±0.25	1 PLC ±0.15	PRODUCT SPEC	CAGE AND CONNECTOR ASSEMBLY, WITH EMI SPRING, THRU BEZEL, 2X3, ZQSP+ STACKED
2 PLC ±0.15	3 PLC ±0.15	APPLICATION SPEC	RESTRICTED TO
4 PLC ±0.15	ANGLES ±0.15	114-60015	SIZE CAGE CODE DRAWING NO
MATERIAL	FINISH	WEIGHT	A100779C=2227671
SEE NOTE 1	SEE NOTE 2	CUSTOMER DRAWING	SCALE 4:1 SHEET 1 OF 6 REV A

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD
-	-	SEE SHEET 1	-	-	-



KEEPOUT AREAS COMPONENT
 SIDE OF BOARD FOR 4 LP
 SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN M. SHIRK 18JAN2013	TE Connectivity
DIMENSIONS:		CHK D. SZCZESNY 18JAN2013	
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD	NAME
0 PLC	±	PRODUCT SPEC	CAGE AND CONNECTOR ASSEMBLY,
2 PLC	±0.25	108-60102	WITH EMI SPRING, THRU BEZEL, 2X3,
3 PLC	±0.15	APPLICATION SPEC	ZQSFP+ STACKED
4 PLC	±	SIZE	CAGE CODE DRAWING NO
ANGLES	±	114-60015	RESTRICTED TO
MATERIAL	FINISH	WEIGHT	A100779C=2227671
SEE NOTE 1	SEE NOTE 2	CUSTOMER DRAWING	SCALE 4:1 SHEET 1 OF 6 REV A

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9