

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-007044	21MAY2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2150429-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1339799
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1339799

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Gopalakrishna HV		 TE Connectivity			
DIMENSIONS:		CHK RAGHAVENDRA					
		APVD RAGHAVENDRA		NAME END FEED HD-I APPLICATOR			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1339799	RESTRICTED TO
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV A1

THIS DRAWING IS A CONTROLLED DOCUMENT.

LAYOUT
L1339779


SET UP GAGE
458638-3

.20



THIS DRAWING IS UNPUBLISHED.
RELEASED FOR PUBLICATION
BY AMP INCORPORATED. ALL RIGHTS RESERVED.


LOC
A
DIST
66
© COPYRIGHT 20

DRAWING MADE IN THIRD ANGLE PROJECTION					
PART NUMBER	REV	FIRST USED	TERMINATOR	FEED TYPE	DESCRIPTION
1339799-1	A		BENCH & LEADMAKER	MECH POST FEED	HD-I APPLICATOR
7-1339799-1	A		BENCH & LEADMAKER	MECH POST FEED	-1 AND SPARE PARTS
7-1339799-7	A		-	-	SPARE PARTS KIT

CRIMP DATA STOCK0 TERMINAL AMP CRIMP SPECS				
TERMINAL NAME: 6.3 SRS FASTON TYPE RECEPTACLE.				
CRIMP	SIZE	TYPE	RANGE	
WIRE	2.03 [.080 IN]	F	0.50mm ² -1.50mm ² (20-16AWG)	
INSUL	2.79 [.110 IN]	F	2.10-2.50 [.083-.098 IN]	
WIRE STRIP LENGTH		APPL INSTRUCTION		
4.19-5.00 [.165-.197 IN]		408-8323		
TERMINAL		-		FEED
APPL SPEC		NONE	-	21.30 [.839 IN]
TERMINALS APPLIED				
				
AMP PN	MFR PN		-	-
1572938-1	RSB 7916 F 6.3-1		-	-
1572938-2	RSB 7916.001 F 6.3-1		-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
WIRE SIZE		CRIMP HEIGHT	PIN PN AND LENGTH [IN]	
mm ² AWG				
1.50mm ²		1.70 ±0.05 [.067 ±.002 IN]		9-354778-4 [.2965]
1.00mm ²		1.50 ±0.05 [.059 ±.002 IN]		1-354779-1 [.3045]
0.50mm ²		1.32 ±0.05 [.052 ±.002 IN]		2-354779-5 [.3115]
-		-		-
-		-		-
-		-		-
-		-		-
-		-		-
-		-		-
-		-		-
-		-		-
-		-		-
-		-		-
-		-		-
-		-		-
-		-		-
-		-		-

1. RECOMMENDED SPARE PARTS.
2. GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY.
3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.
4. CERTAIN TERMINALS REQUIRE LUBRICATION. REFER TO THE APPLICATOR INSTRUCTION SHEET FOR MORE INFORMATION.
5. ALL CRIMP DATA CALCULATED BY TYCO ELECTRONICS UK LTD.
6. CUT TO LENGTH AT ASSEMBLY.
7. INSULATION RANGE SHOWN IS THAT OF THE APPLICATOR AND NOT THAT OF THE TERMINAL.

VIEW B ROTATED 180°	
POST-FEED 40 mm STROKE	POST-FEED 30 mm STROKE
	
LEADMAKER OR BENCH G	K TERMINATOR BENCH MACHINE



QTY REQD PER ASSY		PARTS LIST	
DIMENSIONS: mm [INCHES]		MATERIAL	
DO NOT SCALE PRINT.		FIN	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		HT TR	
1 PLC DEC ±-		DR 30JAN06 APP 30JAN06	
2 PLC DEC ±-		CHK L.LOFTHOUSE M.CLIFFORD	
3 PLC DEC ±-		REL TOMAR06 L.LOFTHOUSE	
ANGLES ±-		NAME END FEED HD-I APPLICATOR	
SURF TEXTURE: ✓		MACHINE REF	
REMOVE BURRS SHARP EDGES R0.38 MAX		HD-I APPL	
SCALE		SHEET 1 of 1	
DWG NO 1339799		REV A	
CASE CODE 00779		RESTRICTED TO	
CUSTOMER AND ASSEMBLY DRAWING			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9