







10128765-001LF



NOTE:

	DESCRIPTION	Q'ty	MATERIAL	PLATING
1,	QSFP CAGE	1PCS	COPPER ALLOY	NI Plated
02	EMI FINGERS	4PCS	COPPER ALLOY	NI FOR ALL
2,	TEMPERATURE:			
	OPERATION: -40°C~+85°C			
	STORAGE: -55°C~+105°C			

rev	ecn no	dr	date
A		Jason	05/20/2014
B		Jason	10/16/2014


www.fciconnect.com			surface - - ✓ -		tolerance std - -		projection 		MM 	
			TOLERANCES UNLESS OTHERWISE SPECIFIED							
Dr	LinA	2014-10-30	ANGULAR	LINEAR	0.X	± 0.25	size	A3	Scale	
Eng	LinA	2014-10-30			0.XX	± 0.20	NTS			
Chr	-				0.XXX	± 0.10	ECN		elx-dg-19247-1	
Appr	Collins Lu	2014-10-30	Product family					Spec ref	-	
			title			10128765			Rev. C	
			catalog no			CUSTOMER		sheet 1 of 3		

REV F - 2006-04-17




Copyright FCI.

D





1. SEE QSFP MSA SPECIFICATION FOR BEZEL LOCATION TOLERANCE
2. DATUM -A- IS TIP SURFACE OF HOST BOARD PER MSA
3. FINISHED HOLE SIZE (AFTER PLATING)
4. DATUM -K- IS HOST BOARD THRE HOLE #1 TO ACCEPT CONNECTOR GUIDE POST PER MSA
5. DATUM -L- IS HOST BOARD THRE HOLE #2 TO ACCEPT CONNECTOR GUIDE POST PER MSA
6. DATUM -T- IS HARD STOP ON CAGE PER MSA




www.fciconnect.com			surface - 		tolerance std -		projection 		MM 	
			TOLERANCES UNLESS OTHERWISE SPECIFIED							
Dr	LinA	2014-10-30	ANGULAR	LINEAR	0.X	± 0.25	size	A3	Scale	
Eng	LinA	2014-10-30			0.XX	± 0.20			NTS	
Chr	-				0.XXX	± 0.10			ECN elx-dg-19247-	
Appr	Collins Lu	2014-10-30	Product family					Spec ref		
	title QSFP+ 1*1 CAGE					dwg no 10128765			Rev C	
	catalog no -					CUSTOMER			sheet 2 of 3	

PCB LAYOUT FOR BELLY TO BELLY APPLICATION




NOTES:

1. SEE QSFP MSA SPECIFICATION FOR BEZEL LOCATION TOLERANCE
2. DATUM -A- IS TIP SURFACE OF HOST BOARD PER MSA
3. FINISHED HOLE SIZE (AFTER PLATING)
4. DATUM -K- IS HOST BOARD THRE HOLE #1 TO ACCEPT CONNECTOR GUIDE POST PER MSA
5. DATUM -L- IS HOST BOARD THRE HOLE #2 TO ACCEPT CONNECTOR GUIDE POST PER MSA
6. DATUM -T- IS HARD STOP ON CAGE PER MSA



NOTE:
BEZEL CUTOUT LOCATIONS FOR BELLY TO BELLY APPLICATIONS
ARE DEPENDENT ON PCB THICKNESS



www.fciconnect.com			surface - ☒		tolerance std -		projection 		MM 	
			TOLERANCES UNLESS		OTHERWISE SPECIFIED					
Dr	LinA	2014-10-30	ANGULAR	LINEAR	0.X	±0.25	size	A3	Scale	NTS
Eng	LinA	2014-10-30			0.XX	±0.20				
Chr	-		0° ±0.5°		0.XXX	±0.10	ECN	elx-dg-19247-1		
Appr	Collins Lu	2014-10-30	Product family					Spec ref -		
		title QSFP+ 1*1 CAGE				dwg no 10128765		Rev. C		
catalog no -				CUSTOMER				sheet 3 of 3		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9