



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
A		RLSD; NPR NSD07-105	18JAN2008	GG	S.J
B		REV PER ECO-14-004513	08APR2014	JB	MS



- △ ALL DIMENSIONS ARE NOMINAL UNLESS OTHERWISE SPECIFIED.
- △ POWER STRIP IS WIRED PER ELECTRICAL SCHEMATIC.
- △ MATERIAL:
JUNCTION BOX HOUSINGS - POLYCARBONATE, UL 94V-0, BLACK.
JUNCTION BOX DUST COVER - 6/6, UL 94V-0 RATED.
JUNCTION BOX CONTACTS - COPPER ALLOY SELECTIVELY TIN-PLATED AND SILVER PLATED 0.00508 [0.000200] MINIMUM THICKNESS.
POWER STRIP BRACKET - ZINC PLATED CARBON STEEL.
- △ APPLICATION:
AMPINNERGY - MODULAR POWER DISTRIBUTION SYSTEM, A MANUFACTURED WIRING SYSTEM.
THE POWER STRIP IS DESIGNED TO BE MOUNTED USING THE KEYHOLE PATTERN IN THE MOUNTING BRACKET WITH CUSTOMER SUPPLIED FASTENERS, 4 PLACES.




SUGGESTED MOUNTING PATTERN△

	BLANK	9-1933413-9
OBSOLETE	LINE 3G	1933413-7
OBSOLETE	LINE 2G	1933413-6
OBSOLETE	LINE 1G	1933413-5
	LINE 3	1933413-3
	LINE 2	1933413-2
	LINE 1	1933413-1
	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. GARRETT 18JAN2008	TE Connectivity	
DIMENSIONS: MME [INCHES]		CHK S. JONES 18JAN2008		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. JONES 18JAN2008	NAME POWER STRIP, KEYHOLE MOUNT, 1 PORT, 3-3-2	
0 PLC ±° △		PRODUCT SPEC		
1 PLC ±°		APPLICATION SPEC	SIZE A1	
2 PLC ±°		WEIGHT		
3 PLC ±°		CAGE CODE	DRAWING NO. 1933413	
4 PLC ±°		RESTRICTED TO		
ANGLES ±°		CUSTOMER DRAWING	SCALE 2:1	
FINISH ±° △		SHEET 1 OF 2		

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-



ELECTRICAL SCHEMATIC FOR
8-WIRE, DEDICATED NEUTRAL (3-3-2)
POWER STRIP

BLANK	BLANK/BLANK	BLANK/BLANK	BLANK	9-1933413-9
ISOLATED	N3/4	3G/8	15/20	1933413-7
ISOLATED	N2/3	2G/7	15/20	1933413-6
ISOLATED	N1/2	1G/6	15/20	1933413-5
STANDARD	N3/4	L3/8	15/20	1933413-3
STANDARD	N2/3	L2/7	15/20	1933413-2
STANDARD	N1/2	L1/6	15/20	1933413-1
GROUND TYPE	NEUTRAL NO./CONTACT NO.	LINE NO./CONTACT NO.	AMPERAGE	PART NO.
DUPLEX RECEPTACLE CONNECTIONS				

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. GARRETT 18JAN2008	TE Connectivity	
		CHK S. JONES 18JAN2008		
DIMENSIONS: MME[INCHES]		APVD S. JONES 18JAN2008	NAME POWER STRIP, KEYHOLE MOUNT, 1 PORT, 3-3-2	
		PRODUCT SPEC	SIZE A1	
		APPLICATION SPEC		
MATERIAL -		WEIGHT -	RESTRICTED TO -	
		CUSTOMER DRAWING	SCALE 1:2	
			SHEET 2 OF 2	
			REV B	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9