



# Simplified Systems for All Your Multi-Pair Splicing Needs

# A complete system to meet high-speed demands

In 1976, 3M™ introduced a series of connector modules to meet the needs of the telecom industry. Today, the demand for high-speed and high-bandwidth networks is greater than ever, and the complete series of 3M connector modules, tools and test equipment has evolved again.





## New demands in an age of information.

Every day, local loop providers work to provide enhanced customer services such as data access with faster Internet transmission, video-on-demand and video conferencing. Many are deploying DSL, ADSL and VDSL over Category 5 into twisted pair copper cable to meet these demands. As new technologies migrate into the local loop, the importance of connections in the embedded plant has increased. Each connection is a potential point of failure in high-bandwidth applications, which could require repair by a technician. That is where 3M connector modules make a real difference.

## New solutions from a company you trust.

3M™ MS™ Next Generation Modular System Splicing tools and equipment are easy to use in any kind of splicing operation, regardless of the environment or working conditions.


More than 200 tools are available to suit your needs with the reliability you have come to trust from 3M. Detailed step-by-step instructions for every kind of splicing application are included with all test equipment, parts and tools to provide splice integrity. Splicing is simplified and inventories minimized by allowing many jobs to be performed with the same basic components, tools and techniques.

This simplified system means that any of the eight next-generation splicing rigs with MS<sup>2</sup> splicing modules could meet all of your multi-pair splicing requirements in inside or outside plant such as new construction, cable rearrangements and maintenance. These procedures are easy to learn and designed to assure both splicing accuracy and good housekeeping.

# What you need, when you need it

Having exactly the right tools when you're in the field is essential for maximum productivity. With 100 years of experience, 3M knows precisely what you need and what you don't. Each of our kits is specialized to contain all essential components for your specific application, including buried/underground, aerial, pedestal/cabinet and vault/central office, as well as maintenance splicing applications.

## 3M™ MS<sup>27M</sup> Splicing Rig 4021-M2/36/TMK/NXG



See page 11 for parts identification of rig components.

## 3M™ MS™ SPLICING RIG APPLICATIONS

| PRODUCT NUMBER FOR KITS | BURIED/<br>UNDERGROUND | AERIAL | PEDESTAL/<br>CABINET | VAULT/<br>CENTRAL OFFICE |
|-------------------------|------------------------|--------|----------------------|--------------------------|
| 4021-M2/36/NXG          | ●                      |        |                      | ●                        |
| 4021-M2/36/TMK/NXG      | ●                      | ●      | ●                    | ●                        |
| 4022-M2/TMK/NXG         | ●                      | ●      | ●                    | ●                        |
| 4022-M2/NXG             | ●                      |        |                      |                          |
| 4045-K/36/NXG           | ●                      | ●      | ●                    |                          |
| 4045-K2/36/FL/NXG       | ●                      | ●      | ●                    |                          |
| 4049/NXG                | ●                      |        | ●                    |                          |

## FEATURES AND BENEFITS

|                                                                     |                                                                                          |
|---------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| 4053-PM separation tool                                             | Easily separates DPM modules                                                             |
| Addition of rear spring holders and unilength hooks to all kits     | Allows interruption-free cut-outs of existing splices                                    |
| Extra traverse clamp/head clamp in all double-head setups           | Increased craft productivity                                                             |
| Extra check comb on all double-head setups                          | Virtually eliminates wiring errors by double-checking tip and ring placement             |
| TMK support rig in two kits (replacing the 4046 split support tube) | Allows maximum flexibility in mounting applications for pedestals, racks, manholes, etc. |



The 3M™ MS™ Splicing Rig 4021-M2/36/NXG is a complete splicing rig designed for one- or two-person fold-back or inline splicing.

## 3M™ MS™ MODULAR SPLICING RIGS AND EQUIPMENT

### 3M™ MS™ Splicing Rig 4021-M2/36/NXG

#### KIT COMPONENTS:

|                                       |   |
|---------------------------------------|---|
| 4028 rig case                         | 1 |
| 4036-25 hand crimper                  | 1 |
| 4040 splicing head assembly includes: |   |
| 4041 splice head                      | 2 |
| Pedestal                              | 2 |
| Traverse clamp assembly with long bar | 2 |
| Head clamp                            | 2 |
| 4046 CST (collapsible support tube)   | 1 |
| 4047 pair test plug                   | 1 |
| 4051 wire insertion and cut-off tool  | 1 |
| 4052T tester check comb               | 2 |
| Short traverse bar                    | 1 |
| 4053-PM separation tool               | 1 |
| Unilength hooks                       | 2 |
| Rear spring holders                   | 2 |
| Allen wrenches                        | 2 |
| Tube support extension                | 1 |
| Instructions                          | 1 |



# 3M™ MS<sup>2</sup>™ MODULAR SPLICING RIGS AND EQUIPMENT

## 3M™ MS<sup>2</sup>™ Splicing Rig 4022-M2/TMK/NXG

### KIT COMPONENTS:

|                                            |   |
|--------------------------------------------|---|
| 4028 rig case                              | 1 |
| 4040 splicing head assembly includes:      |   |
| 4041 splice head                           | 2 |
| Pedestal                                   | 2 |
| Traverse clamp assembly with long bar      | 2 |
| Head clamp                                 | 2 |
| 4047 pair test plug                        | 1 |
| 4051 wire insertion and cut-off tool       | 1 |
| 4052T tester check comb                    | 2 |
| Short traverse bar                         | 1 |
| 4053-PM separation tool                    | 1 |
| Unilength hooks                            | 2 |
| Rear spring holders                        | 2 |
| TMK kit includes:                          |   |
| TMK base                                   | 1 |
| TMK A2 tool clamp                          | 1 |
| TMK A3 swivel bar                          | 1 |
| TMK A4 tube clamp                          | 1 |
| TMK A5 vise                                | 1 |
| TMK A6 swivel/knob                         | 1 |
| TMK A7 mount                               | 1 |
| TMK A8 90° mount                           | 1 |
| Allen wrench                               | 1 |
| Instructions                               | 1 |
| (TMK replaces the 4046 split support tube) |   |



The 3M™ MS<sup>2</sup>™ Splicing Rig 4022-M2/TMK/NXG is a complete splicing rig designed for one- or two-person fold-back or inline splicing. The TMK kit provides maximum mounting flexibility.

## 3M™ MS<sup>2</sup>™ Splicing Rig 4022-M2/NXG

### KIT COMPONENTS:

|                                       |   |
|---------------------------------------|---|
| 4028 rig case                         | 1 |
| 4040 splicing head assembly includes: |   |
| 4041 splice head                      | 2 |
| Pedestal                              | 2 |
| Traverse clamp assembly with long bar | 2 |
| Head clamp                            | 2 |
| 4046 CST (collapsible support tube)   | 1 |
| 4047 pair test plug                   | 1 |
| 4051 wire insertion and cut-off tool  | 1 |
| 4052T tester check comb               | 2 |
| Short traverse bar                    | 1 |
| 4053-PM separation tool               | 1 |
| Unilength hooks                       | 2 |
| Rear spring holders                   | 2 |
| Allen wrenches                        | 2 |
| Tube support extension                | 1 |
| Instructions                          | 1 |



The 3M™ MS<sup>2</sup>™ Splicing Rig 4022-M2/NXG is a complete splicing rig designed for one- or two-person fold-back or inline splicing.




The 3M™ MS™ Universal Rig 4045-K/36/NXG is a versatile rig designed for one-person splicing in difficult-to-reach pedestal or rack areas.

## 3M™ MS™ MODULAR SPLICING RIGS AND EQUIPMENT

### 3M™ MS™ Universal Splicing Rig 4045-K/36/NXG

#### KIT COMPONENTS:

|                                               |   |
|-----------------------------------------------|---|
| 4028 rig case                                 | 1 |
| 4036-25 hand crimper                          | 1 |
| 4041-P splicing head and pedestal             | 1 |
| 4047 pair test plug                           | 1 |
| 4051 wire insertion and cut-off tool          | 1 |
| 4052T tester check comb                       | 1 |
| 4045 universal splicing head support assembly | 1 |
| 4053-PM separation tool                       | 1 |
| Unilength hook                                | 1 |
| Rear spring holder                            | 1 |
| Allen wrench                                  | 1 |
| Instructions                                  | 1 |



The 3M™ MS™ Splicing Rig 4045-K/36/FL/NXG is a versatile rig designed for one-person splicing. It allows maximum flexibility for difficult-to-reach areas and aerial applications.

### 3M™ MS™ Splicing Rig 4045-K2/36/FL/NXG

#### KIT COMPONENTS:

|                                                |   |
|------------------------------------------------|---|
| 4028 rig case                                  | 1 |
| 4036-25 hand crimper                           | 1 |
| 4041-P splicing head and pedestal              | 2 |
| 4047 pair test plug                            | 1 |
| 4051 wire insertion and cut-off tool           | 1 |
| 4052T tester check comb                        | 2 |
| 4045 universal splicing head support assembly  | 1 |
| 4025 support vise                              | 1 |
| 4035A strand clamp                             | 1 |
| 4044 cross connect splicing head frame adapter | 1 |
| 4053-PM separation tool                        | 1 |
| Unilength hooks                                | 2 |
| Rear spring holders                            | 2 |
| Allen wrench                                   | 1 |
| Instructions                                   | 1 |

## 3M™ MS™ MODULAR SPLICING RIGS AND EQUIPMENT

### 3M™ MS™ Splicing Rig 4049/NXG

#### KIT COMPONENTS:

|                                      |   |
|--------------------------------------|---|
| 4049 rig container/pail              | 1 |
| 4036-H tool holster                  | 1 |
| 4036-25 hand crimper                 | 1 |
| 4041-SH splice head holder           | 1 |
| 4041-P splicing head and pedestal    | 1 |
| 4047 pair test plug                  | 1 |
| 4051 wire insertion and cut-off tool | 1 |
| 4052T tester check comb              | 1 |
| 4049-VTB variable traverse brace     | 1 |
| 4053-PM separation tool              | 1 |
| Unilength hook                       | 1 |
| Rear spring holder                   | 1 |
| Allen wrench                         | 1 |
| Instructions                         | 1 |



The 3M™ MS™ Splicing Rig 4049/NXG is a lightweight and portable splicing rig.

4041-SH splice head holder

4049-VTB variable traverse brace

### 3M™ MS™ Module Maintenance Kit 4026-A

#### KIT COMPONENTS:

|                                                              |   |
|--------------------------------------------------------------|---|
| 4047 pair test plug                                          | 1 |
| 4051 wire insertion and cut-off tool                         | 1 |
| 4005-DPM/BTP/JMP super-mate bottom test plug jumper assembly | 2 |
| 4005-DPM/36PTJ preterminated jumper assembly                 | 2 |
| 4270-A hand presser                                          | 1 |
| 4053-PM separation tool                                      | 1 |
| 4053 cover removal tool                                      | 1 |




The 3M™ MS™ Module Maintenance Kit 4026-A contains the tools necessary for re-entry of super-mini and super-mate modules. The kit may be used for splice module combinations of two- through seven-way stackable splices.



### 3M™ MS™/710 Support Rig 3M710-TMK10-A

The 3M710-TMK10-A rig can be used to support the MS<sup>®</sup> splice head or the 3M 710 splicing rig.



### 3M™ MS™/710 Tripod Kit 3M710-TPK10

The 3M710-TPK10 tripod kit can be used to support MS<sup>®</sup> or 3M 710 splicing applications.



## ORDERING INFORMATION

### 3M™ MS™ SPLICING SYSTEM COMPONENTS

| PRODUCT NUMBER     | DESCRIPTION                               | STOCK NUMBER | UPC          | UOM | MOQ |
|--------------------|-------------------------------------------|--------------|--------------|-----|-----|
| 3M710-TPK10        | TRIPOD KIT (V2)                           | 80611048473  | 05113878491  | EA  | 1   |
| 4021-M2/36/NXG     | MS <sup>2</sup> SPLICING RIG              | 80611311707  | 05111518524  | EA  | 1   |
| 4021-M2/36/TMK/NXG | MS <sup>2</sup> SPLICING RIG              | 80611311715  | 05111518525  | EA  | 1   |
| 4022-M2/TMK/NXG    | MS <sup>2</sup> SPLICING RIG              | 80611311723  | 05111518526  | EA  | 1   |
| 4022-M2/NXG        | MS <sup>2</sup> SPLICING RIG              | 80611311731  | 05111518527  | EA  | 1   |
| 4045-K/36/NXG      | MS <sup>2</sup> SPLICING RIG              | 80611311749  | 05111518528  | EA  | 1   |
| 4045-K2/36/FL/NXG  | MS <sup>2</sup> SPLICING RIG              | 80611311327  | 05111518486  | EA  | 1   |
| 4049-NXG           | MS <sup>2</sup> SPLICING RIG              | 80611311756  | 05111518529  | EA  | 1   |
| 4025               | SUPPORT VISE                              | 78801120433  | 05400726468  | EA  | 1   |
| 4026-A             | MODULE MAINTENANCE KIT                    | 80610757231  | 05400792307  | EA  | 1   |
| 4028A              | TOOL BOX<br>W/MODIFIED TRAY               | 80610999254  | 005113870971 | EA  | 1   |
| 4030               | AIR/HYDRAULIC CRIMP                       | 80609000015  | 05400730183  | EA  | 1   |
| 4031               | HAND/HYDRAULIC CRIMPER                    | 80609100062  | 05400730184  | EA  | 1   |
| 4035A              | STRAND CLAMP                              | 80610085526  | 05400731917  | EA  | 1   |
| 4036-25            | HAND CRIMPER                              | 80610845507  | 05400792843  | EA  | 1   |
| 4039               | MARKING PEN<br>(NEW)                      | 80610616601  | 05400757516  | EA  | 144 |
| 4040               | SPL HEAD ASSEMBLY                         | 80601112057  | 05400727822  | EA  | 1   |
| 4041-2             | 2" UNILENGTH HOOK                         | 80610326888  | 05400763857  | EA  | 1   |
| 4041-P             | SPL HEAD T-BAR                            | 80610026462  | 05400730266  | EA  | 1   |
| 4041-RS            | REAR SPRING<br>HOLDER                     | 78806187957  | 05400768203  | EA  | 1   |
| 4041-SH            | SPLICING HEAD<br>HOLDER                   | 80610847628  | 05400792955  | EA  | 1   |
| 4041-SPL           | SPLICING HEAD                             | 80601112065  | 05400727823  | EA  | 1   |
| 4041-T/BR          | TEST HEAD<br>CLEANING BRUSH               | 26100442818  | 05111514216  | EA  | 1   |
| 4045-HCA           | UNIVERSAL HEAD CLAMP                      | 78800624823  | 05400726332  | EA  | 1   |
| 4045-SHSA          | UNIVERSAL SPLICE HEAD<br>SUPPORT ASSEMBLY | 80610023683  | 05400730219  | EA  | 1   |
| 4045-ST            | UNIVERSAL SUPPORT TUBE                    | 78800624856  | 05400726333  | EA  | 1   |

## ORDERING INFORMATION



### 3M™ MS™ SPLICING SYSTEM COMPONENTS

| PRODUCT NUMBER   | DESCRIPTION                                      | STOCK NUMBER | UPC         | UOM | MOQ |
|------------------|--------------------------------------------------|--------------|-------------|-----|-----|
| 4045-VA          | WISE FINAL ASSEMBLY                              | 78800624724  | 05400726331 | EA  | 1   |
| 4045-VHPA        | UNIVERSAL WISE<br>HANDLE AND PAD ASSEMBLY        | 78802079588  | 05400726727 | EA  | 1   |
| 4046-CST         | COLLAPSIBLE<br>SUPPORT TUBE                      | 78804495535  | 05400717626 | EA  | 1   |
| 4047             | PAIR TEST PLUG                                   | 80610023758  | 05400730220 | EA  | 10  |
| 4051             | SUPER MINI MODULE WIRE INSERT<br>AND CUTOFF TOOL | 80610072557  | 05400731137 | EA  | 10  |
| 4052T            | CHECK COMB                                       | 80610123244  | 05400733796 | EA  | 10  |
| 4053             | COVER REMOVAL TOOL                               | 80609100070  | 05400730185 | EA  | 1   |
| 4053-PM          | SEPARATION TOOL                                  | 80610133409  | 05400734404 | EA  | 1   |
| 4270-A           | HAND PRESSER                                     | 80610415350  | 05400771280 | EA  | 1   |
| 3M710-TMK10-A    | TOOL MOUNT KIT                                   | 80611048374  | 05113878481 | EA  | 1   |
| 3M710-TMK10 (A1) | BASE                                             | 80611048382  | 05113878482 | EA  | 1   |
| 3M710-TMK10 (A2) | TOOL CLAMP                                       | 80611048390  | 05113878483 | EA  | 1   |
| 3M710-TMK10 (A3) | SWIVEL BAR                                       | 80611048408  | 05113878484 | EA  | 1   |
| 3M710-TMK10 (A4) | TUBE CLAMP                                       | 80611048416  | 05113878485 | EA  | 1   |
| 3M710-TMK10 (A5) | RIG WISE                                         | 80611048424  | 05113878486 | EA  | 1   |
| 3M710-TMK10 (A6) | SWIVEL BAR/KNOB                                  | 80611048432  | 05113878487 | EA  | 1   |
| 3M710-TMK10 (A7) | TUBE/TOOL CLAMP                                  | 80611048440  | 05113878488 | EA  | 1   |
| 3M710-TMK10 (A8) | 90° MOUNT                                        | 80611048457  | 05113878489 | EA  | 1   |
| 3M710-TMK10 (A9) | PLASTIC CASE FOR<br>TOOL MOUNT KIT               | 80611048465  | 05113878490 | EA  | 1   |

## 3M™ MS™ SPLICING RIG 4041 SPARE PARTS

### 3M™ MS™ SPLICING HEAD 4041


| PRODUCT NUMBER          | DESCRIPTION                                           | STOCK NUMBER | UPC         | MOQ |
|-------------------------|-------------------------------------------------------|--------------|-------------|-----|
| (1) SPARE-RIGS/HTP      | HEAD TAPE PLATE                                       | 78801125580  | 05400726479 | 1   |
| (2) SPARE-RIGS/PED      | PEDESTAL                                              | 78801125572  | 05400726478 | 1   |
| (3) SPARE-RIGS/SHB      | SPLICE HEAD BODY                                      | 78800408698  | 05400726289 | 1   |
| (4) SPARE-RIGS/SHLP     | SPLICE HEAD SIDE PLATE — LEFT HAND                    | 78802677134  | 05400726860 | 1   |
| (5) SPARE-RIGS/SHRP     | SPLICE HEAD SIDE PLATE — RIGHT HAND                   | 78802677142  | 05400726861 | 1   |
| (6) SPARE-RIGS/SHLS     | SPLICING HEAD LEAF SPRING UNIVERSAL                   | 78809563790  | 05113875718 | 1   |
| (7) SPARE-RIGS/SWR      | SPRING WIRE RETAINER 20-22, 26-28 GAUGE (BLUE/BROWN)  | 78801125085  | 05400726476 | 1   |
| (8) SPARE-RIGS/WGK      | WIRE GUIDE KIT                                        | 78805496953  | 05400717636 | 1   |
| (9) SPARE-RIGS/WRA 2226 | SPRING WIRE RETAINER ASSEMBLY 22-26 GAUGE (RED/BLACK) | 78801125598  | 05400726480 | 1   |
| (10) SPARE-RIGS/WSK     | WIRE SEPARATOR KIT                                    | 78801125606  | 05400726481 | 1   |
| (11) SPARE-RIGS/TSXA    | TUBE SUPPORT EXTENSION ASSEMBLY                       | 78800624674  | 05400726330 | 1   |




## ORDERING INFORMATION

### 3M™ MS™ SPLICING MODULES AND SEALANT BOXES


| PRODUCT NUMBER           | DESCRIPTION                                                       | STOCK NUMBER | UPC         | UOM | MOQ |
|--------------------------|-------------------------------------------------------------------|--------------|-------------|-----|-----|
| <b>MS™ Modules</b>       |                                                                   |              |             |     |     |
| 4000-D/TR/24             | SUPER MINI MODULE (DRY TRANSPARENT)                               | 80610863070  | 5113857525  | EA  | 120 |
| 4000-D/CO                | SUPER MINI SPLICING MODULE (DRY FLAME RETARDANT)                  | 80610069546  | 05400730944 | EA  | 120 |
| 4000-DT/TR               | SUPER MINI TEST MODULE (DRY TRANSPARENT)                          | 80610416192  | 05400771368 | EA  | 120 |
| 4000-DWP/TR              | SUPER MINI SPLICING MODULE & SEALANT BOX                          | 80610863617  | 05113857574 | EA  | 120 |
| 4000-G/TR                | SUPER MINI SPLICING MODULE (GEL TRANSPARENT)                      | 80611013105  | 05113870906 | EA  | 120 |
| 4005-DBM/TR/NB           | BRIDGE MODULE WITH NO CUT-OFF BLADES (DRY)                        | 80610757363  | 05400792318 | EA  | 120 |
| 4005-DPM/FR              | SUPER MATE PLUGGABLE MODULE (DRY FLAME RETARDANT)                 | 80610156848  | 05400717352 | EA  | 120 |
| 4005-DPM/TR              | SUPER MATE BRIDGE MODULE (DRY TRANSPARENT)                        | 80610416218  | 05400771370 | EA  | 120 |
| 4005-GBM/TR              | SUPER MATE BRIDGE MODULE (GEL TRANSPARENT)                        | 80611150238  | 05111515064 | EA  | 120 |
| 4005-GBM/TR/NB           | SUPER MATE BRIDGE MODULE WITH NO CUT-OFF BLADES (GEL TRANSPARENT) | 80611304413  | 05111516181 | EA  | 120 |
| 4008-D/CO                | SUPER MINI HALF-TAP MODULE (DRY FLAME RETARDANT)                  | 80610069553  | 05400730945 | EA  | 120 |
| 4008-D/TR                | SUPER MINI HALF-TAP MODULE (DRY TRANSPARENT)                      | 80610416234  | 05400771372 | EA  | 120 |
| 4008-G/TR                | SUPER MINI HALF-TAP MODULE (GEL TRANSPARENT)                      | 80611020498  | 05113889336 | EA  | 120 |
| <b>MS™ Sealant Boxes</b> |                                                                   |              |             |     |     |
| 4075-S                   | SUPER MINI SEALANT BOX                                            | 80610863542  | 05113857567 | EA  | 120 |
| 4077-A                   | PLUGGABLE MODULE SEALANT BOX (FOR ONE SUPER MATE)                 | 80610863567  | 05113857569 | EA  | 120 |
| 4077-B                   | PLUGGABLE MODULE SEALANT BOX (FOR ONE SUPER MATE/ONE SUPER MINI)  | 80610863575  | 05113857570 | EA  | 120 |
| 4077-C                   | PLUGGABLE MODULE SEALANT BOX (FOR TWO SUPER MATES)                | 80610863591  | 05113857572 | EA  | 120 |
| 4077-D                   | PLUGGABLE MODULE SEALANT BOX (FOR THREE SUPER MATES)              | 80610863609  | 05113857573 | EA  | 120 |
| <b>MS™ Accessories</b>   |                                                                   |              |             |     |     |
| 4003-D/TR                | SUPER MINI SPLICING MODULE COVER (TRANSPARENT)                    | 80610579288  | 05400771596 | EA  | 120 |
| 4004-D/TR                | SUPER MINI SPLICING MODULE BASE (SMOKED)                          | 80610579296  | 05400771597 | EA  | 120 |
| 4004-DT/TR               | SUPER MINI TEST MODULE BASE (TRANSPARENT)                         | 80610580104  | 05400771654 | EA  | 120 |
| 4078-C                   | HALF-TAP COVER                                                    | 80610129860  | 05400734167 | EA  | 120 |




3M™ Super-Mini  
Splicing Module 4000-G/TR



3M™ Super-Mate Bridge  
Module 4005-DPM/TR



3M™ Super-Mini Half-Tap  
Module 4008-D/TR



3M™ Pluggable Module  
Sealant Box 4077-C



3M™ Super-Mini  
Sealant Box 4075-S



### 3M™ MS<sup>2</sup> RIG ACCESSORIES



**Support Vise  
4025**

Used to mount the 4040 splicing head assembly in tight situations.



**Tool Box with  
Modified Tray  
4028-A**

Durable, easy to transport tool box with tray.  
66 x 29.2 x 28.2 cm (26 x 11.5 x 11.1") Cube: 9.8 kg. (21.7 lbs.) Ctn.  
size: 67.1 x 30 x 58.4 cm (26.4 x 11.8 x 23")



**Air/Hydraulic  
Crimping Unit  
4030**

Designed for high-volume module termination and uses air or nitrogen supply. An air cylinder or compressor with output pressure of 6.33–7.03 kg/cm (90–100 PSI) must be used. The unit is either hand- or foot-operated.



**Hand/Hydraulic  
Crimping Unit  
4031**

Lightweight and hand-operated. When proper crimping pressure is reached, a bypass valve opens.



**Aerial Strand  
Clamp 4035-A**

Designed to hold a 4041-P splicing head in aerial splicing applications. Anchored to the suspension strand, the strand clamps behind and below the splice bundle and can be used with strands from 5 mm (3/16") diameter to 10 mm (3/8").



**Hand Crimper  
4036-25**

A self-contained, pistol-gripped crimper designed to crimp MS<sup>2</sup> modules in the 4041 splicing head.



**Splicing Head  
Assembly 4040**

This assembly contains a splicing head, a pedestal, a traverse clamp assembly with a long bar, and a head clamp for use with two-man fold-back splicing.



**Splicing Head  
and "T" Bar  
4041-P**

Additional splicing head and "T" bar support for use with the MS<sup>2</sup> system.



**Splice Head Holder  
4041-SH**

The 4041-SH is the tool mounting assembly from the 4049-NXG and 4049-R Lite Rigs that holds the 4049-VTB Variable Traverse Brace. It enables the user to position the MS<sup>2</sup> splice head where needed for greater splicing flexibility.



**Splice Head  
4041-SPL**

The standard MS<sup>2</sup> splicing head without any support components.

### 3M™ MS<sup>2</sup>™ RIG ACCESSORIES



**Universal Splicing Head Support Assembly 4045-SHSA**

This assembly is designed to hold an MS<sup>2</sup> splicing head so it can be used in all applications.



**Split Support Tube 4046-CS**

Collapsible for easy transport and setup.



**Pair Test Plug 4047**

A module probe that permits one pair checking without damaging wire insulation. The prongs fit the test entry port of all MS<sup>2</sup> modules. The cord permits easy connection to a talk block or test set.



**Variable Traverse Brace 4049-VTB**

The 4049-VTB Variable Traverse Brace fits into the 4041-SH Splicing Head Holder and is designed to hold the MS<sup>2</sup> Splicing Head with Pedestal Support. It enables the user to position the MS<sup>2</sup> splice head where needed for greater splicing flexibility.



**Wire Insertion and Cut-off Tool 4051**

Used to terminate individual conductors on MS<sup>2</sup> modules.



**Cover Removal Tool 4053**

Recommended for removing either bases or covers from 25-pair super-mini and covers only from 25-pair super-mate modules.



**Separation Tool 4053-PM**

The only recommended tool to separate 4005-DPM/TR modules from any other module. Note: The 4053 cover removal tool cannot be used to separate DPM modules.



**Hand Presser 4270-A**

Used to plug up to seven super-mate modules together.



**Tool Mounting Kit 3M710-TMK10-A**

Allows flexibility in mounting applications for pedestals, racks, manholes, etc. It can be used with either MS<sup>2</sup> or 3M710 splicing systems.

The full-service 3M repair facility can help you with any spare part needs. Contact the 3M repair center at 800/426 8688, option 2, or online at [www.3MRepair.com](http://www.3MRepair.com).

3M and MS<sup>2</sup> are trademarks of 3M Company.

#### **Important Notice**

3M™ MS<sup>2</sup>™ splicing rigs, tools and modules are engineered to work together to achieve consistently superior performance in the field. Modules from other manufacturers may not meet the tight quality tolerances of 3M modules and may damage the calibration and performance of a 3M rig or tool. Therefore, the published 3M warranty does not extend to any 3M modules spliced in rigs or tools not made by 3M. The warranty on 3M MS<sup>2</sup> splicing rigs and Scotchlok™ splicing tools can also be violated if used on non-3M modules.

All statements, technical information, and recommendations related to 3M's products are based on information believed to be reliable, but the accuracy or completeness is not guaranteed. Before using this product, you must evaluate it and determine if it is suitable for your intended application. You assume all risks and liability associated with such use. Any statements related to the product which are not contained in 3M's current publications, or any contrary statements contained on your purchase order shall have no force or effect unless expressly agreed upon, in writing, by an authorized officer of 3M.

#### **Warranty; Limited Remedy; Limited Liability.**

This product will be free from defects in material and manufacture for a period of 12 months from the date of purchase. **3M MAKES NO OTHER WARRANTIES INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** If this product is defective within the warranty period stated above, your exclusive remedy shall be, at 3M's option, to replace or repair the 3M product or refund the purchase price of the 3M product. Except where prohibited by law, 3M will not be liable for any loss or damage arising from this 3M product, whether direct, indirect, special, incidental or consequential regardless of the legal theory asserted.



#### **Communication Markets Division 3M Telecommunications**

6801 River Place Blvd.  
Austin, TX 78726-9000

800/426 8688

Fax 800/626 0329

[3MTelecommunications.com](http://3MTelecommunications.com)

Please recycle. Printed in USA.

© 3M 2007. All rights reserved.

80-6113-1598-9 (10072.5) K/TG

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9