

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

62202-3000

Status:

Active

Description:

Daughter Card Signal Module Removal Tool




image - Reference only

Series

Documents:

RoHS Certificate of Compliance (PDF)

General	
Product Family	Application Tooling
Series	T9999
Comments	See Tooling Specification (PDF) Above
Function	Removal
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	PremiumGrade™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	800756898322
Physical	
Net Weight	603.000/g
Material Info	
Reference - Drawing Numbers	
Application Tooling Documents	ATS-622023000, TM-622018699, TM-622022099

EU RoHS

China RoHS

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

T9999Series

Use With

N/A

Application Tooling Description	FAQ Product #
GbX I-Trac™ Right-Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Right Guide, 11 Rows, 5 Columns, 110 Circuits	0757105005
GbX I-Trac™ Right-Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Right Guide, 11 Rows, 8 Columns, 176 Circuits	0757105008
GbX I-Trac™ Right-Angle Daughtercard Module, 1.85mm by	0757103110

	3.70mm Pitch, Left Guide, 11 Rows, 10 Columns, 220 Circuits, Lead-Free, Polarization Key A GbX I-Trac™ Right-Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Right Guide with ESD Clip, 11 Rows, 6 Columns, 132 Circuits, Polarization Key A 0757105156
	GbX I-Trac™ Right-Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Left Guide, 11 Rows, 6 Columns, 132 Circuits, Lead-Free 0757103006
	GbX I-Trac™ Right-Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Left Guide, 11 Rows, 10 Columns, 220 Circuits, Lead-Free, Polarization Key B 0757103210
	GbX I-Trac™ Right-Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Unguided, 11 Rows, 10 Columns, 220 Circuits 0757101010
	GbX I-Trac™ Right-Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Right Guide with ESD Clip, 11 Rows, 5 Columns, 110 Circuits, Polarization Key A 0757105155
	GbX I-Trac™ Right-Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Left Guide with ESD Clip, 11 Rows, 10 Columns, 220 Circuits, Lead-Free 0757103050
	GbX I-Trac™ Right-Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Left Guide with ESD Clip, 11 Rows, 5 Columns, 110 Circuits, Lead-Free 0757103005
	GbX I-Trac™ Right-Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Left Guide, 11 Rows, 0757103008

	8 Columns, 176 Circuits, Lead-Free GbX I-Trac™ Right- 0757105010 Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Right Guide, 11 Rows, 10 Columns, 220 Circuits GbX I-Trac™ Right- 0757103056 Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Left Guide with ESD Clip, 11 Rows, 6 Columns, 132 Circuits, Lead- Free GbX I-Trac™ Right- 0757103108 Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Left Guide, 11 Rows, 8 Columns, 176 Circuits, Lead-Free, Polarization Key A GbX I-Trac™ Right- 0757101006 Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Unguided, 11 Rows, 6 Columns, 132 Circuits GbX I-Trac™ Right- 0757103208 Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Left Guide, 11 Rows, 8 Columns, 176 Circuits, Lead-Free, Polarization Key B GbX I-Trac™ Right- 0757105006 Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Right Guide, 11 Rows, 6 Columns, 132 Circuits GbX I-Trac™ Right- 0757103308 Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Left Guide, 11 Rows, 8 Columns, 176 Circuits, Lead-Free, Polarization Key C GbX I-Trac™ Right- 0757105106 Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Right Guide, 11 Rows, 6 Columns, 132 Circuits, Polarization Key A GbX I-Trac™ Right- 0757105206 Angle Daughtercard
--	--

Module, 1.85mm by 3.70mm Pitch, Right Guide, 11 Rows, 6 Columns, 132 Circuits, Polarization Key B	
GbX I-Trac™ Right-Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Left Guide with ESD Clip, 11 Rows, 5 Columns, 110 Circuits, Lead-Free, Polarization Key A	0757103155
GbX I-Trac™ Right-Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Unguided, 11 Rows, 5 Columns, 110 Circuits	0757101005
GbX I-Trac™ Right-Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Unguided, 11 Rows, 8 Columns, 176 Circuits	0757101008
GbX I-Trac™ Right-Angle Daughtercard Module, 1.85mm by 3.70mm Pitch, Left Guide, 11 Rows, 10 Columns, 220 Circuits, Lead-Free	0757103010
GbX I-Trac™ Right Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Unguided, 7 Row, 4 Columns, 56 Circuits, Lead-Free	0760201004
GbX I-Trac™ Right Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Unguided, 7 Row, 6 Columns, 84 Circuits, Lead-Free	0760201006
GbX I-Trac™ Right Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Unguided, 7 Row, 10 Columns, 140 Circuits, Lead-Free	0760201010
GbX I-Trac™ Right Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Left Guide 7 Row, 4 Columns, 56 Circuits, Lead-Free	0760203004

	GbX I-Trac™ Right Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Left Guide 7 Row, 6 Columns, 84 Circuits, Lead-Free	0760203006
	GbX I-Trac™ Right Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Left Guide 7 Row, 10 Columns, 140 Circuits, Lead-Free	0760203010
	GbX I-Trac™ Right Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Left Guide with ESD clip, 7 Rows, 10 Columns, 140 Circuits, Lead-Free	0760203050
	GbX I-Trac™ Right Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Left Guide with ESD clip, 7 Rows, 4 Columns, 56 Circuits, Lead-Free	0760203054
	GbX I-Trac™ Right Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Left Guide with ESD clip, 7 Rows, 6 Columns, 84 Circuits, Lead-Free	0760203056
	GbX I-Trac™ Right Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Left Guide 7 Row, 6 Columns, 84 Circuits, Polarization Key A, Lead-Free	0760203106
	GbX I-Trac™ Right Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Left Guide 7 Row, 10 Columns, 140 Circuits, Polarization Key A, Lead-Free	0760203110
	GbX I-Trac™ Right Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Left Guide 7 Row, 6 Columns, 84 Circuits, Polarization Key B, Lead-Free	0760203206
	GbX I-Trac™ Right Angle Receptacle Module, 1.85mm	0760203210

	by 3.70mm Pitch, Left Guide 7 Row, 10 Columns, 140 Circuits, Polarization Key B, Lead-Free GbX I-Trac™ Right 0760203310 Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Left Guide 7 Row, 10 Columns, 140 Circuits, Polarization Key C, Lead-Free GbX I-Trac™ Right 0760205004 Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Right Guide 7 Row, 4 Columns, 56 Circuits, Lead-Free GbX I-Trac™ Right 0760205006 Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Right Guide 7 Row, 6 Columns, 84 Circuits, Lead-Free GbX I-Trac™ Right 0760205010 Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Right Guide 7 Row, 10 Columns, 140 Circuits, Lead-Free GbX I-Trac™ Right 0760205050 Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Right Guide 7 Row with ESD Clip, 4 Columns, 56 Circuits, Lead-Free GbX I-Trac™ Right 0760205054 Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Right Guide 7 Row with ESD Clip, 6 Columns, 84 Circuits, Lead-Free GbX I-Trac™ Right 0760205056 Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Right Guide 7 with ESD Clip, Row, 10 Columns, 140 Circuits, Lead-Free GbX I-Trac™ Right 0760205104 Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Right Guide 7 Row, 4 Columns, Polarization Key A,
--	---

	56 Circuits, Lead-Free	
	GbX I-Trac™ Right Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Right Guide 7 Row, 10 Columns, Polarization Key A, 84Circuits, Lead-Free	0760205106
	GbX I-Trac™ Right Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Right Guide 7 Row, 10 Columns, Polarization Key B, 84 Circuits, Lead-Free	0760205206
	GbX I-Trac™ Right Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Right Guide 7 Row, 10 Columns, Polarization Key C, 140 Circuits, Lead-Free	0760205310
	GbX I-Trac™ Right- Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Unguided, 15 Rows, 8 Columns, 240 Circuits	0760401008
	GbX I-Trac™ Right- Angle Receptacle Module, 1.85mm by 3.70mm Pitch, Unguided, 15 Rows, 9 Columns, 270 Circuits	0760401009

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9