










RECEPTACLE



RECEPTACLE HOUSING
SHOWN WITH STANDARD EARS

PLUG




PLUG HOUSING
SHOWN WITH STANDARD EARS

UPDATE REV. LEVEL EC NO: UCP2007-1925 DRAWN BY: DRW:PRIDDER CHKD: AELHAG APPR: FSMITH DATE: 2007/02/08 DATE: 2007/02/12 DATE: 2007/02/12	REV M2	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
					mm	INCH	DRAWN BY KBW	DATE 1/26/89	TITLE PLUG AND RECEPTACLE HOUSINGS, 3 CIRCUIT, .062 DIA.		
				4 PLACES	± ---	± ---	CHECKED BY RW	DATE 1/26/89	MOLEX MOLEX INCORPORATED		
				3 PLACES	± ---	± .010	APPROVED BY	DATE			
				2 PLACES	± 0.25	± .014	RAS	1/26/89			
				1 PLACE	± 0.35	± ---	MATERIAL NO. SEE CHART		DOCUMENT NO. SD-1625-3*	SHEET NO. 1 OF 2	
ANGULAR ±1/2°											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS											
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											



13	12	11	10	9	8	7	6	5	4	3	2	1
PLUG		OBSOLETE	 <u>DETAIL A</u> .062/(1.57) STANDARD MOUNTING EAR (SCALE 4:1)	<u>LEGEND:</u> 1625-3**** CIRCUIT SIZE P = PLUG R = RECEPTACLE								
PART NO.	ENG. NO.											
03-06-2031	I625-3P											
03-06-2032	I625-3P I											
03-06-2034	I625-3P4BK											
03-06-7032	I625-3P IBK											
03-06-2033	I625-3P4											

RECEPTACLE		
PART NO.	ENG. NO.	
03-06-1033	1625-3R2	
03-06-1031	1625-3R	
03-06-1032	1625-3R1	
03-06-6031	1625-3RBK	
03-06-6032	1625-3R1BK	
03-06-1034	1625-3R3	
03-06-1038	1625-3R4	
		OBSOLETE



HOUSING	DIM. "A"	DIM. "B"	"C" PREBENT EAR	"C" STANDARD EAR
PLUG	.754/(19.15)	.318/(8.08)	.19/(4.8)	.18/(4.6)
RECEPT.	.650/(16.51)	.265/(6.73)	.21/(5.3)	.20/(5.1)

RECOMMENDED PANEL OPENING



NOTES:-

1. MATERIAL: NYLON TYPE 6/6, 94V-2.
2. FINISH: NONE.
3. PRODUCT SPECIFICATION: PS-02-06.
4. PACKAGING SPECS: BULK PACK PER PK-1625-001.
5. ACCEPTS MOLEX .062" SERIES TERMINALS.

6. ETCHED CIRCUIT I.D. NUMBERS ON HOUSING MAY OR MAY NOT BE PRESENT.

7. PARTS CONFORM TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

REVISE NOTE # 6 EC NO: UCP2010-0366 DWG:NAELHAG CHKD:JBELL APPR:FSMITH	2009/08/11	2009/08/11	2009/08/11	2009/08/12	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± .010</td></tr><tr><td>2 PLACES</td><td>± 0.25</td><td>± .014</td></tr><tr><td>1 PLACE</td><td>± 0.35</td><td>± ---</td></tr><tr><td colspan="3">ANGULAR ±1/2°</td></tr></table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± .010	2 PLACES	± 0.25	± .014	1 PLACE	± 0.35	± ---	ANGULAR ±1/2°			DIMENSION STYLE IN/MM DRAWN BY KBW DATE 01/26/89 CHECKED BY DATE RW 01/26/89 APPROVED BY DATE RAS 01/26/89 MATERIAL NO. SEE CHART	SCALE 1:1 TITLE PLUG AND RECEPTACLE HOUSINGS, 3 CIRCUIT, .062 DIA. MOLEX MOLEX INCORPORATED	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
		mm	INCH																									
	4 PLACES	± ---	± ---																									
	3 PLACES	± ---	± .010																									
2 PLACES	± 0.25	± .014																										
1 PLACE	± 0.35	± ---																										
ANGULAR ±1/2°																												
DESCRIPTION M3	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SIZE C THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																									

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9