






PRODUCT NO.	ROWS	POWER				SIGNAL					POWER		
		E2	P7	P6	P5	P4	6	5	4	3	2	1	E1
51915-051-- NOTE: 3	D C B A		PA	PA	PA	PA	H	H	H	H	H	H	
			G	G	G	G	G	G	G	G	G	G	
			F	F	F	F	F	F	F	F	F	F	
			E	E	E	E	E	E	E	E	E	E	







CODE	DIM "M" MATING LENGTH	CONTACT TYPE
E	N/A [N/A]	SIGNAL
F	N/A [N/A]	SIGNAL
G	N/A [N/A]	SIGNAL
H	N/A [N/A]	SIGNAL
PA	.042 [1.07]	POWER

SEE NOTE 2				tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
lir	ecn no.	dr	date	linear	.XX±.01/0.X±0.3		COPY		title 3ACP + 24S + 4P R/A SOLDER RECEPTACLE
A	V04-0633	TAB	06/15/04		.XXX±.005/0.XX±0.13			INCH/MM	
B	DG06-0158	JMG	04/12/06		.XXX±.0020/0.XXX±0.051				
				angles	0°±2°		 scale 1:1	product family PwrBlade	code 213 sheet 1 of 4
				dr	T. BRUNGARD 06/15/04				
				enrg	M. GRAY 06/15/04				
				chr	M. GRAY 06/15/04				
				appd	M. GRAY 06/15/04		A	51915-051	
sheet index	revision sheet	B 1	B 2	B 3	B 4				



PRODUCT NUMBER
51915-051--
NOTE: 3



mot'l code				SEE NOTE 2				tolerances unless otherwise specified				CUSTOMER			
lir	ecn no.	dr	date	linear	linear	linear	linear	linear	linear	linear	linear	linear	linear	linear	linear
B					.XX±.01/0.X±0.3										
					.XXX±.005/0.XX±0.13										
					.XXX±.0020/0.XXX±0.051										
				angles	0°±2°										
				dr	T. BRUNGARD	06/15/04									
				enr	M. GRAY	06/15/04									
				chr	M. GRAY	06/15/04									
				appd	M. GRAY	06/15/04									
sheet index	revision sheet														



www.fciconnect.com

title 3ACP + 24S + 4P
R/A SOLDER RECEPTACLE


product family PwrBlade code 213
size dwg no A 51915-051 sheet 2 of 4

STAT US: Released

Printed: Dec 20, 2010

PDM: Rev: B

Pro/E





1 | 2

3

4

PRODUCT NUMBER

51915-051__
NOTE: 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED
HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
 3. 51915-051;51915-051LF;51915-051GLF PLATING SPEC. SEE PRINT:10064183
 4. MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON
THIS SURFACE.
 5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
 6. PACKAGED IN TRAYS.
- PCB NOTES:
7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
 8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
 9. $\varnothing .0453 \pm .0010$ [1.151 $\pm$ 0.025] DRILLED HOLES PLATED WITH
.0003 [0.008] MIN SnPb OVER .001 [0.03]
TO .003 [0.08] Cu PLATING TO ACHIEVE
 $\varnothing .040 \pm .003$ [1.02 $\pm$.07] HOLE.
 10. "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.
 11. CONNECTOR KEEP-OUT ZONE.

mol't code				SEE NOTE 2				tolerances unless otherwise specified				CUSTOMER				FCI				www.fciconnect.com			
lir	ecr no.	dr	date	linear	$.XX \pm .01 / 0.X \pm 0.3$			projection	COPY			title				3ACP + 24S + 4P							
B					$.XXX \pm .005 / 0.XX \pm 0.13$				INCH/MM			product family				PwrBlade							
				angles	$.XXX \pm .0020 / 0.XXX \pm 0.051$							size				dwg no							
					$0^\circ \pm 2^\circ$			scale			A			51915-051				213					
				dr	T. BRUNGARD	06/15/04																	
				enr	M. GRAY	06/15/04																	
				chr	M. GRAY	06/15/04																	
				appd	M. GRAY	06/15/04																	
sheet index		revision sheet																					

1 | 2

Pro/E

PDM: Rev:B

STAT US: Released

Printed: Dec 20, 2010

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9