





Amphenol
FCi

© 2016 APCI

spec ref		-		dr		De-Ming Lu		2016/09/06		projection		mm		size		A2		scale		2:1	
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		De-Ming Lu		2016/09/18						ecn no		-		rel level		Released	
ISO 406				chr		Fancy Zhang		2016/09/14						product family		PwrBlade ULTRA					
ISO 1101				appr		Pei-Ming Zheng		2016/09/18													
surface		-		linear		Amphenol FCI		title		6HP+6S, SOLDER		dwg no		10127397-30HI400		rev		A			
ISO 1302		0.X		±0.5																	
		0.XX		±0.25																	
		0.XXX		±0.130																	
		angular		0°		±2°		cat. no.		-		Product - Customer Drw		sheet 1 of 3							

[illegible]

1

2

3

4

5

6

7

8

PRODUCT NUMBER

10127397-30HI400LF

NOTES:

1.

PRODUCT MARK:
PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.

2.

MATERIALS:
HOUSING: HIGH TEMP THERMOPLASTIC WITH GLASS FIBER, UL94V-0, BLACK.
POWER CONTACTS: HIGH CONDUCTIVITY COPPER ALLOY.
SIGNAL CONTACTS: COPPER ALLOY.
HOLD DOWN: COPPER ALLOY.

3.

PLATING SPECIFICATION: AFCI 10135186.

4.

DENOTES CONNECTOR KEEP OUT ZONE.

5.

DATUM AND BASIC DIMENSION ARE ESTABLISHED BY CUSTOMER.

6.

ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.

7.

1.150±0.025mm DRILLED HOLE PLATED WITH 7.62µm MIN Sn OVER
25.4µm-76.2µm Cu PLATING TO ACHIEVE A 1.02±0.07mm FINISHED HOLE.

8.

THE HOUSING WILL WITHSTAND EXPOSURE TO 265°C PEAK TEMPERATURE FOR 10 SECONDS
IN A WAVE SOLDER APPLICATION.

9.

THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS
AS DESCRIBED IN AFCI GS-47-0004.

10.

PRODUCT SPECIFICATION: AFCI GS-12-1176.
APPLICATION SPECIFICATION: AFCI GS-20-0389.
PRODUCT PACKAGE SPECIFICATION: AFCI GS-14-2354.

Amphenol
FCi

© 2016 AFCI

spec ref

-

tolerance std

ISO 406
ISO 1101

surface

ISO 1302

TOLERANCES UNLESS
OTHERWISE SPECIFIED

linear

0.X

±0.5

0.XX

±0.25

0.XXX

±0.130

angular

0°

±2°

dr

De-Ming Lu

2016/0906

eng

De-Ming Lu

2016/0918

chr

Fancy Zhang

2016/0914

appr

Pei-Ming Zheng

2016/0918

Amphenol
FCi

6HP+6S, SOLDER
R/A PLUG, PwrBlade ULTRA

cat. no.

-

projection

mm

size

A2

scale

2:1

ecn no

-

product family

PwrBlade ULTRA

rel level

Released

title

6HP+6S, SOLDER
R/A PLUG, PwrBlade ULTRA

dwg no

10127397-30HI400

rev

A

Product - Customer Drw

sheet 3 of 3

Crea File - REV E - 2016-02-12

1

2

3

4

5

PDS: Rev :A

STATUS:Released

Printed: Sep 18, 2016

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9