










spec ref		-		dr		A Parrenin		2002/09/19		projection		mm		size		A3		scale		4:1	
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		J Dalibard		2016/02/01						ecn no		ELX-B-16041-1			
± 0.13 $\pm 2^\circ$						chr		J Dalibard		2016/02/01						rel level		Released			
						appr		Aymeric Soudy		2016/02/08		product family		MODULAR JACK							
surface 		linear		0.X		$\pm Y$				title		VERTICAL SMT 4 POSITIONS		dwg no		98431		rev		N	
				0.XX		$\pm Y$															
				0.XXX		$\pm Y$															
ISO 1302		angular		0°		$\pm Y^\circ$		www.fci.com		cat. no.		98431-XXX(LF)		Product - Customer Drw		sheet 1 of 2					


PRODUCT N°
98431-XXXLF

CONTACT PLATING OPTION
1= GXT 0.76 μm
3= 0.76 μm GOLD
5= 1.27 μm GOLD
7= GXT 0.15 μm


PACKAGE OPTIONS	VERSION
TAPE AND REEL PACKAGE 1= LOADED FACE UP	TOP
TAPE AND REEL PACKAGE 2= LOADED FACE DOWN	BOTTOM

1= FULLY LOADED

WHEN NEEDED, SUFFIX LETTER "LF"
INDICATES THE PRODUCT IS RoHS
COMPATIBLE SEE NOTE 7.



TOP VERSION



BOTTOM VERSION


NOTES:

- 1 - MATERIAL:
HOUSING: HIGH TEMP. PLASTIC, COLOR BLACK
TERMINAL PHOSPHOR BRONZE
- 2 - PLATING
CONTACT AREA: OPTIONAL SEE TABLE
SOLDER TAIL: SnPb 90/10 2µm MIN
- NO RAW EDGES EXCEPT SOLDER TAILS TIPS
- 3 - AREA FOR VACUUM PICK AND PLACE VENTURY
- 4 - PACKAGING SPECIFICATION SEE TA 858
- 5 - DIMENSION MEASURED FROM "A" TO THE TOP OF PRODUCT
- 6 - COPLANARITY SEE TA 861.
- 7 - RoHS COMPATIBLE PRODUCT SPECIFICATIONS
- a - PLATING:
- "LF" MEANS THE PRODUCT IS LEAD-FREE,
2µm MINIMUM MATTE TIN OVER 1.27µm
MINIMUM NICKEL UNDERPLATE.

- b - MANUFACTURING PROCESS COMPATIBILITY:
 - THE HOUSING WILL WITHSTAND EXPOSURE TO 245 °C PEAK TEMPERATURE FOR 30 SECONDS MAX IN A CONVECTION, INFRA-RED OR VAPOR PHASE OR REFLOW OVEN.

- c - LABELLING:
 - MEETS PACKAGING SPECS AS PER GS-14-920.

- d - LEGAL STATEMENT: SEE GS-22-008



RECOMMENDED PCB FOOTPRINT

spec ref -				dr A Parrenin2002/09/19		projection		mm		size A3		scale 5:1	
tolerance std ±0.13 ±2°				eng J Dalibard2016/02/01						ecn no ELX-B-16041-1			
TOLERANCES UNLESS OTHERWISE SPECIFIED				chr J Dalibard2016/02/01						rel level Released			
appr Aymeric Soudy2016/02/08				product family MODULAR JACK									
surface -		linear				title VERTICAL SMT 4 POSITIONS				dwg no 98431		rev N	
		0.X ±Y											
		0.XX ±Y											
		0.XXX ±Y		www.fci.com		cat. no. 98431-XXX(LF)		Product - Customer Drw				sheet 2 of 2	
ISO 1302		angular 0° ±Y°											

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9