

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD

D

C

B

A

REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER

FOR REPLACEMENT PARTS FOR APPLICATOR REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED) WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	±

MATERIAL

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

TE Connectivity

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

C-

SCALE



SHEET OF

REV

1470-19 (3/11)

Pro/ENGINEER DRAWING

*** WARNING**
ON INSTALLATION, SET WIRE
DISC TO LARGEST WIRE SIZE
SETTING. USE OF SETTINGS
BELOW MIN. REQUIRED CRIMP
HEIGHT SETTING WILL CAUSE
DAMAGE TO CRIMP TOOLING.



	-	-	-	REF	-	..	455749-1	GUARD WINDOW	16
3	-	-	REF	-	-	..	679532-1	INSERT, GUARD	15
	-	I	I	I	I	-	1-21002-7	SCR, BTN SKT HD CAP 6-32 X .375	91
	-	I	I	I	I	-	318563-1	GUARD, FRONT CHIP	89
	-	I	I	I	I	-	4088040	SF APPL INST 408-8040	72
	-	I	I	I	I	-	217238-1	GENERAL INSTRUCTION PKG	71
	-	I	I	I	I	-	461264-5	PLATE, IDENTIFICATION	67
	-	2	2	2	2	-	21017-2	SCREW, DRIVE	66
	-	I	I	I	I	-	21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250	63
	-	I	I	I	I	-	22733-8	SCR, BHSC, SELF-LOCKING, 8-32 X .375	60
	-	I	I	I	I	-	2-22603-0	SCR, HEX HD CAP 8-32 X .312	59
	-	I	I	I	I	-	458537-2	PAWL, FEED	56
4	-	4	4	4	4	-	2-21002-2	SCR, BTN SKT HD CAP 8-32 X .500	54
	-	2	2	2	2	-	2-21000-8	SCR, SKT HD CAP 8-32 X .625	53
	-	I	I	I	I	-	21018-5	NUT, HEX, REG 6-32	52
	-	I	I	I	I	-	811242-2	BUMPER, HOLD DOWN	51
	-	I	I	I	I	-	690753-1	SPACER, TONKER	50
	-	-	I	-	-	..	690602-6	CAM, PRE FEED, I 5/8	49
	-	-	-	I	-	..	690602-5	CAM, PRE FEED, I 1/8	48
	-	I	-	-	I	-	690501-4	CAM, POST FEED, I 5/8	47
	-	I	I	I	I	-	459456-1	APPL, BASIC SUB ASSY (SIDE WISE MOCA)	46
	-	I	I	I	I	-	690191-1	PLUG,NYLON	45
	-	I	I	I	I	-	455673-1	RAM, SIDE FEED	44
	-	I	I	I	I	-	7-21002-9	SCR, BTN SKT HD CAP 5/16-24 X 1.00	41
	-	I	I	I	I	-	690125-1	SHIM SUB-ASSY	39
	-	I	I	I	I	-	469367-8	SHIM	38
	-	I	I	I	I	-	879103-3	FINE ADJUST HEAD ASSEMBLY	37
4	-	I	I	I	I	-	690786-6	TERMINAL SUPPORT	34
	-	2	2	2	2	-	2-21002-4	SCR, BTN SKT HD CAP 8-32 X .750	33
	-	I	I	I	I	-	21024-5	WASHER, SPRG LOCK, REG NO 10	32
	-	I	I	I	I	-	3-21000-4	SCR, SKT HD CAP 10-32 X .375	31
	-	I	I	I	I	-	1-1320908-5	SPACER, STRIP GUIDE	30
	-	I	I	I	I	-	1633091-7	ASSEMBLY, STRIP GUIDE	29
	-	I	I	I	I	-	455888-7	SPACER, CRIMPER	28
	-	I	I	I	I	-	21028-2	PIN, SLOTTED SPRING .062 X .250	27
	-	I	I	I	I	-	22278-7	SPRING, COMPRESSION	26
	-	I	I	I	I	-	854769-4	HOLDER, INS	25
	-	I	I	I	I	-	1320928-3	PLATE, STRIP GUIDE	24
	-	I	-	-	I	-	690472-2	STRIPPER	22
	-	I	I	I	I	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500	21
	-	4	4	4	4	-	21024-4	WASHER, SPRG LOCK, REG NO 8	20
	-	-	I	I	-	-	691353-1	STRIPPER	19
1	-	I	-	-	-	-	679625-1	SHEAR HOLDER, FRONT (NO CUT)	13
	-	I	I	I	I	-	3-22280-3	SPRING, COMPRESSION	12
1	-	I	I	I	I	-	690461-1	STOP, SHEAR	11
1	-	-	I	I	I	-	690459-1	SHEAR HOLDER, FRONT	10
1	-	I	I	I	I	-	454276-1	FLOATING SHEAR, FRONT	9
	I	I	I	I	I	-	2-662520-4	ANVIL, COMBINATION	8
	-	I	I	I	I	-	240641-9	SPACER	7
	-	-	-	-	-	..	-	-	6
	-	I	I	I	I	-	854772-1	DEPRESSOR, SHEAR	5
	-	I	I	I	I	-	4-238011-5	BLOCK, CRIMPER SPACER	4
1	I	I	I	I	I	-	1-1633511-3	CRIMPER, INSULATION F	3
1	I	I	I	I	I	-	1-1333281-5	CRIMPER, WIRE PREMIUM	1

THIS DRAWING IS A CONTROLLING DOCUMENT FOR THE CUSTOMER'S INFORMATION. IT IS THE CUSTOMER'S RESPONSIBILITY TO OBTAIN THE LATEST REVISION OF THIS DRAWING. THE CUSTOMER SHALL BE CONTACTED FOR THE LATEST REVISION.		DWN 4ZAM42007 L CROSS R KNEPPER G BAILEY 4ZAM42007		 Tyco Electronics Harrisburg, PA 17105-3688	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.1 1 PLC ±.01 2 PLC ±.01 3 PLC ±.001 4 PLC ±.00001 CABLES ±.1		NAME FINE ADJUST SIDE HDM APPLICATOR	
		PRODUCT SPEC APPLICATION SPEC		SIZE A 00779	
MATERIAL -		FINISH -		DRAWING NO C-1855294	
WEIGHT -		CUSTOMER DRAWING		SCALE 3:5 SHEET 1 OF 1 REV A2	

[illegible]

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9