





PRODUCT NUMBER SEE SHEET 2




spec ref *				dr	Rainbow Zhan	2014/06/13	projection	MM	size	A3	scale	3:2	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Rainbow Zhan	2014/07/03					ecn no	-	
ASME Y14.5				chr	Li- He	2014/07/03							
				appr	Pei-Ming Zheng	2014/07/03							product family
surface	linear	0.X	±0.5		title 5HP + 16S RA STB HEADER				dwg no	10106124-5004001		rev	A
		0.XX	±0.25										
		0.XXX	±0.10										
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.			Product - Customer Drw			sheet 1 of 3		



Copyright FCI.

PRODUCT NO.	ROW S		HIGH POWER					SIGNAL				
		E1	P1	P2	P3	P4	P5	1	2	3	4	E2
10106124-5004001LF	D C B A		H1	H1	H1	H1	H1	UUUU TTTT SSSS RRRR				
			U U	U U	U U	U U	U U	U U U U				



CODE	DESCRIPTION
H1	STD HIGH POWER CONTACT (3.43)
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Rainbow Zhan	2014/06/13	projection	MM	size	A3	scale	3:2				
eng	Rainbow Zhan	2014/07/03			ecn no				-			
chr	Li- He	2014/07/03										
appr	Pei-Ming Zheng	2014/07/03	product family	PwrBlade+	rel level	Released						
FCi			title		5HP + 16S		dwg no		10106124-5004001		rev	
			RA STB HEADER								A	
www.fci.com			cat. no.			Product - Customer Drw					sheet 2 of 3	

1

2

3

4

A

B

C

D

A

B

C

D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

dr	Rainbow Zhan	2014/06/13	projection	MM	size	A3	scale	3:2
eng	Rainbow Zhan	2014/07/03			ecn no	-		
chr	Li- He	2014/07/03			rel level	Released		
appr	Pei-Ming Zheng	2014/07/03	product family	PwrBlade+				
			title		5HP + 16S		dwg no	
			RA STB HEADER				10106124-5004001	
www.fci.com			cat. no.		Product - Customer Drw		rev	
							A	
					sheet 3 of 3			

2

3

PDS: Rev :A

STATUS:Released

Printed: Jul 04, 2014

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9