


P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RPRODUCTION RELEASE	13JUN2019	JW	SH




2343987-1 AS SHOWN

- 1 CAGE ASSEMBLY: STAINLESS STEEL.
HEAT SINK: ALUMINUM/NICKEL PLATE.
HEAT SINK CLIP: STAINLESS STEEL.
EMI SPRING: COPPER ALLOY/NICKEL PLATE.
- 2 REFERENCE APPLICATION SPECIFICATION 114-32023 FOR
RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
BOARD LAYOUT PER THIS PRINT.
- 3 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- 4 DATE CODE (YYWWD) MARKED APPROXIMATELY
AS SHOWN.
5. MATES WITH QSFP DD MSA COMPATIBLE TRANSCEIVER.
6. MINIMUM PC BOARD THICKNESS: SINGLE SIDED: 1.45 MIN
DOUBLE SIDED: 2.20 MIN
- 7 ONLY FOR VERSION WITH REAR EONS
- 8 PROPOSAL ONLY



DETAIL A
SCALE 8:1




W/O REAR EONS	23	NET	1-2343987-3
W/O REAR EONS	16	SAN	1-2343987-2
W/O REAR EONS	13.7	PCI	1-2343987-1
W/ REAR EONS	23	NET	2334987-3
W/ REAR EONS	16	SAN	2343987-2
W/ REAR EONS	13.7	PCI	2343987-1
REMARK	DIM A	HEATSINK	PART NUMBER



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG 13SEP2018	TE Connectivity	
		CHK S. HAN 13SEP2018		
		APVD S. HAN 13SEP2018	NAME CAGE ASSEMBLY WITH HEATSINK THRU BEZEL, 1X5, QSFPDD	
DIMENSIONS: mm		PRODUCT SPEC -	SIZE A2	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC -	CAGE CODE -	
0 PLC ±0.25		WEIGHT -	DRAWING NO C-2346987	
1 PLC ±0.25		RESTRICTED TO -		
2 PLC ±0.25		SCALE 1:1		
3 PLC ±		SHEET 1 OF 6		
4 PLC ±		REV A		
ANGLES ±				
FINISH -1				

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
© COPYRIGHT 20	BY -	ALL RIGHTS RESERVED.


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-






2343987-2
UNMARKED DIMENSIONS SAME AS 2343987-1
SCALE 3:2






SCALE 1:1






2343987-3
UNMARKED DIMENSIONS SAME AS 2343987-1
SCALE 3:2





1-2343987-1 W/O REAR EONS
DIMENSIONS SAME AS 2343987-1
SCALE 3:2




1-2343987-2 W/O REAR EONS
DIMENSIONS SAME AS 2343987-2
SCALE 3:2





1-2343987-3 W/O REAR EONS
DIMENSIONS SAME AS 2343987-3
SCALE 3:2





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG 13SEP2018	TE Connectivity			
		CHK S. HAN 13SEP2018				
		APVD S. HAN 13SEP2018	NAME CAGE ASSEMBLY WITH HEATSINK THRU BEZEL, 1X5, QSFPDD			
DIMENSIONS: mm		PRODUCT SPEC -	SIZE A2	CAGE CODE -	DRAWING NO C-2346987	RESTRICTED TO -
TOLERANCES, UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ± FINISH		APPLICATION SPEC -	WEIGHT -	SCALE 1:1		
MATERIAL -		CUSTOMER DRAWING	SHEET 2 OF 6		REV A	







P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9