








spec ref		-		dr		NotFound DuWa		2010/04/28		projection		MM		size		A2		scale		3:1	
tolerance std		-		eng		De-Ming Lu		2014/12/28						ecn no		ELX-DG-19849-1		Released			
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		-		-													
				appr		Pei-Ming Zheng		2014/12/29													
surface				linear				title		VERT RECP ASSY 10DC-24S		dwg no		10088056		rev		B			
				0.X																±0.5	
				0.XX																±0.25	
ASME Y14.5		angular		0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw		sheet 1 of 4					

PDS: Rev :B

STATUS:Released

Printed: Dec 30, 2014



RECOMMENDED PCB LAYOUT
COMPONENT SIDE

NOTE 6



dr	NotFound DuWa	2010/04/28		MM		size	A2	scale	3:1
eng	De-Ming Lu	2014/12/28				ecn no	ELX-DG-19849-1		
chr	-	-				rel level	Released		
appr	Pei-Ming Zheng	2014/12/29	product family		-				
			title		VERT RECP ASSY 10DC-24S		dwg no		10088056
			HCI POWER CONNECTOR						rev
									B
www.fci.com			cat. no.	-	Product - Customer Drw			sheet 2 of 4	

PDS: Rev :B

STATUS:Released

Printed: Dec 30, 2014

	1	2	3	4	5	6	7	8							
A									A						
B	TOP LAYER DESCRIPTION	TABLE 1 (HCI POWER) PLATED THROUGH-HOLE REQUIREMENTS													
		DRILLED HOLE DIAMETER	COPPER THICKNESS	TIN-LEAD THICKNESS	NICKEL THICKNESS	GOLD THICKNESS	TIN THICKNESS	SILVER THICKNESS	FINISHED HOLE DIAMETER						
	TIN-LEAD	0.81-0.86 (0.85 DRILL)	0.025 - 0.050	0.005 - 0.015	--	--	--	--	0.65 - 0.80						
	IMMERSION TIN	0.81-0.86 (0.85 DRILL)	0.025 - 0.050	--	--	--	0.9 - 1.5um	--	0.70 - 0.80						
	IMMERSION SILVER	0.81-0.86 (0.85 DRILL)	0.025 - 0.050	--	--	--	--	0.15 - 0.65um	0.70 - 0.80						
	COPPER (SEE NOTE 9)	0.81-0.86 (0.85 DRILL)	0.025 - 0.050	--	--	--	--	--	0.70 - 0.80						
GOLD	0.81-0.86 (0.85 DRILL)	0.025 - 0.050	--	0.003 - 0.007	FLASH UP TO 0.0002	--	--	0.69 - 0.80							
C	TOP LAYER DESCRIPTION	TABLE 2 (HPC SIGNALS) PLATED THROUGH-HOLE REQUIREMENTS													
		DRILLED HOLE DIAMETER	COPPER THICKNESS	TIN-LEAD THICKNESS	NICKEL THICKNESS	GOLD THICKNESS	TIN THICKNESS	SILVER THICKNESS	FINISHED HOLE DIAMETER						
	TIN-LEAD	1.125-1.175 (Ø.0453±.0010)	0.025-0.050	0.005-0.015	--	--	--	--	0.94 - 1.10 (Ø.040±.003)						
	IMMERSION TIN			--	--	--	--	--							
	IMMERSION SILVER			--	--	--	--	--							
	COPPER (SEE NOTE 9)			--	--	--	--	--							
GOLD			--			--	--								
D									D						
									E						
									F						
									F						
									F						
									F						
FCI Copyright FCI.		2		3		4		5		PDS: Rev :B		STATUS:Released		Printed: Dec 30, 2014	
1		2		3		4		5		6		7		8	

dr	NotFound DuWa	2010/04/28	projection 	MM 	size	scale					
eng	De-Ming Lu	2014/12/28			A2	3:1					
chr	-	-			ecn no	ELX-DG-19849-1					
appr	Pei-Ming Zheng	2014/12/29			product family	- rel level Released					
FCI www.fci.com		title			VERT RECP ASSY 10DC-24S		dwg no	10088056		rev	B
cat. no.			-			Product - Customer Drw			sheet 3 of 4		

Copyright FCI.

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9