



CYATB108LD-ZS45XI Status: **In Production**

[Alert me about changes to this product](#)

[SHARE](#)

- [Datasheet](#)
- [Quality and RoHS](#)
- [Support and Community](#)
- [Inventory](#)
- [Technical Documents](#)
- [Packaging/Ordering](#)
- [Related Products](#)



CYATB108LD-ZS45XI	
Automotive Qualified	N
Min. Operating Voltage (V)	2.70
Max. Operating Voltage (V)	3.60
Min. Operating Temp. (°C)	-40
Max. Operating Temp. (°C)	85
Frequency (MHz)	N/A
Temp. Classification	Industrial
Max. Operating VCCQ (V)	3.60
Min. Operating VCCQ (V)	2.70
Speed (ns)	45
Density (Kb)	8192
Organization (X x Y)	1Mb x 8

Pricing & Inventory Availability			
1-10 unit Price*	11-100 unit Price*	101-1000 unit Price*	1001 + unit Price*
Availability	Quantity	Ships In	Order Now

* Prices are shown in United States dollars and are for budgetary use only.

Packaging/Ordering	
Package	TSOP
No. of Pins	44
Package Dimensions	729 L X 1.05 H X 435 W (Mils)
Package Weight	453.25 (mgs)
Package Cross Section Drawing	Download
Package Carrier	TRAY
Package Carrier Drawing / Orientation	Drawing, Package Orientation
Standard Pack Quantity	135
Minimum Order Quantity (MOQ)	135
Order Increment	135
Estimated Lead Time (days)	49
HTS Code	8542.32.0040
ECCN	3A991

Quality and RoHS

Moisture Sensitivity Level (MSL)	3
Peak Reflow Temp. (°C)	260 (Cypress Reflow Profile)
RoHS Compliant	Y Print RoHS Certificate of Compliance
PB Free	Y
Lead/Ball Finish	Pure Sn
Marking	Cypress Marking Format
Package Material Declaration 44L-TSOP II 001-03016 Last Update: 10/25/2012	
IPC 1752 Material Declaration IPC-1752-2_V1.1_TSOP II 44 (STACK DIE)_ASE Last Update: 07/05/2012 IPC-1752-2_V1.1_TSOP II 44_CML_GREEN MC Last Update: 07/04/2012 IPC-1752-2_V1.1_TSOP II 44_PURE SN_OSE Last Update: 07/04/2012	
RoHS Analysis Certificates (CoA) TSOP 28 - 001-79768 Last Update: 06/28/2012 PACKAGE ROHS ANALYSIS REPORT - TSOPII-STACKED DIE (ZW44,54) USING MOLD COMPOUND CEL9200THF, ADHESIVE FH-900, PURE SN - ASE TAIWAN ASSEMBLY Last Update: 07/04/2012 PACKAGE ROHS ANALYSIS REPORT - TSSOP (ZZ 08,14,16,20,24,28,48,56,64) TSOP (ZY32R, 48) (ZB32) (ZT 28,32,48) (ZD32) TSOPII (ZW32,44) USING MOLD COMPOUND CEL9200HF, ADHESIVE 8340, PURE SN - OSE TAIWAN ASSEMBLY Last Update: 07/04/2012	
RoHS Analysis Certificates (CoA) for Direct Materials Please click here	

Technical Documents

Application Notes (52)

[AN74875 - Designing with Serial I2C nvSRAM](#) Last Update: 06/05/2013

[AN106 - Migrating from FM20L08 to FM28V100](#) Last Update: 08/04/2013

[AN214 - Differences between the FM24C16A and FM24C16B](#) Last Update: 05/04/2013

[AN326 - Differences between Grade 1 Versions of the FM25C16A and the FM25C16B](#) Last Update: 05/04/2013

[Show More](#)

Product Information Notice (PIN) (1)

[PIN135200](#) Last Update: 21/03/2013

Support and Community

[Cypress Developer Community](#)™

[Forums](#)

[Blogs](#)

[Support](#)

[Knowledge Base](#)

[Product Training](#)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9