

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	E1	ECR-16-009824	28JUL2016	GK	SD

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2836316-1

FOR REPLACEMENT PARTS FOR APPLICATOR 680877
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
680877

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity	
		CHK GOPALAKRISHNA HV			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ±		APVD STOUGH DALE	
		1 PLC ±		PRODUCT SPEC	
		2 PLC ±		APPLICATION SPEC	
		3 PLC ±			
4 PLC ±		4 PLC ±		SIZE	
ANGLES ±		FINISH		CAGE CODE	
MATERIAL				DRAWING NO	
				C- 680877	
				RESTRICTED TO	
				CUSTOMER DRAWING	
				SCALE	
				SHEET 1 OF 2	
				REV E1	



TERMINAL NAME: AUTOMOTIVE SOCKET CONTACT									
AMP P/N		MFG P/N		CRIMP DATA (NON-AMP TERMINAL-MFR SPEC)					
286835		1300263010		PAD LTR		CRIMP HEIGHT		WIRE SIZE	
1437284-9				A		.043 ±.002 [1.09 ±.05mm]		18	
				B		.039 ±.002 [1.0 ±.05mm]		20	
				C		NOT		USED	
				D		NOT		USED	
				CRIMP		SIZE		TYPE	
				WIRE		.070 [1.78mm]		F	
				INSUL		.100 [2.54mm]		F	
								.076Ø MAX	
WIRE STRIP LENGTH		TERM APPL SPEC		FEED		APPL INSTRUCTION		SET UP GAGE	
.156-.187		NONE		.312		408-8040		458637-1	
								L2284	

LOC	DIST	REVISIONS					
A	66	P	LTR	DESCRIPTION	DATE	DWN	APVD
			E	ECR-07-010264	5-2007	MY	TE

-1	LEADMAKER	MECH POST FEED
-2	BENCH MODEL K	MECH PRE FEED
-3	BENCH MODEL G	MECH PRE FEED

REF	REF	REF	—	22594-8	NUT, HEX(1/2-20)	70
REF	REF	REF	—	240628-1	PLATE, ADJUSTMENT	69
REF	REF	REF	—	240626-1	SHAFT, PIVOT	68
REF	REF	REF	—	240633-1	BUSHING	67
REF	REF	REF	—	455680-1	LEVER, INTERMEDIATE	66
REF	REF	REF	—	240629-1	BLOCK, PIVOT	65
REF	REF	REF	—	240632-2	SCREW, ADJ FEED ROD	64
REF	REF	REF	—	240659-3	PIN, CAM ROLLER	63
REF	REF	REF	—	240658-1	ROLLER, CAM	62
REF	REF	REF	—	454398-2	ROD, FEED	61
REF	REF	REF	—	454178-1	GUIDE, FEED ROD	60
REF	REF	REF	—	454220-1	CAP, RAM	59
REF	REF	REF	—	454485-1	HOUSING	58

1	1	1	—	458537-2	PAWL, FEED	56
REF	REF	REF	—	240624-1	PIN, FEED FINGER	55
REF	REF	REF	—	691499-1	SPRING, FEED FINGER	54
REF	REF	REF	—	690541-1	HOLDER, FEED FINGER	53
REF	REF	REF	—	455679-1	LEVER, TERMINAL FEED ARM	52
1	1	1	—	811242-2	BUMPER, HOLDDOWN	51
1	1	1	—	690753-1	SPACER, TONKER	50
1	—	—	—	690602-6	CAM, PRE-FEED 1 5/8 ST	49
—	1	—	—	690602-5	CAM, PRE-FEED 1 1/8 ST	48
—	—	1	—	690501-4	CAM, POST-FEED 1 5/8 ST	47
1	1	1	—	459456-1	APPLICATOR, BASIC (SUBASSY)	46
1	1	1	—	690191-1	PLUG, NYLON	45
1	1	1	—	455673-1	RAM	44
1	1	1	—	690125-1	WASHER, LAMINATED	43
1	1	1	—	690124-1	WASHER, RAM	42
1	1	1	—	7-21002-9	BOLT, CRIMPER(5/16x1.00)	41
1	1	1	—	23241-6	BALL, STEEL	40
1	1	1	—	690170-1	SPRING, COMPRESSION	39
1	1	1	—	690142-1	DISC, INSULATION	38
1	1	1	—	354777-1	WIRE DISC, PLASTIC	37
1	1	1	—	22480-5	WASHER, SPRING	36
1	1	1	—	690212-1	POST, RAM	35
1	1	1	—	690786-6	SUPPORT, TERMINAL	34
REF	REF	REF	—	455675-1	PLATE, BASE	33
1	1	1	—	690432-3	SCREW, ADJUSTMENT	32

REF	REF	REF	—	455689-1	BLOCK, STRIP GUIDE ADJ	30
1	1	1	—	455671-1	PLATE, STRIP GUIDE	29
1	1	1	—	2-455888-0	SPACER, FRONT SHEAR DEP	28
2	2	2	—	1-22284-0	SPRING, DRAG	27
1	1	1	—	690546-1	LEVER, DRAG RELEASE	26
1	1	1	—	240792-1	DRAG, TERMINAL	25
1	1	1	—	6-690504-0	GUIDE, STRIP (REAR)	24
1	1	1	—	690438-1	GUIDE, STRIP (FRONT)	23
—	—	1	—	690472-2	STRIPPER	22
REF	REF	REF	—	4-22284-9	SPRING, FEED RETURN	21

						20
1	1	-	-	691353-1	STRIPPER	19
						18

1	1	1	-	318563-1	GUARD, CHIP, FRONT	16
						15

						13
1	1	1	-	3-22280-3	SPRING, SHEAR	12
1	1	1		600461-1	STOP, SHEAR	11

1	1	1	-	690459-1	HOLDER, SHEAR (FRONT)	10
1	1	1	-	1-454276-9	SHEAR, FLOAT (FRONT)	9
1	1	1	-	2-662185-7	ANVIL	8

1	1	1	-	6-240641-5	SPACER, DEPRESSOR (REAR)	7
						6
1	1	1	-	1-455889-4	DEPRESSOR SHEAR (FRONT)	5

1	1	1	-	238011-7	SPACER, BLOCK CRIMPER	4
1	1	1	-	3-683453-0	CRIMPER, INSULATION	3
1	1	1	-	455888-1	SPACER, CRIMPER	2



-3	-2	-1	U/M	PART NO	DESCRIPTION	ITEM NO
				PARTS LIST		

THIS DOCUMENT IS A CONTROLLED DOCUMENT.		OWN	14SEP99	 Tyco Electronics	Tyco Electronics Corporation Harrisburg, PA 17105-3608
		M.HERR			
		CHK	14SEP99		
		M.HERR			
CTIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED	APVD	14SEP99	NMF	


	0 PLC	± -	PRODUCT SPEC	SIDE YIELD FROM APPLICATION			
	1 PLC	± -	—	—			
	2 PLC	± -	APPLICATION SPEC	—			
	3 PLC	± -		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
	4 PLC	± -					

FINISH	-	WEIGHT	-	A1	00779	C-680877	-
CUSTOMER DRAWING						SCALE	-
						SHEET	1 OF 1
						REV	F

							129
							128
2	2	2		4-354779-5	PIN, WIRE DISC (.3215)B		127
2	2	2	-	3-354779-7	PIN, WIRE DISC (.3175)A		126
1	1	1	-	986950-1	WASHER, FLAT PRECISION		125
1	1	1	-	217238-1	GENERAL INSTRUCTION PACKAGE		124
1	1	1	-	4088040	SF APPL INST 408-8040		123
							122
1	1	1	-	4-21028-0	PIN,SLT SPR(Ø.093x.75)ST GDE PL		121
REF	REF	REF	-	1-21030-1	PIN,DOWEL(Ø.187x.50)LEVER		120
REF	REF	REF	-	1-21030-6	PIN,DOWEL(Ø.187x1.25)HOUSING		119
REF	REF	REF	-	21045-3	RING,RET "C"(Ø.187)FD FING PIN		118
1	1	1	-	21024-5	WASHER, LOCK(#10)ADJ BLOCK		117
REF	REF	REF	-	21024-5	WASHER,LOCK(#10)ADJ PLATE		116
REF	REF	REF	-	21024-5	WASHER,LOCK(#10)FEED GDE ROD		115
2	2	2	-	21024-2	WASHER,LOCK(#4)FRONT STP GUIDE		114
REF	REF	REF	-	5-21028-1	PIN,SLT SPR(Ø.125x.50)ADJ ROD		113
							112
4	4	4	-	21024-4	WASHER,LOCK(#8)STRIPPER		111
REF	REF	REF	-	21899-4	WASHER,FLAT(Ø5/16)SCREW ADJ		110
							109
1	1	1	-	21018-5	NUT,HEX(NO.6)HOLDDOWN		108
REF	REF	REF	-	21068-5	NUT,HEX(6-32)FEED ADJ		107
							106
							105
							104
1	1	1	-	21009-2	SCR,SKT SET(1/4-20x.25 LW)RAM		103
2	2	2	-	21017-2	SCR,DRIVE(#2x.19)ID PLATE		102
REF	REF	REF	-	6-23715-5	SCR,PAN HD(6-32x1.50)FEED ADJ		101
1	1	1	-	461264-1	PLATE, IDENTIFICATION		100
2	2	2	-	5-21006-6	SCR,SET(10-32x.75)DRAG		99
1	1	1	-	22733-8	SCR,BHC(8-32x.38 LW)ANVIL		98
REF	REF	REF	-	2-21002-9	SCR,BHC(10-32x.75)CAP		97
REF	REF	REF	-	2-22733-8	SCR,BHC(1/4-20x.62)HOUSING		96
REF	REF	REF	-	2-21002-7	SCR,BHC(10-32x.50)SG ADJ BLOCK		95
4	4	4	-	2-21002-2	SCR,BHC(8-32x.50)TERM H DWN		94
							93
2	2	2	-	2-21002-2	SCR,BHC(8-32x.50)R STP GDE		92
1	1	1	-	1-21002-7	SCR,BHC(6-32x.38)CAM		91
							90
							89
							88
2	2	2	-	2-21000-9	SCR,SHC(8-32x.75)DEP-HOLD		87
1	1	1	-	2-22603-0	SCR,HEX HD(8-32x.31)FEED FINGER		86
2	2	2	-	1-21000-3	SCR,SHC(4-40x.25)F ST GUIDE		85
1	1	1	-	2-21000-7	SCR,SHC(8-32x.50)STRIPPER		84
REF	REF	REF	-	3-21000-7	SCR,SHC(10-32x.75)FEED ROD GD		83
REF	REF	REF	-	3-21000-6	SCR,SHC(10-32x.62)FD ADJ BLK		82
1	1	1	-	3-21000-4	SCR,SHC(10-32x.38)SG ADJ BL		81
REF	REF	REF	-	3-21000-4	SCR,SHC(10-32x.38)PIVOT BLK		80
-	REF	-	-	455749-1	GUARD, WINDOW		79
REF	-	-	-	679532-1	INSERT, GUARD		78
							77
							76
							75
1	1	1	-	690603-1	SPRING, ASSIST		74
1	1	1	-	23030-1	SCR,SHC(6-32x.25 SL)INS DISC		73
REF	REF	REF	-	458109-1	WASHER, SPECIAL		72
REF	REF	REF	-	690517-1	SPACER		71
-3	-2	-1	U/M	PART NO	DESCRIPTION	ITEM NO	
				PARTS LIST			
QTY	REQD	PER	ASSY				

[illegible]

1. RECOMMENDED SPARE PARTS.
2. GREASE LIGHTLY.
3. GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE.
4. LUBRICATE DAILY USING NO. 20 MACHINE OIL.
5. ITEMS WITH QTY OF REF SPECIFIED (EXCEPT ITEMS 78 AND 79) ARE USED ON ITEM 46.
6. SEE 1456216



Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9