






Copyright FCI.



VIEW A
SCALE 2:1

ITEM	FCI P/N	QTY	DESCRIPTION	NOTES
1	10041276-101LF	5	TERMINAL BLOCK ASS'Y "O"	
2	10041276-102LF	5	TERMINAL BLOCK ASS'Y "X"	
3	10041278-210LF	2	STACK FOR 101MLA	
4	10081646-002	1	LABEL	
5	SEE SHEET 2/3	A/R	CABLE	

dr	Jason Gu	2013/06/27	projection	MM	size	A4	scale	1:2			
eng	Jason Gu	2013/08/22			ecn no	ELX-N-15590-1					
chr	-	-			rel level	Released					
appr	Roger Cheng	2013/08/22	product family		-						
		title			BOARD INTERCONNECT SYSTEM			dwg no	10121889	rev	
www.fci.com		cat. no.			-					D	
Product - Inspection Drw			sheet 1 of 3								



Copyright FCI.

Part Number	DIM L	DESCRIPTION	CABLE P/N	QTY
10121889-001LF	670mm±15mm	32AWG HOOKUP	10123759-001LF	81.6M
10121889-002LF	670mm±15mm	28AWG HOOKUP	10118722-003	80.4M
10121889-003LF	1020mm±15mm	32AWG HOOKUP	10123759-001LF	125.5M


PIN CALL OUT CHART (P1) LEFT

	L	K	J	I	H	G	F	E	D	C	B	A	
O	S	S	S	S	S	S	S	S	S	S	S	S	1
X	S	S	S	S	S	S	S	S	S	S	S	S	2
O	S	S	S	S	S	S	S	S	S	S	S	S	3
X	S	S	S	S	S	S	S	S	S	S	S	S	4
O	S	S	S	S	S	S	S	S	S	S	S	S	5
X	S	S	S	S	S	S	S	S	S	S	S	S	6
O	S	S	S	S	S	S	S	S	S	S	S	S	7
X	S	S	S	S	S	S	S	S	S	S	S	S	8
O	S	S	S	S	S	S	S	S	S	S	S	S	9
X	S	S	S	S	S	S	S	S	S	S	S	S	10

spec ref				dr Jason Gu 2013/06/27		projection 	MM 	size A4	scale 1:2	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng Jason Gu 2013/08/22				ecn no ELX-N-15590-1		
				chr -				rel level Released		
surface		linear	0.X ±	appr Roger Cheng 2013/08/22		product family -		rev		
			0.XX ±			title BOARD INTERCONNECT SYSTEM AIRMAX VS CABLE ASSEMBLY (10 IMLA)		dwg no 10121889		D
			0.XXX ±							
		angular	0° ±°	www.fci.com		cat. no. -		Product - Inspection Drw		sheet 2 of 3

NOTES:

1. UNLESS OTHERWISE SPECIFIED ASSEMBLED LENGTH TOLERANCE =
= 1 METER: $\pm 15.0\text{mm}$
> 1 METER TO 10 METER: $\pm 2\%$ OF "DIM LI"
> 10 METER: +0 / -4% OF "DIM LI"
2. ALL CABLE ASSEMBLIES SHALL BE TESTED 100% FOR CONTINUITY AS DEFINED IN WIRING LIST.
3. UNLESS OTHERWISE SPECIFIED ALL CABLE ASSEMBLIES SHALL BE 100% HI-POT TESTED BY APPLYING 300V DC FOR MINIMUM OF 10ms, UNLESS ACTIVE COMPONENTS ARE USED IN THE ASSEMBLY.
4. OTHER TESTING PERFORMED AS REQUIRED BY PRODUCT SPECIFICATION: GS-12-344.
5. THIS DIMENSION IS A FINISHED PRODUCT LENGTH.
6. LEAD FREE PRODUCTS MEET EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
7. CONNECTOR ASSEMBLIES SHOWN ARE FOR REFERENCE ONLY AND MAY NOT SHOW ALL PART DETAIL. REFERENCE CONNECTOR ASSEMBLY DRAWINGS FOR COMPLETE DETAILS.
8. GLOBAL STANDARDS PER CABLE PACKAGING: GS-14-1093.
9. LABEL:
MANUFACTURER CODE OR NAME
PART NUMBER
REVISION
DATE CODE WW/YY FORMAT
COUNTRY OF ORIGIN
FONT SHALL BE CLEARLY VISABLE AND BLACK IN COLOR
10. A" $\triangle$ " SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION. THE CURRENT REVISION WILL BE SHOWN IN THE SYMBOL.

spec ref				dr	Jason Gu	2013/06/27	projection 	MM 	size	A4	scale	1:2		
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Jason Gu	2013/08/22			ecn no				ELX-N-15590-1	
				chr	-	-			rel level				Released	
				appr	Roger Cheng	2013/08/22			product family				-	
surface - 	linear	0.X	±		title	BOARD INTERCONNECT SYSTEM AIRMAX VS CABLE ASSEMBLY (10 IMLA)			dwg no		10121889		rev	D
		0.XX	±											
		0.XXX	±											
	angular	0°	±°											

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9