





NOTES

1. FINAL TEST: VISUAL INSPECTION FOR COMPLETENESS

2. LAYER PACKING WITH CORRUGATED

3. MUST MEET TOUCH SAFE REQUIREMENT PER IEC 60529

4. RECOMMENDED TIGHTENING TORQUE OF THE SCREW: M8=10±1NM.


5. USABLE 2P MOS SOCKET HOUSING P/N:1-1718333-1

6. CODING AREA

7. MIN SEALING AREA AROUND, NO BURR, TOOLING PARTING, SHRINKAGE PERMITTED, SURFACE QUALITY: Ra<=0.8um

8. V0 MAIRKING ONLY FOR V0 PART,P/N:3-2137740-*

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
		C		REVISED ECO-16-010873	15DEC15	JL
		C1		REVISED ECO-16-011243	15AUG16	JL
		C2		REVISED ECO-17-016624	06DEC17	DD
		C3		REVISED ECO-18-016296	15DEC2018	DD









(0-)*-1
3-* -1 AS SHOWN.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	E. WANG	08NOV11	 TE Connectivity
		CHK	N. ZHOU	08NOV11	
		APVD	K. QDA	08NOV11	
		PRODUCT SPEC			
		APPLICATION SPEC			
		114-101010			
		WEIGHT			
		CUSTOMER DRAWING			
		SCALE 2:1			
		SHEET 1 OF 5			
		REV C3			

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	HVP1100 1POS HEADER ASSY
mm		±0.3			
	0-PLC	±0.5			
	1-PLC	±0.5			
	2-PLC	±0.3			
	3-PLC	±0.013			
ANGLES		±0.0001			
FINISH		±1°			
MATERIAL					

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	100779	C=2137740	










LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION			DATE	DWN	APVD
-	-	SEE SHEET 1			-	-	-
-	-				-	-	-



1-#-1 AS SHOWN.

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	E. WANG	08NOV11	TE Connectivity	
				CHK	N. ZHOU	08NOV11		
DIMENSIONS:				APVD	K. QDA	08NOV11	NAME	
mm				PRODUCT SPEC			HVP1100 1POS HEADER ASSY	
				108-101010			SIZE	
				APPLICATION SPEC			CAGE CODE	
				114-101010			DRAWING NO	
				CUSTOMER DRAWING			RESTRICTED TO	
MATERIAL				WEIGHT			A100779C=2137740	
FINISH				SCALE			2:1	
				SHEET			2 OF 5	
				REV			C3	



LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION			DATE	DWN	APVD
-	-	SEE SHEET 1			-	-	-



2-* -1 AS SHOWN.

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	E. WANG	08NOV11	 TE Connectivity	
				CHK	N. ZHOU	08NOV11		
				APVD	K. ODA	08NOV11	NAME	HVP1100 1POS HEADER ASSY
				PRODUCT SPEC				
				108-101010				
				APPLICATION SPEC				
				114-101010				
				WEIGHT				
				A100779C=2137740				
				CUSTOMER DRAWING				
				SCALE				
				2:1				
				SHEET				
				3				
				OF				
				5				
				REV				
				C3				

LOC		DIST		REVISIONS				
P	LTR	DESCRIPTION			DATE	DWN	APVD	
-		SEE SHEET 1			-	-	-	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN E. WANG	08NOV11	 TE Connectivity	
DIMENSIONS:		CHK N. ZHOU	08NOV11		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.3	APVD K. ODA	08NOV11	NAME	HVP1100 1POS HEADER ASSY
	Ø-PLC	PRODUCT SPEC		SIZE	CAGE CODE
	1 PLC	108-101010		DRAWING NO	RESTRICTED TO
	2 PLC	APPLICATION SPEC			
	3 PLC	114-101010			
MATERIAL		WEIGHT	A100779C=2137740		
FINISH		CUSTOMER DRAWING			
		SCALE	2:1	SHEET	4 OF 5
		REV	C3		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9