

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-002797	26FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151493-5

FOR REPLACEMENT PARTS FOR APPLICATOR 2034001
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
2034001

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity				
DIMENSIONS:		CHK	RAGHAVENDRA						
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME					
		0 PLC ±		SIDE FEED SYSTEM III APPLICATOR					
		1 PLC ±		WITH FINE ADJUST					
2 PLC ±		APVD		RAGHAVENDRA		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
3 PLC ±		PRODUCT SPEC							
4 PLC ±		APPLICATION SPEC							
ANGLES ±		WEIGHT		A 3					
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2		REV A1	

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY TYCO ELECTRONICS CORPORATION, ALL RIGHTS RESERVED.

PART NUMBER	REV	DESCRIPTION	PROGRAMMED MEMORY CHIP
2034001-1	A	CUTS CARRIER	8-2034001-1
2034001-6	A	CONTINUOUS CARRIER	8-2034001-6
7-2034001-1	A	-1 AND SPARE PARTS	9-2034001-1
7-2034001-6	A	-6 AND SPARE PARTS	9-2034001-6
7-2034001-7	A	SPARE PARTS KIT	-

APPLICATOR DATA

CRIMP	SIZE	TYPE
WIRE	.055 [1.40mm]	F
INSUL	.072 [1.83mm]	O

APPL INSTRUCTIONS

408-10135

TERMINAL DATA: TE TERMINAL

TYCO ELECTRONICS CRIMP SPEC

TERMINAL NAME: MICRO QUADLOK SYSTEM SOCKET

WIRE STRIP LENGTH	INSULATION DIAMETER RANGE
3.0-3.4 mm [1.18-.133 IN]	1.15-1.60mm [.045-.062 IN]

TERMINAL APPL SPEC

114-18021

TERMINALS APPLIED

928999-1	986220-5	1-928918-1	1394702-1
928999-5	986220-9	1-928918-2	1394702-2
928999-6	928918-1	968893-1	1534116-1
968220-1	928918-2	1241918-1	1534116-2
1703296-1	1703296-5	-	-

WIRE SIZE	CRIMP HEIGHT	REF SETTING
0.5mm ²	.86±.05 [-.034±.002]	B1
0.35mm ²	.76±.05 [-.030±.002]	C0
0.25mm ²	.72±.05 [-.028±.002]	C4

37

38

39

44

45

63

177

1

176

175

174

62

179

135

52

51

50

66

67

60

20

22

19

9

12

11

10

13

54

60

8

34

54

32

31

46

33

24

30

29

ITEM 30 LOCATED AT FRONT HOLES

ITEM 30 REF

ITEM 8 REF

ITEM 34 REF

ITEM 177 REF

RETAINING PIN LOCATION

.062 REF [1.57]

.605 [15.37]

FEED TRACK POSITION

TERMINAL SUPPORT LOCATION

HOLDDOWN SET-UP

RECOMMENDED SPARE PARTS.

GREASE BEARING SURFACES LIGHTLY.

LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.

ITEM 19 - OPTIONAL STRIPPER FOR BENCH MACHINE APPLICATIONS.

APPLICATOR SPECIFIC DATA TO BE ENTERED INTO BLANK MEMORY CHIP AT ASSEMBLY.

APPLY P/N 1-23419-5 LOCTITE(R) TO THREADS.

FEED FINGER

1901694-1

SET UP GAGE

1901067-1

LOC

A

DIST

66

REVISIONS

P	LYR	DESCRIPTION	DATE	DWN	APVD
A	RELEASED		19MAR2008	RD	GB

ITEM NO	DESCRIPTION	ITEM NO
179	LOCATER BLOCK, TERMINAL	179
177	PIN, SLOTTED SPRING 3.0 X 30.0	177
176	SPRING, COMPRESSION	176
175	GUIDE PIN, HOLDDOWN	175
174	GUIDE PIN, HOLDDOWN	174
135	MEMORY CHIP, PROGRAMMED	135
71	DOCUMENTATION PACKAGE	71
67	TAG, IDENTIFICATION	67
66	SCREW, DRIVE	66
63	SCR, SET, CUP POINT M6 X 6.0	63
62	SCR, BTN SKT HD CAP (M3 X 6)	62
60	SCR, BTN SKT HD CAP (M4 X 8)	60
54	SCR, CAP, SOC HD, LOW HEAD, M4 X 12	54
52	NUT, HEX, REG M3.5	52
51	HOLDDOWN, TERMINAL	51
50	STANDOFF, HOLD-DOWN	50
46	SF SYSTEM III APPLICATOR	46
45	PLUG, NYLON	45
44	RAM ASSEMBLY, SYSTEM III RETROFIT	44
41	SCR, BTN SKT HD CAP (M8 X 25)	41
39	SHIM SUB-ASSY	39
38	SHIM	38
37	FINE ADJUST HEAD ASSEMBLY	37
34	SUPPORT, TERMINAL	34
33	SCR, BTN SKT HD CAP (M4 X 20)	33
32	WASHER, FLAT, REG M5	32
31	SCR, SKT HD CAP, M5 X 10.0	31
30	SPACER, STRIP GUIDE	30
29	ASSEMBLY, STRIP GUIDE	29
28	SPACER, CRIMPER	28
24	PLATE, STRIP GUIDE	24
22	STRIPPER	22
20	WASHER, FLAT, REG M4	20
19	STRIPPER	19
13	SHEAR HOLDER, FRONT	13
12	SPRING, COMPRESSION	12
11	STOP, SHEAR	11
10	SHEAR HOLDER, FRONT, CUT	10
9	FLOATING SHEAR, FRONT	9
8	ANVIL, COMBINATION	8
5	DEPRESSOR, SHEAR	5
4	BLOCK, CRIMPER SPACER	4
3	CRIMPER, INSUL O PREMIUM	3
2	SPACER, CRIMPER	2
1	CRIMPER, WIRE, F	1

ITEM NO

DESCRIPTION

ITEM NO

OWN

M. MORRIS

OSSEP2007

CHK

R. DOBSON

OSSEP2007

APVD

M. MORRIS

OSSEP2007

PRODUCT SPEC

APPLICATION SPEC

SEE TABLE

WEIGHT

-

CUSTOMER DRAWING

DIMENSIONS:

INCHES[mm]

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.1

1 PLC ±.1

2 PLC ±.1

3 PLC ±.1

4 PLC ±.1

ANGLES ±.1

MATERIAL

FINISH

NAME

TYCO ELECTRONICS

TYCO ELECTRONICS

HARRISBURG, PA 17105-3608

SIZE

A

CAGE CODE

00779

DRAWING NO

2034001

RESTRICTED TO

-

SCALE

3:5

SHEET

1

OF

1

REV

A

CUSTOMER DRAWING

DRAWING NUMBER - 2034001

SHEET 2 OF 2

REV. A1

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9