

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-005483	15MAY2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2266243-1






FOR REPLACEMENT PARTS FOR APPLICATOR 1852860
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1852860


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity			
DIMENSIONS:		CHK RAGHAVENDRA					
		APVD RAGHAVENDRA		NAME SIDE FEED HDM APPLICATOR			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1852860	RESTRICTED TO
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV A1

8				7	
THIS DRAWING IS UNPUBLISHED.			RELEASED FOR PUBLICATION		
20			20		
BY TICO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.					
COPYRIGHT 20					
PART NUMBER	REV	FIRST USED	POWER UNIT	FEED TYPE	DESCRIPTION
1852860-1	A	122500-1	LEADMAKER	POST FEED	CUTS CARRIER
1852860-2	A	565435-5	BENCH MODEL K	PRE FEED	CUTS CARRIER
1852860-3	A	354500-1	BENCH MODEL G	PRE FEED	CUTS CARRIER
1852860-6	A	122500-1	LEADMAKER	POST FEED	CONTINUOUS CARRIER
7-1852860-7	A	-	-	-	SPARE PARTS

- △ RECOMMENDED SPARE PARTS
△ GREASE LIGHTLY
△ GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE
△ APPLY TORQ-SEAL IN ALLEN SOCKET TO FILL HOLE AFTER FLAT HD HAS BEEN ADJUSTED TO CORRECT HEIGHT AT QUALIFICATION. APPLY PN 1-23419-5 LOC-TITE TO THREADS.
△ THE INSULATION RANGE LISTED IS FOR THE TERMINAL. THE INSULATION RANGE FOR THE SEAL IS Ø1.35-1.70mm.



TE PN		YAZAKI	YAZAKI TERMINAL - YAZAKI CRIMP SPECS	
1949744	7116-4417-02			
-	-	PAD LTR	CRIMP HEIGHT	WIRE SIZE
-	-	A	1.25mm±.05/-0.05 [0.049+0.002/-0.002]	0.85mm2
-	-	B	1.25mm±.05/-0.05 [0.049+0.002/-0.002]	0.75mm2
-	-	C		
-	-	D		
SEAL PN	-	CRIMP	SIZE	TYPE
1949745	7158-3167-80	WIRE	1.30mm [0.051]	F
-	-	INSUL	2.29mm [0.090]	O
WIRE STRIP LENGTH 4.00-4.50	TERM APPL SPEC YAZAKI SPEC	FEED 8.00	APPLICATOR INSTRUCTIONS 408-8040	SET UP GAGE 458637-1



LOC		DIST		REV		DESCRIPTION		DATE	OWN	APPR
A	66					RELEASED		15JUL2009	RK	GB
-	2	2	2	2	-	9-354778-9	PIN, WIRE DISC, .2990			127
-	2	2	2	2	-	9-354778-9	PIN, WIRE DISC, .2990			126
-	-	REF	-	-	-	455749-1	GUARD WINDOW			116
-	-	REF	-	-	-	679532-1	INSERT, GUARD			115
-	1	1	1	1	-	690603-1	SPRING ASSIST AMP-O-MATOR APPLICATOR			112
-	1	1	1	1	-	1-21002-7	SCR, BTN SKT HD CAP 6-32 X .375			91
-	1	1	1	1	-	318563-1	GUARD, FRONT CHIP			89
-	1	1	1	1	-	4088040	SF APPL INST 408-8040			72
-	1	1	1	1	-	217238-1	GENERAL INSTRUCTION PKG			71
-	1	1	1	1	-	461264-1	PLATE, IDENTIFICATION			67
-	2	2	2	2	-	21017-2	SCREW, DRIVE			66
-	1	1	1	1	-	986950-1	WASHER, FLAT PRECISION			64
-	1	1	1	1	-	21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250			63
-	1	1	1	1	-	23030-1	SCR, SKT HD CAP 6-32 x .25			62
-	1	1	1	1	-	22733-8	SCR, BHSC, SELF-LOCKING, 8-32 X .375			60
-	1	1	1	1	-	2-22603-0	SCR, HEX HD CAP 8-32 X .312			59
-	1	1	1	1	-	1-21003-9	SCR, FLT SKT HD CAP 6-32 X .375			57
-	1	1	1	1	-	458537-2	PAWL, FEED			56
-	4	4	4	4	-	2-21002-2	SCR, BTN SKT HD CAP 8-32 X .500			54
-	2	2	2	2	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500			53
-	1	1	1	1	-	21018-5	NUT, HEX, REG 6-32			52
-	1	1	1	1	-	811242-2	BUMPER, HOLD DOWN			51
-	1	1	1	1	-	690753-1	SPACER, TONKER			50
-	-	1	-	-	-	690602-6	CAM, PRE FEED, 1 5/8			49
-	-	1	-	-	-	690602-5	CAM, PRE FEED, 1 1/8			48
-	1	-	-	1	-	690501-4	CAM, POST-FEED 1 5/8			47
-	1	1	1	1	-	459456-1	APPL. BASIC SUB ASSY (SIDE WISE MQCA)			46
-	1	1	1	1	-	690191-1	PLUG,NYLON			45
-	1	1	1	1	-	455673-1	RAM, SIDE FEED			44
-	1	1	1	1	-	690125-1	SHIM SUB-ASSY			43
-	1	1	1	1	-	690124-1	WASHER, RAM (.115)			42
-	1	1	1	1	-	7-21002-9	SCR, BTN SKT HD CAP 5/16-24 X 1.00			41
-	1	1	1	1	-	23241-6	BALL, STEEL			40
-	1	1	1	1	-	690170-1	SPRING, COMPRESSION			39
-	1	1	1	1	-	1-690142-3	DISC, INSULATION			38
-	1	1	1	1	-	354777-1	WIRE DISC, ASSEMBLY			37
-	1	1	1	1	-	22480-5	SPRING, COMPRESSION			36
-	1	1	1	1	-	690212-1	POST, RAM			35
-	1	1	1	1	-	690786-3	TERMINAL SUPPORT			34
-	2	2	2	2	-	2-21002-4	SCR, BTN SKT HD CAP 8-32 X .750			33
-	1	1	1	1	-	21024-5	WASHER, SPRG LOCK, REG NO 10			32
-	1	1	1	1	-	3-21000-4	SCR, SKT HD CAP 10-32 X .375			31
-	1	1	1	1	-	1-1320908-5	SPACER, STRIP GUIDE			30
-	1	1	1	1	-	1633091-1	ASSEMBLY, STRIP GUIDE			29
-	1	1	1	1	-	1-455888-0	SPACER, CRIMPER			28
-	1	1	1	1	-	1320928-1	PLATE, STRIP GUIDE			24
-	1	1	1	1	-	690472-2	STRIPPER			22
-	1	1	1	1	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500			21
-	4	4	4	4	-	21024-4	WASHER, SPRG LOCK, REG NO 8			20
-	-	1	1	-	-	691353-1	STRIPPER			19
△	-	1	-	-	-	679625-2	SHEAR HOLDER, FRONT (NO CUT)			13
△	-	1	1	1	-	3-22280-3	SPRING, COMPRESSION			12
△	-	1	1	1	-	690461-2	STOP, SHEAR			11
△	-	1	1	1	-	1-690459-0	SHEAR HOLDER, FRONT			10
△	-	1	1	1	-	318707-1	FLOATING SHEAR, FRONT			9
△	1	1	1	1	-	8-1633535-1	ANVIL, COMBINATION			8
-	-	-	-	-	-	-	-			7
-	-	-	-	-	-	-	-			6
-	1	1	1	1	-	318701-1	DEPRESSOR, SHEAR			5
-	1	1	1	1	-	2-238011-2	BLOCK, CRIMPER SPACER			4
△	1	1	1	1	-	1-904741-6	CRIMPER, INSUL O PREMIUM			3
△	-	1	1	1	-	455888-4	SPACER, CRIMPER			2
△	1	1	1	1	-	3-1673600-9	CRIMPER, WIRE			1

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPROVED		NAME		DESCRIPTION		ITEM NO
INCHES		0.001		Y. YIN		25JUN2009		SIDE FEED HDM APPLICATOR		
MATERIAL		FINISH		G. BAILEY		25JUN2009		Tyo Electronics		
APPLICATOR SPEC		WEIGHT		N. DEMING		25JUN2009		Harrisburg, PA 17105-3608		
CUSTOMER DRAWING		SCALE		3:5		SHEET		OF		
CUSTOMER VIEWABLE ASSEMBLY		REV		A		1		REV		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9